



4-Tec 2.0 VXL AWD Chassis (Model 83076-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

- 5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
- 5120 Ball bearings, blue rubber sealed (12x18x4mm) (2)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 5114 Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
- 5105 Ball bearings, blue rubber sealed (6x10x3mm) (2)
- 5118 Ball bearings, blue rubber sealed (8x16x5mm) (2)

Body & Accessories

- 8319 Body bumper, foam
- 1834A Body clips, black (12) (standard size)
- 8315 Body mounts, front & rear (fits #8311 body) (2)**
- 8316 Body mounts, front & rear/ body mount posts/ body mount sliders
- 8317 Body washers, foam
- 8391 Body, Cadillac CTS-V (clear, requires painting)/ decal sheet (includes side mirrors, spoiler, & mounting hardware)**
- 8391A Body, Cadillac CTS-V, blue (painted, decals applied)**
- 8391X Body, Cadillac CTS-V, silver (painted, decals applied)**
- 8386 Body, Chevrolet Corvette Z06 (clear, requires painting)/ decal sheet (includes side mirrors, spoiler, & mounting hardware)**
- 8386X Body, Chevrolet Corvette Z06, blue (painted, decals applied)**
- 8386A Body, Chevrolet Corvette Z06, graphite (painted, decals applied)**
- 8386R Body, Chevrolet Corvette Z06, red (painted, decals applied)**
- 8311 Body, Ford GT® (clear, requires painting)/ decal sheet (includes tail lights, exhaust tips, & mounting hardware)**
- 8311X Body, Ford GT®, black (painted, decals applied) (tail lights, exhaust tips, & mounting hardware (part #8314) sold separately)**
- 8311A Body, Ford GT®, blue (painted, decals applied) (tail lights, exhaust tips, & mounting hardware (part #8314) sold separately)**
- 8311R Body, Ford GT®, red (painted, decals applied) (tail lights, exhaust tips, & mounting hardware (part #8314) sold separately)**
- 8312 Body, Ford Mustang (clear, requires painting)/ window masks/ decal sheet**
- 8312X Body, Ford Mustang, black (painted, decals applied)**
- 8336 Bumper, rear (1)/ rear body mount (1)
- 8393 Decal sheet, Cadillac CTS-V**
- 8387 Decal sheets, Chevrolet Corvette Z06**
- 8392 Mirrors, side, black (left & right)/ mirror retainers (2)/ body clips (4)/ o-rings (4)/ spoiler, black/ spoiler retainer (1)/ 1.6x5 BCS (self-tapping) (3)**
- 8388 Mirrors, side, black (left & right)/ mirror retainers (2)/ spoiler, black/ spoiler retainer (1)/ 1.6x5 BCS (self-tapping) (3)/ 2.6x8 BCS (self-tapping) (2)**
- 8314 Tail lights (2)/ tail light mounts (4) / exhaust tips (2)/ exhaust tip mount (1)/ 3x10 flathead screws (2)/ 3x8 BCS (2)**

Brake Components

- 8367 Brake calipers (red), front (2)/ rear (2)
- 8356 Wheel hubs, hex (disc brake rotors) (4)

Center Driveline

- 8381 Housing, differential (front)
- 8380 Housing, differential (rear)

Chassis & Attachments

- 8327 Battery hold-down/ battery clip/ hold-down post/ screw pin/ pivot post screw
- 8319 Body bumper, foam
- 8324 Box, receiver (sealed) (steering servo mount)/ receiver cover/ access plug/ foam pads/ silicone grease/ 2.5x10 CS (3)
- 8335 Bumper, front (1 each, upper & lower)
- 8336 Bumper, rear (1)/ rear body mount (1)
- 8322 Chassis
- 8321 Chassis brace (front)
- 8323 Gear cover (rear chassis brace)/ wire retainer

Differential Components

- 5381 Carrier, differential x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW
- 5136X Differential oil kit (1 each: 10K, 30K, 50K weights)**
- 8381 Housing, differential (front)
- 8380 Housing, differential (rear)
- 8379 Housing, spool / spool shaft/ bushing
- 6879R Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear)**
- 6879 Ring gear, differential/ pinion gear, differential (rear)

Driveline Components

- 8353X Drive cups, inner (2) (steel constant-velocity driveshafts)/ screw pins (2)**

- 8353 Drive cups, inner (2)/ screw pins (2)
- 8355X Driveshaft, center, aluminum (blue-anodized)**
- 8355G Driveshaft, center, aluminum (green-anodized)**
- 8355R Driveshaft, center, aluminum (red-anodized)**
- 8355 Driveshaft, center, aluminum / pin**
- 8349 Driveshaft, center, steel/ pin
- 8350 Driveshaft, front (2)
- 8351 Driveshaft, rear (2)
- 8350X Driveshafts, steel constant-velocity (assembled), front (2)**
- 8351X Driveshafts, steel constant-velocity (assembled), rear (2)**
- 8382 O-rings (12)
- 2754 Stub axle pins (4)
- 8354 Stub axles (front or rear) (2)
- 8356 Wheel hubs, hex (disc brake rotors) (4)

Front Suspension & Steering

- 8330 Bulkhead, front
- 8332 Caster blocks (c-hubs) (2)/ kingpin bushings (4)
- 8334 Mounts, suspension arms (front & rear)/ hinge pin retainers (4)
- 8334X Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)**
- 8334G Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)**
- 8334R Mounts, suspension arms, aluminum (red-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)**
- 5347 Rod ends, Revo (large) with hollow balls (12)
- 8345 Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))
- 8345G Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1))**
- 8345R Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))**
- 8344 Servo saver/ servo saver spring/ servo horn, steering
- 8338 Shock towers, front & rear
- 8343 Steering bellcranks/ hardware
- 8337 Steering block (2)
- 2754 Stub axle pins (4)
- 8354 Stub axles (front or rear) (2)
- 8333 Suspension arms, front (left & right)
- 8340 Suspension pin set, complete (front & rear)
- 8398 Sway bar kit, 4-Tec 2.0 (front and rear) (includes front and rear sway bars and adjustable linkage)**
- 8342 Toe links, steel (34mm) (2)
- 8341X Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench**
- 8341G Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench**
- 8341R Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench**

Hardware

- 1834A Body clips, black (12) (standard size)
- 8347 Nuts, 4mm flanged nylon locking, serrated (black) (10)
- 5347 Rod ends, Revo (large) with hollow balls (12)
- 3229 Screws, 2.5x10mm cap-head machine (hex drive) (6)
- 3236 Screws, 2.5x12mm cap-head machine (6)
- 3215 Screws, 2.5x6mm cap-head machine (hex drive) (6)
- 2577 Screws, 3x10mm button-head machine (hex drive) (6)
- 2587 Screws, 3x10mm cap-head machine (6) (no washer)
- 2551 Screws, 3x10mm countersunk machine (6) (hex drive)
- 4859 Screws, 3x10mm flat-head machine (hex drive) (4)
- 2578 Screws, 3x12mm button-head machine (hex drive) (6)
- 2552 Screws, 3x12mm countersunk machine (6) (hex drive)
- 2593 Screws, 3x14mm button-head machine (hex drive) (6)
- 2579 Screws, 3x15mm button-head machine (hex drive) (6)
- 2553 Screws, 3x15mm countersunk machine (6) (hex drive)
- 8356 Wheel hubs, hex (disc brake rotors) (4)

Motors & Electronics

- 2260 BEC assembly (complete)**
- 3340 Cooling fan, Velineon VXL-3s ESC**
- 2072A Gear set (for 2070, 2075 servos)
- 3354R Motor cover, endbell (Velineon 3500)
- 3351R Motor, Velineon 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)
- 8390 Plate, motor

Page 2 4-Tec 2.0 VXL AWD Chassis: TQi Traxxas Link Enabled 2.4GHz Radio (Model 83076-4) Parts List

- 3352R Rebuild kit, Velineon 3500 (includes plastic endbell, 5x11x4mm ball bearings (2), 2.5x5mm BCS (with threadlock) (4), rear bushing)
- 2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
- 8345 Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))
- 8345G Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1))**
- 8345R Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))**
- 8344 Servo saver/ servo saver spring/ servo horn, steering
- 2075 Servo, digital high-torque (ball bearing), waterproof
- 3350R Velineon VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon 3500 motor, and speed control mounting plate (part #3725))
- 3355R Velineon VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)

- 6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)**
- 6528 Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 2-channel (transmitter only)
- 6529 Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 3-channel (transmitter only)**
- 6530 Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4-channel (transmitter only)**
- 6511 Traxxas Link Wireless Module**
- 3355R Velineon VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)

Radio System, Batteries & Chargers

- 2849X 4000mAh 11.1v 3-Cell 25C LiPo Battery**
- 2872X 5000mAh 11.1v 3-Cell 25C LiPo Battery**
- 2842X 5000mAh 7.4v 2-Cell 25C LiPo Battery**
- 2843X 5800mAh 7.4v 2-Cell 25C LiPo Battery**
- 2869X 7600mAh 7.4v 2-Cell 25C LiPo Battery**
- 2976 AC to DC converter, 40W**
- 2938X Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports)**
- 2943 Battery charge indicators (green (4), blue (4), grey (4))**
- 6546 Battery door, TQi transmitter (replacement for #6528, 6529, 6530 transmitters)
- 2914 **Battery, Power Cell AA Alkaline (4)**
- 2923X Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)**
- 2940X Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)**
- 2950X Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)**
- 2960X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)**
- 2983 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH battery (1))**
- 2992 Battery/charger completer pack (includes #2970 iD charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))**
- 2994 Battery/charger completer pack (includes #2970 iD charger (1), #2849X 4000mAh 11.1v 3-Cell 25C LiPo Battery (1))**
- 2260 **BEC assembly (complete)**
- 2975 **Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)**
- 2972 **Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification**
- 2973 **Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification**
- 2971 **Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery Identification**
- 2970 **Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification**
- 6525 **Communication link, telemetry expander**
- 6512 **Cover plate, Traxxas Link Wireless Module**
- 2978 **Fuse, charger, 5A (2) (for #2974, 2975, 2977)**
- 2072A Gear set (for 2070, 2075 servos)
- 2968X **LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas iD batteries)**
- 2968 **LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas iD batteries)**
- 6560 **Mount, telemetry expander (fits 4-Tec 2.0)**
- 6535 **Mount, temperature sensor (electric motors)/ wire tie/ thermal pad**
- 6533 Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)
- 6552 **Seal kit, expander box (includes o-ring, seals, and silicone grease)**
- 6526 **Sensor, auto-detectable, temperature**
- 6527 **Sensor, auto-detectable, voltage**
- 6521 **Sensor, temperature and voltage (long)**
- 2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
- 8345 Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))
- 8345G Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1))**
- 8345R Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))**
- 8344 Servo saver/ servo saver spring/ servo horn, steering
- 2075 Servo, digital high-torque (ball bearing), waterproof
- 6553X **Telemetry expander 2.0 and GPS module 2.0, TQi radio system**
- 6550X **Telemetry expander 2.0, TQi radio system (compatible only with #6551X GPS module)**
- 6550 **Telemetry expander, TQi radio system**
- 6551X **Telemetry GPS module 2.0, TQi radio system (compatible only with #6550X telemetry expander)**
- 6551 **Telemetry GPS module, TQi radio system**
- 6509R **TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link enabled, TSM (2-ch transmitter, 5-ch micro receiver)**

Rear Suspension

- 8329 Bulkhead, rear
- 8352 Carriers, stub axle (left & right)
- 8334 Mounts, suspension arms (front & rear)/ hinge pin retainers (4)
- 8334X Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)**
- 8334G Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)**
- 8334R Mounts, suspension arms, aluminum (red-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)**
- 5347 Rod ends, Revo (large) with hollow balls (12)
- 8338 Shock towers, front & rear
- 2754 Stub axle pins (4)
- 8354 Stub axles (front or rear) (2)
- 8331 Suspension arms, rear (left & right)
- 8340 Suspension pin set, complete (front & rear)
- 8398 Sway bar kit, 4-Tec 2.0 (front and rear) (includes front and rear sway bars and adjustable linkage)**
- 8341X **Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench**
- 8341G **Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench**
- 8341R **Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench**

Shocks (Aluminum)

- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 8361 Shock caps (black) (4) (assembled with hollow balls)
- 8362X Spring, shock (blue) (3.7 rate) (2)**
- 8362G Spring, shock (green) (3.7 rate) (2)**
- 8362P Spring, shock (pink) (3.7 rate) (2)**
- 8366 Spring, shock (red) (2.8 rate, white stripe) (2)**
- 8365 Spring, shock (red) (3.325 rate, orange stripe) (2)**
- 8362 Spring, shock (red) (3.7 rate) (2)
- 8363 Spring, shock (red) (4.075 rate, green stripe) (2)**
- 8364 Spring, shock (red) (4.4 rate, black stripe) (2)**

Shocks (Pro-level Aluminum)

- 2658 **Big Bore shocks (short) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts w/ springs)(f/r)(2) (Note: Assembled with 32mm shafts, 29mm shafts included)**
- 2669 **Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)**
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 8361 Shock caps (black) (4) (assembled with hollow balls)
- 2667 **Shock caps, aluminum (Big Bore Shocks) (2)**
- 4261T **Shock shafts, hardened steel, titanium nitride coated (29mm) (front) (2)**
- 4262T **Shock shafts, hardened steel, titanium nitride coated (32mm) (2)**
- 4261 **Shock shafts, steel, chrome finish (29mm) (front) (2)**
- 4262 **Shock shafts, steel, chrome finish (32mm) (2)**
- 1765 Silicone diaphragms (4)
- 1666 **Silicone shock oil (30 wt)**
- 2668 **Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)**
- 8362X **Spring, shock (blue) (3.7 rate) (2)**
- 8362G **Spring, shock (green) (3.7 rate) (2)**
- 8362P **Spring, shock (pink) (3.7 rate) (2)**
- 8366 **Spring, shock (red) (2.8 rate, white stripe) (2)**
- 8365 **Spring, shock (red) (3.325 rate, orange stripe) (2)**
- 8362 Spring, shock (red) (3.7 rate) (2)
- 8363 Spring, shock (red) (4.075 rate, green stripe) (2)**
- 8364 Spring, shock (red) (4.4 rate, black stripe) (2)**

Shocks (Ultra Shocks)

1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
8361	Shock caps (black) (4) (assembled with hollow balls)
8362X	Spring, shock (blue) (3.7 rate) (2)
8362G	Spring, shock (green) (3.7 rate) (2)
8362P	Spring, shock (pink) (3.7 rate) (2)
8366	Spring, shock (red) (2.8 rate, white stripe) (2)
8365	Spring, shock (red) (3.325 rate, orange stripe) (2)
8362	Spring, shock (red) (3.7 rate) (2)
8363	Spring, shock (red) (4.075 rate, green stripe) (2)
8364	Spring, shock (red) (4.4 rate, black stripe) (2)
8360	Ultra Shocks (grey) (short) (includes spring pre-load spacers) (2)

Spur Gears & Pinion Gears

2728	Ball bearings (5x8x2.5mm) (2)
8323	Gear cover (rear chassis brace) wire retainer
2419	Gear, 19-T pinion (48-pitch) / set screw
2421	Gear, 21-T pinion (48-pitch) / set screw
2422	Gear, 22-T pinion (48-pitch) / set screw
2423	Gear, 23-T pinion (48-pitch) / set screw
2424	Gear, 24-T pinion (48-pitch) / set screw
2426	Gear, 26-T pinion (48-pitch)/set screw
2429	Gear, 29-T pinion (48-pitch)/ set screw
2435	Gear, 35-T pinion (48-pitch)/ set screw
4725	Gear, pinion (25-tooth) (48-pitch) / set screw
4728	Gear, pinion (28-tooth) (48-pitch)/ set screw
8358	Spur gear, 55-tooth
8359	Spur gear, 62-tooth
8357	Spur gear, 70-tooth

Steering Components

5347	Rod ends, Revo (large) with hollow balls (12)
8345	Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))
8345G	Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1))
8345R	Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))
8344	Servo saver/ servo saver spring/ servo horn, steering
8343	Steering bellcranks/ hardware
8342	Toe links, steel (34mm) (2)

Suspension Linkage

5347	Rod ends, Revo (large) with hollow balls (12)
8341X	Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341G	Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341R	Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench

Team Traxxas Items

2514	Decal sheet, racing sponsors
9950	Official Team Traxxas racing decal set (flag logo/ 6-color)
9909	Traxxas racing banner, red & black (3x7 feet)

Tires & Wheels

8375	Tires & wheels, assembled, glued (split-spoke black chrome wheels, 1.9" Response tires, foam inserts) (front (2), rear (extra wide) (2)) (VXL rated)
8378	Tires and wheels, assembled, glued (split-spoke black chrome wheels, 1.9" Drift tires) (front and rear)
8376G	Tires and wheels, assembled, glued (split-spoke green wheels, 1.9" Drift tires) (front)
8377G	Tires and wheels, assembled, glued (split-spoke green wheels, 1.9" Drift tires) (rear)
8374G	Tires and wheels, assembled, glued (split-spoke green wheels, 1.9" Response tires) (extra wide, rear) (2) (VXL rated)
8373G	Tires and wheels, assembled, glued (split-spoke green wheels, 1.9" Response tires) (front) (2) (VXL rated)
8376A	Tires and wheels, assembled, glued (split-spoke orange wheels, 1.9" Drift tires) (front)
8377A	Tires and wheels, assembled, glued (split-spoke orange wheels, 1.9" Drift tires) (rear)
8374A	Tires and wheels, assembled, glued (split-spoke orange wheels, 1.9" Response tires) (extra wide, rear) (2) (VXL rated)
8373A	Tires and wheels, assembled, glued (split-spoke orange wheels, 1.9" Response tires) (front) (2) (VXL rated)
8371	Wheels, 1.9" split-spoke (black chrome) (front) (2)
8372	Wheels, 1.9" split-spoke (black chrome) (wide, rear) (2)

Traxxas Tools

3433X	Body reamer (aluminum handle)
3436	Cap, body reamer
3432	Scissors, curved tip
3431	Scissors, straight tip
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle)

Turnbuckles & Threaded Rods

8341	Camber link/toe link set (plastic/ non-adjustable) (front & rear)
8346	Camber links, steel, front (32mm) (2)
8348	Camber links, steel, rear (28mm) (2)
8342	Toe links, steel (34mm) (2)
8341X	Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341G	Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341R	Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM