

Bigfoot® No. 1 (Model 36034-1) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Bearings & Bushings	3621X	Bumper, front / bumper mount, front / 4x23mm RM (2)/ 3x10mm RST (2) (blue)
4607 5116	Ball bearings (5x11x4mm) (8) Ball bearings, blue rubber sealed (5x11x4mm) (2)	3621A	Bumper, front / bumper mount, front / 4x23mm RM (2)/ 3x10mm
1675	Bushings, self-lubricating (5x11x4mm) (14)	3621P	RST (2) (green) Bumper, front / bumper mount, front / 4x23mm RM (2)/ 3x10mm
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)	3622	RST (2) (pink) Main chassis (black)
1000	Body & Accessories	3622A	Main chassis (grey)
1926 1726	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	3626	Mounting plate, electronic speed control/ receiver box (for installation of XL-5/ XL-10/VXL and waterproof receiver box into Stampede)
3662	Body accessories kit, Bigfoot® No. 1 (includes winch, front and rear	3629	Seal kit, receiver box (includes o-ring, seals, and silicone grease)
	bumpers, roll bar, light bar, engine detail, & mounting hardware) (grill sold separately)	3623	Skid plates, front & rear (black)
1834	Body clips (12) (standard size)	3623X	Skid plates, front & rear (blue)
3934	Body clips, heavy duty (12)	3623A 3623P	Skid plates, front & rear (green)
1914R	Body mount, front & rear (black)/ body posts, 52mm (2), 38mm	5185	Skid plates, front & rear (pink) Tires, rubber (2) (fits Traxxas wheelie bar wheels)
3614	(2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware Body mounts (front & rear)	4974	Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)
3619	Body mounts, front & rear/ body mount posts, front & rear	3677A	Wheelie bar mount (1) / hardware (green)
	(adjustable)/ 2.5x18mm screw pins (4)	3677P	Wheelie bar mount (1) / hardware (pink)
1815	Body washers (8)	3677 3677X	Wheelie bar mount (1)/ hardware (black) Wheelie bar mount (1)/ hardware (blue)
6716 3658	Body washers, foam, 2mm (2)/ 3mm (2)/ 4mm (4) Body, Bigfoot® Firestone, Officially Licensed replica (painted,	3678	Wheelie bar, assembled (black) (fits Slash, Stampede, Rustler,
5000	decals applied)		Bandit series)
3653	Body, Bigfoot® Flame, Officially Licensed replica (painted, decals applied)	3678X	Wheelie bar, assembled (blue) (fits Slash, Stampede, Rustler, Bandit series)
3660	Body, Bigfoot® No. 1, Officially Licensed replica (clear, requires painting)/ window masks/ decal sheet	3678A	Wheelie bar, assembled (green) (fits Stampede, Rustler, Bandit series)
3661	Body, Bigfoot® No. 1, Officially Licensed replica (painted, decals applied)	3678P	Wheelie bar, assembled (pink) (fits Stampede, Rustler, Bandit series)
3659	Body, Bigfoot® Summit Racing Equipment®, Officially Licensed replica (painted, decals applied)	4976 5186A	Wheels (4)/ axles (2), for Maxx® wheelie bar Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/
3657	Body, Bigfoot®, Officially Licensed replica (clear, requires painting)/ window masks/ decal sheet	5186	axles (2)/ rubber tires (2) Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/
3621	Bumper, front / bumper mount, front / 4x23mm RM (2)/ 3x10mm RST (2) (black)		axles (2)/ rubber tires (2) Differential Components
3621X	Bumper, front / bumper mount, front / 4x23mm RM (2)/ 3x10mm RST (2) (blue)	2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit,
3621A	Bumper, front / bumper mount, front / 4x23mm RM (2)/ 3x10mm RST (2) (green)	2382	Stampede, Rustler) Planet (gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment
3621P	Bumper, front / bumper mount, front / 4x23mm RM (2)/ 3x10mm RST (2) (pink)	2388X	shaft (1) all hardened steel Planetary gear differential with steel ring gear (complete) (fits Bandit
2514	Decal sheet, racing sponsors	5169	Stampede, Rustler) Screws, 2.6x8mm countersunk machine (6)
3656	Grill, Bigfoot® No. 1 (chrome)/ decals/ adhesive tape/ mounting hardware	1647	Silicone grease
9950	Official Team Traxxas racing decal set (flag logo/ 6-color)		Driveline Components
3931	Screws, 3x8mm flat-head machine (hex drive) (6)	5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5185	Tires, rubber (2) (fits Traxxas wheelie bar wheels)	4628R	Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/
4974	Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)	40007	screw pin (2)
3677A 3677P	Wheelie bar mount (1) / hardware (green) Wheelie bar mount (1) / hardware (pink)	4628X 6828X	Differential output yokes, hardened steel (w/ U-joints) (2) Differential output yokes, heavy duty (2)/ screw pin (2)
3677	Wheelie bar mount (1)/ hardware (black)	1951R	Driveshafts, rear, steel-spline constant-velocity (complete
3677X	Wheelie bar mount (1)/ hardware (blue)		assembly) (2) (fits 2WD Rustler/Stampede)
3678	Wheelie bar, assembled (black) (fits Slash, Stampede, Rustler,	1953	Half shaft pro-pack (internal-splined (6)/ external-splined (6)
3678X	Bandit series) Wheelie bar, assembled (blue) (fits Slash, Stampede, Rustler,	6752	(plastic shafts only) Half shaft, external splined (steel-spline constant-velocity) (1)
3678A	Bandit series) Wheelie bar, assembled (green) (fits Stampede, Rustler, Bandit	6751	(fits 2WD Rustler/Stampede) Half shaft, internal splined (steel-spline constant-velocity) (1)
JUIOM	series)	6850X	Half shafts, heavy duty (external splined (2)/ internal splined (2)
3678P	Wheelie bar, assembled (pink) (fits Stampede, Rustler, Bandit		metal u-joints (4)
4976	series) Wheels (4)/ axles (2), for Maxx® wheelie bar	1951	Half shafts, long truck (external-splined (2) & internal-splined (2)/ metal U-joints (4)
5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)	6757	Rebuild kit, steel-splined constant-velocity driveshafts (include pins, dustboots, lube, and hardware)
5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/	3752	Stub axle carriers (2) (requires 5x11x4mm bushings or bearings)
	axles (2)/ rubber tires (2)	3652A	Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6
	Chassis & Attachments	26520	aluminum (blue-anodized)/ 5x11mm ball bearings (4)
3725X	Battery expansion kit (allows for installation of taller multi-cell battery packs) (Rustler, Bandit, Stampede) (requires part	3652G 3652P	Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6
3627X	#3627X) Battery hold-down (grey) (1) / receiver hold-down (grey) (1) / metal	3652X	aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6
3628	posts (2)/ spacers (2)/ body clips (2)/ servo tape/ adhesive foam pad Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2)		aluminum (red-anodized)/ 5x11mm ball bearings (4)
	Bumper (front)	2754	Stub axle pins (4)
	Bulliper (Irolit)	6/53	Stup axie, rear, 5mm (steel-sniinen constant-volocity nrivosnati
2735 2735P 3621	Bumper (front) (pink) Bumper, front / bumper mount, front / 4x23mm RM (2)/ 3x10mm RST	6753	Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft (1)

Page 2 Bigfoot® No. 1 Officially Licensed Replica: TQ 2.4 GH	Hz Radio (Model 36034-1) Parts List
--	-------------------------------------

Ades (front) (2) 8 all baserings, bilen robber said (fast futuren) (2) 8 all baserings (bedis-family (2) 8 all baserin		Front Suspension & Steering	1747P	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
Sall Searing, (16th, 25th) search (16th) (3637	Axles (front) (2)	1985 1942	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws
Belicrain Louinings (jostacly (58-82_5mm) (4) S477 Not ends, Revo Targo) with hoflow balls (12) S280A Buildhead (front) (girds (first inform) (14) S280A Buildhead (front) (girds (first inform) (14) S280A		= : :::	1042	,
Bulkhead (front) (gires) 24745 2		• • • • • • • • • • • • • • • • • • • •	5525R	
Supervision Serve you as if (Nauter Dancet Stampedes) Sorrew on a set (Nauter Dancet Stampedes) Sorrew on as if (N				
Substings, self-builderid (set 1stemn) (14)				
Schemister (1997) Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right) sespension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right) sespension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right) sespension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right) sespension screw pin (2) Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right) sespension screw pin (2) Rod ones (1 long 84 short) blook ball comoclors (18) ball screws (2) Rod ones (1 long 84 short) blook ball comoclors (18) ball screws (2) Rod ones, long (10) shoot blook balls (2) Rod ones, short (6) brollow balls (12) Serves, short (6) brollow balls (12) Serves asser Serves, short (6) brollow balls (12) Serves asser Serves (1 long 84 short) (2) Serves asser Serves (1 long 84 short) (3) Serves (2 long 84 short) (3) Serves (3 long 84 short) (4) Serves (3 long 84 short) (4) Serves (3 long 84 short) (4) Serves (4 long 84 short) (4 long 84 short) (4 long 84 short) (4 long 84 shor		the state of the s		
Sazza Caster blocks, 30-degree, blue-anodized 6981-16 aluminum (left & right) suspension screw pin (2) and screw (2) caster blocks, 30-degree, press -anodized 6981-16 aluminum (left & right) suspension screw pin (2) and screw (2) caster blocks, 30-degree, press -anodized 6981-17 aluminum (left & right) suspension screw pin (2) and screw (2) caster blocks, 30-degree, and -anodized 6981-17 aluminum (left & right) suspension screw pin (2) and control (2) caster blocks, 30-degree, and -anodized 6981-17 aluminum (left & right) suspension screw pin (2) and control (2) caster blocks, 30-degree, and -anodized 6981-17 aluminum (left & right) suspension screw pin (2) and control (2) caster blocks, 30-degree, and -anodized 6981-17 aluminum (left & right) suspension screw pin (2) and control (2) caster blocks, 30-degree, and -anodized 6981-17 aluminum (left & right) suspension screw pin (2) and control (2) caster blocks, 30-degree, and -anodized 6981-17 aluminum (left & right) suspension screw pin (2) and control (2) caster blocks, 30-degree, and control (3) caster blocks, 30-degree, and 3-degree blocks, 30-degree, and 3-degree blocks, 30-degree and control (3) caster blocks, 30-degree and 3-degree and 3		, , ,		
4 Aghth) suspension acrew pin (2) Caster blocks, 30-degree, pink-anotized 6861-16 aluminum (left 4 right) suspension acrew pin (2) Caster blocks, 30-degree, pink-anotized 6861-16 aluminum (left 4 right) suspension acrew pin (2) Caster blocks, 30-degree, pink-anotized 6861-16 aluminum (left 4 right) suspension acrew pin (2) Caster blocks, 30-degree, pink-anotized 6861-16 aluminum (left 4 right) suspension acrew pin (2) Caster blocks, 30-degree, pink-anotized 6861-16 aluminum (left 4 right) suspension acrew pin (2) Caster blocks, 30-degree, pink-anotized 6861-16 aluminum (left 4 right) suspension acrew pin (2) Caster blocks, 30-degree, pink-anotized 6861-16 aluminum (left 4 right) suspension acrew pin (2) Caster blocks, 30-degree, pink-anotized 6861-16 aluminum (left 4 right) suspension acrew pin (2) Caster blocks, 30-degree, pink-anotized 6861-16 aluminum (left 4 right) suspension acrew pin (2) Caster blocks, 30-degree, pink-anotized 6861-16 aluminum (left 4 right) suspension acrew pink acre	3632A	, , , , , , , , , , , , , , , , , , ,		, , ,
Sazza Caster Blocks, 3-degree, generandized 6961-16 aluminum (left & right) suspension screw pin (2) as fight) suspension screw pin (3) as fight) suspension screw pin (2) as fight) suspension screw pin (3) as fight) suspension screw pin (2) as fight) suspension pin (3) as fight) suspension pin (4) state pin (
Sazer blocks, 30-dagres, pink-anoidzed 6661-16 aluminum (left 3	3632G			
A rightly suspension screw pin (2) Rod enfox (5 long & 4 short) holoby ball connectors (18) ball screws Rod enfox, heavy duty (JatoSlayer) (8) Rod enfox, Revo (Jarog) with holion balls (12) Rod enfox (Jarog) with holion balls (Jarog) with holion with factor with holion balls (Jarog) with holion with factor with holion with factor with holion with factor (Jarog) with holion with factor with ho	3632D			
daysension screw pin 2, 25286 Rod ends, long (gi) Prolitor ball connectors (16) ball screws Rod ends, long (gi) Prolitor ball connectors (16) ball screws Rod ends, long (gi) Prolitor ball connectors (16) ball screws Rod ends, long (gi) Prolitor ball connectors (6) Rod ends, long (gi) Prolitor ball connectors (6) Rod ends, long (gi) Prolitor ball connectors (6) Rod ends, long (gi) Prolitor balls (12) Rod ends, long (gi) Prolitor balls (gi) Rod ends, short (gi) Prolitor ball barrings (gi) Rod ends, short (gi) Prolitor balls (gi) Rod ends, short (gi) Prolitor balls (gi) Rod ends, short (gi) Prolitor balls (gi) Rod ends, short (gi)	3032F	· • · · · · · · · · · · · · · · · · · ·		, , , , , , , , , , , , , , , , , , , ,
1942 (2) evides (16 long 4.4 short) hollow ball connectors (18) ball screws (20) evides (16 long 4.4 short) hollow ball connectors (6) 2566 Screws, 3.25mm roundhead machine (6) 2572 Screws, 3.25mm roundhead machine (6) 2742 Rod ends, long (6) hollow balls (12) 2572 Screws, 3.25mm roundhead machine (6) 2742 Rod ends, long (6) hollow balls (12) 2572 Screws, 3.25mm roundhead machine (6) 2742 Rod ends, long (6) hollow balls (12) 2572 Screws, 3.25mm roundhead machine (6) 2742 Rod ends, long (6) hollow balls (12) 2573 Screws, 3.25mm roundhead machine (6) 2742 Rod ends, long (6) hollow balls (12) 2573 Screws, 3.25mm roundhead machine (6) 2742 Rod ends, long (6) hollow balls (12) 2573 Screws, 3.25mm roundhead machine (6) 2742 Rod ends, long (6) 4 short (6) 2742 Rod ends, long (6) 2742 Rod ends, long (6) 2743 Screws, 3.25mm washerhead machine (6) 2743 Screws, 3.25mm roundhead machine (6) 2743 Screws, 3.25mm washerhead machine (6) 2744 Screws, 3.25mm washerhead machi	3632X			
Screws, 3-20mm roundhead machine (6)		right)/ suspension screw pin (2)		
Sazer Rod ends, heavy duty (JatoSlayer) (8) 8727 Rod ends, Incerv duty (JatoSlayer) (8) 8727 Rod ends, Revy (large) with hollow balls (12) 8727 Serves, 3.30mm roundhead machine (8) 8727 Serves, 3.30mm roundhead machine (9) 8727 Serves, 3.30mm coundhead machine (9) 8727 Serves, 3.30mm coundhead machine (9) 8728 Serves, 3.36mm coundhead machine (10x drive) (6) 8729 Serves, 3.36mm and phead machine (10x drive) (6) 8729 Serves, 3.36mm and phead machine (10x drive) (6) 8729 Serves, 3.36mm and phead machine (10x drive) (6) 8729 Serves, 3.36mm and phead machine (10x drive) (6) 8729 Serves, 3.36mm and phead of machine (10x drive) (6) 8729 Serves, 4.15mm countered machine (10x drive) (6) 8729 Serves, 4.15mm and phead drive) (6) 8729 Serves, 4.15mm and ph	1942	,		•
Rod ends, long (sy) hollow ball connectors (6) 2574 Rod ends, Revo (large) with hollow balls (12) 2574 Rod ends, Revo (large) with hollow balls (2) 2574 Rod ends, short (6) hollow balls (6) 2575 Rod ends, short (6) hollow balls (6) 2575 Sheemy books, let a right (2) (requires 5x1 stArmm bushings or Shock tower (frort) 2576 Sheemy books, let a right (2) (requires 5x1 stArmm bushings or Shock tower (frort) 2577 Sheemy books, Russter/Stampode/Bandt (12), 6061-15 aluminum (blue-anodized) 5x1 min ball bearings (4) 2578 Steering blocks, Russter/Stampode/Bandt (2), 6061-15 aluminum (red-anodized) 5x1 min ball bearings (4) 2579 Steering blocks, Russter/Stampode/Bandt (2), 6061-15 aluminum (red-anodized) 5x1 min ball bearings (4) 2579 Steering blocks, Russter/Stampode/Bandt (2), 6061-15 aluminum (red-anodized) 5x1 min ball bearings (4) 2579 Steering blocks, Russter/Stampode/Bandt (2), 6061-15 aluminum (red-anodized) 5x1 min ball bearings (4) 2579 Steering blocks, Russter/Stampode/Bandt (2), 6061-15 aluminum (red-anodized) 5x1 min ball bearings (4) 2579 Steering blocks, Russter/Stampode/Bandt (2), 6061-15 aluminum (red-anodized) 5x1 min ball bearings (4) 2579 Steering blocks, Russter/Stampode/Bandt (2), 6061-15 aluminum (red-anodized) 5x1 min ball bearings (4) 2579 Steering blocks, Russter/Stampode/Bandt (2), 6061-15 aluminum (red-anodized) 5x1 min ball bearings (4) 2579 Steering blocks, Russter/Stampode/Bandt (2), 6061-15 aluminum (red-anodized) 5x1 min ball bearings (4) 2579 Steering blocks, Russter/Stampode/Bandt (2), 6061-15 aluminum (red-anodized) 5x1 min ball bearings (4) 2579 Steering blocks, Russter/Stampode/Bandt (2), 6061-15 aluminum (red-anodized), 6x1 min ball bearings (4) 2579 Steering blocks, Baster/Stampode/Bandt (2), 6061-15 aluminum (red-anodized), 6x1 min ball bearings (4) 2579 Steering blocks, Baster/Stampode/Bandt (2), 6061-15 aluminum (red-anodized), 6x1 min ball bearings (4) 2579 Steering blocks, Baster/Stampode/Bandt (2), 6061-15 aluminum (red-anodized), 6x1 min ball bearings (4) 2579 Steering bloc	FFOFD			* * * * * * * * * * * * * * * * * * * *
Sarve Saver (ands, short (i) hollow balls (i) Sarve Saver Sarve Saver Saver Saver Steering blocks, left & right (2) (requires \$x11x/mm bushings or saver short of the same				
27242 Rod ends, short (gV heliow balls (6) 40 Servey saver 51045 Servey saver washerhead self-tapping (6) 51045 Servey saver washerhead self-tappi				
3483 Since tower (front) 3485 Sorews, 3x8mm washerhead machine (large head for motor mount) 3485 Steering blocks, left & right (2) (requires \$x11x4mm bushings or bearings) Steering blocks, Rustler/Stampede/Bandit (2), 6081-T6 aluminum (plan-anodized) Strimm ball bearings (4) Steering blocks, Rustler/Stampede/Bandit (2), 6081-T6 aluminum (plan-anodized) Strimm ball bearings (4) Streeping blocks, Rustler/Stampede/Bandit (2), 6081-T6 aluminum (plan-anodized) Strimm ball bearings (4) Streeping blocks, Rustler/Stampede/Bandit (2), 6081-T6 aluminum (plan-anodized) Strimm ball bearings (4) Streeping blocks, Rustler/Stampede/Bandit (2), 6081-T6 aluminum (red-anodized) Strimm ball bearings (4) Streeping blocks, Rustler/Stampede/Bandit (2), 6081-T6 aluminum (red-anodized) Strimm ball bearings (4) Streeping blocks, Rustler/Stampede/Bandit (2), 6081-T6 aluminum (red-anodized) Strimm ball bearings (4) Streeping blocks, Rustler/Stampede/Bandit (2), 6081-T6 aluminum (red-anodized) Strimm ball bearings (4) Streeping blocks, Rustler/Stampede/Bandit (2), 6081-T6 aluminum (red-anodized) Strimm ball bearings (4) Streeping blocks, Rustler/Stampede/Bandit (2), 6081-T6 aluminum (red-anodized) Strimm ball bearings (4) Streeping blocks, Rustler/Stampede/Bandit (2), 6081-T6 aluminum (red-anodized) Strimm ball bearings (4) Streeping blocks, Rustler/Stampede/Bandit (2), 6081-T6 aluminum (red-anodized) Strimm ball bearings (4) Streeping blocks, Rustler/Stampede/Bandit (2), 6081-T6 aluminum (red-anodized) Strimm ball bearings (4) Streeping blocks, Rustler/Stampede/Bandit (2), 6081-T6 aluminum (2), 6081-7091 Streeping blocks, Rustler/Stampede/Bandit (2), 6081-T6 aluminum (2), 6081-7091 Streeping blocks, Rustler/Stampede/Bandit (2), 6081-7091 Streeping blocks, Rustler/Stampede/Bandit (2), 6081-T6 aluminum (2), 6081-7091 Streeping blocks, Rustler/Stampede/Bandit (2), 6081-7091 Streeping blocks, Rustler/Stampede/Bandit (2), 6081-7091 Streeping blocks, Rustler/Stampede			2558	
Shock tower (front) Strows, 3x8mm washerhead self-tapping (6) Strows, 4x12mm counteraint, machine (100-degree) (8) Strows, 4x12mm counteraint, machine (1			3185X	Screws, 3x8mm washerhead machine (large head for motor mount)
bearings) 3584A Steering blocks, Ruster/Sampede/Bandit (2), 6961-T6 aluminum (blue-anodizedy) 8x11mm ball bearings (4) 3586S Steering blocks, Ruster/Sampede/Bandit (2), 6961-T6 aluminum (green-anodized) 9x11mm ball bearings (4) 3587 Steering blocks, Ruster/Sampede/Bandit (2), 6961-T6 aluminum (pink-anodized) 9x11mm ball bearings (4) 3588 Steering blocks, Ruster/Sampede/Bandit (2), 6961-T6 aluminum (pink-anodized) 4x11mm ball bearings (4) 3589 Steering blocks, Ruster/Sampede/Bandit (2), 6961-T6 aluminum (pink-anodized) 4x11mm ball bearings (4) 3581 Suspension arms (front) (2) 3581 Suspension arms (front) (2) 3582 Suspension arms (front) (2) 3583 Suspension arms (front) (2) 3584 Suspension arms (front) (2) 3584 Suspension arms (front) (2) 3584 Suspension arms (front) (2) 3585 Suspension arms (front) (2) 3586 Suspension arms (front) (2) 3586 Suspension arms (front) (2) 3587 Suspension arms (front) (2) 3588 Suspension arms (front) (2) 3589 Suspension arms (front) (2) 3580 Suspension arms (front) (2) 3580 Suspension arms (front) (2) 3580 Suspension arms (front) (2) 3581 Suspension arms (front) (2) 3582 Suspension arms (front) (2) 3583 Suspension arms (front) (2) 3584 Suspension arms (front) (2) 3584 Suspension arms (front) (2) 3585 Suspension arms (front) (2) 3586 Suspension arms (front) (2) 3586 Suspension arms (front) (2) 3580 Suspension arms (front)				· ·
Sereing Mocks, Rustler/Stampde/Bandit (2), 6961-T6 aluminum (blu-anotized)/S strium ball bearings (4) Steering blocks, Rustler/Stampde/Bandit (2), 6961-T6 aluminum (princh-anotized)/S strium ball bearings (4) Steering blocks, Rustler/Stampde/Bandit (2), 6961-T6 aluminum (princh-anotized)/S strium ball bearings (4) Steering blocks, Rustler/Stampde/Bandit (2), 6961-T6 aluminum (princh-anotized)/S strium ball bearings (4) Steering blocks, Rustler/Stampde/Bandit (2), 6961-T6 aluminum (princh-anotized)/S strium ball bearings (4) Suspension princh princh princh ball ball bear to strong the princh princh princh princh ball ball ball ball ball ball ball bal	3736	,		• . ,
(blus-anotized) Sat1mm ball bearings (4) 38366 Sering blocks, Ruster/Sampede(Bandit (2), 6691-T6 aluminum (green-anodized) Sat1mm ball bearings (4) 38367 Stering blocks, Ruster/Sampede(Bandit (2), 6691-T6 aluminum (pink-anodized) Sat1mm ball bearings (4) 38368 Stering blocks, Ruster/Sampede(Bandit (2), 6691-T6 aluminum (red-anodized) Sat1mm ball bearings (4) 38368 Stering blocks, Ruster/Sampede(Bandit (2), 6691-T6 aluminum (red-anodized) Sat1mm ball bearings (4) 38368 Stering blocks, Ruster/Sampede(Bandit (2), 6691-T6 aluminum (red-anodized) Sat1mm ball bearings (4) 38369 Suspension arms (front) (2) 38360 Suspension arms (front) (2) 3840 Suspension pins, 25331-5mm (king pins) w/ e-clips (2) 3840 Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to complete suspension pins bet) (Rustler, Stampede, Bandit) 3857 Tirraded rods (20/2544mm 1 ea) (1) Tirram set screw 3858 Tirraded rods (20/2544mm 1 ea) (1) Tirram set screw 3859 Tirraded rods (20/2544mm 1 ea) (1) Tirram set screw 3850 (1) Suspension pins, 44mm (2) with red rods and hollow balls (2)(See part 3741A for complete camber link set) 3850 Turribuckle, aluminum (fout-anodized), camber links, front, 38mm (1) (assembled w/rod ends)/hollow balls (2)(See part 3741A for complete camber link set) 3851 Turribuckles, sulminum (fout-anodized), camber links, front, 38mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls) 3852 Aluminum (red-anodized), comber links, front, 38mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls) (116, 119) 3854 Turribuckles, sulminum (red-anodized), comber links, front, 38mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls) (116, 119) 3854 Turribuckles, sulminum (red-anodized), comber links, front, 38mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls) (116, 119) 3854 Turribuckles, sulminum (red-anodized), comber links, front, 38mm (2), rear, 49mm (2) (assembled w/rod ends and hollow balls) (116, 119) 3854 Turribuckles, comber link, 39mm (6)mm center to center) (2) 3855 Robert links, 39mm (2), rear, 49mm (2		bearings)		,
Sase Steering blocks, Rustler/Sampede/Bandit (2), 6661-T6 aluminum (pin-anodized) Sx1 frum ball bearings (4) Steering blocks, Rustler/Sampede/Bandit (2), 6661-T6 aluminum (pin-anodized) Sx1 frum ball bearings (4) Steering blocks, Rustler/Sampede/Bandit (2), 6661-T6 aluminum (pin-anodized) Sx1 frum ball bearings (4) Steering blocks, Rustler/Sampede/Bandit (2), 6661-T6 aluminum (pin-anodized) Sx1 frum ball bearings (4) Suspension arem (front) (2) Suspension prints (2) Sx31.5mm (king pins) w/ e-clips (2) (strengthens caster blocks) Suspension prints (2) Sx31.5mm (king pins) w/ e-clips (2) (strengthens caster blocks) Suspension prints (2) Sx31.5mm (king pins) w/ e-clips (2) (strengthens caster blocks) Suspension prints (2) Sx31.5mm (king pins) w/ e-clips (2) (strengthens caster blocks) Suspension prints (2) Sx31.5mm (king pins) w/ e-clips (2) (strengthens caster blocks) Suspension prints (2) Sx31.5mm (king pins) w/ e-clips (2) (strengthens caster blocks) Suspension prints (2) Sx31.5mm (king pins) w/ e-clips (2) (strengthens caster blocks) Suspension prints (2) Sx31.5mm (king pins) w/ e-clips (2) (strengthens caster blocks) Suspension prints (2) Sx31.5mm (king pins) w/ e-clips (2) (strengthens caster blocks) Suspension prints (2) Sx31.5mm (king pins) w/ e-clips (2) (strengthens caster blocks) Suspension prints (2) Sx31.5mm (king pins) w/ e-clips (2) (strengthens caster blocks) Suspension prints (2) Sx31.5mm (king pins) w/ e-clips (2) (strengthens caster blocks) Suspension prints (2) Sx31.5mm (king pins) w/ e-clips (2) (strengthens caster blocks) Suspension prints (2) Sx31.5mm (king pins) w/ e-clips (2) (strengthens caster blocks) Suspension prints (2) Sx31.5mm (king pins) w/ e-clips (2) (strengthens caster blocks) Suspension prints (2) Sx31.5mm (king pins) w/ e-clips (2) (strengthens caster blocks) Suspension prints (2) Sx31.5mm (king pins) w/ e-clips (2) (strengthens caster blocks) Suspension prints (2) Sx31.5mm (king pins) w/ e-clips (2) (strengthens caster blocks) Suspension arem to come to come to come to come t	3636A			
(green-anodized) Sx11mm ball bearings (4) 36387 Steepring blocks, Ruster/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized) Sx11mm ball bearings (4) 36380 Steepring blocks, Ruster/Stampede/Bandit (2), 6061-T6 aluminum (red-anodized) Sx11mm ball bearings (4) 3639 Suspension arms (front) (2) 3740 Suspension pins, 2.5x31.5mm (king pins) wi e-clips (2) 3740 (strengthens caster blocks) 3740 Suspension pins, 2.5x31.5mm (king pins) wi e-clips (2) 3740 Suspension pins, 2.5x31.5mm (king pins) wi e-clips (2) 3740 (strengthens caster blocks) 3740 Suspension pins, 2.5x31.5mm (king pins) wi e-clips (2) 3741 Suspension pins, 2.5x31.5mm (king pins) wi e-clips (2) 3742 Suspension pins, 2.5x31.5mm (king pins) wi e-clips (2) 3743 S	00000	• • • • • • • • • • • • • • • • • • • •		,
Stab able pins (4) (pink-anodizedly Sxt firm ball bearings (4) (sering blocks, Rustler/Stampede/Bandit (2), 6681-16 aluminum (red-anodizedly Sxt firm ball bearings (4) (sering blocks, Rustler/Stampede/Bandit (2), 6681-16 aluminum (red-anodizedly Sxt firm ball bearings (4) (sering blocks, Rustler/Stampede/Bandit (2), 6681-16 aluminum (red-anodizedly Sxt firm ball bearings (4) (sering blocks, Rustler/Stampede/Bandit (2) (sering blocks, Rustler/Stampede/Bandit	3636G		3329	
(pink-anodized) Sx11mm ball bearings (4) 338X Stering blocks, Ruster/Stampede/Bandit (2), 6061-T6 aluminum (red-anodized) fx11mm ball bearings (4) 331 Suspension prins, 2.5x31.5mm (king pins) w/ e-clips (2) (strengthen scates to blocks) 3340 Suspension prins, 2.5x31.5mm (king pins) w/ e-clips (2) (strengthen fx01) (2) (strengthe	3636P	- ·-	2754	
sasak Steering blocks, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (red-anodized) fs./tf.mm ball baarings (4) Suspension arms (front) (2) Suspension screw pin set, steel (hex drive) (requires part #2640 or strengthen front bulkhead) Suspension screw pin set, steel (hex drive) (requires part #2640 for a compilete suspension pin set) (Rustler, Stampede, Bandit) for a compilete suspension pin set) (Rustler, Stampede, Bandit) for a compilete suspension pin set) (Rustler, Stampede, Bandit) for a compilete suspension pin set) (Rustler, Stampede, Bandit) for a compilete suspension pin set) (Rustler, Stampede) (Samper Inik, Front, Stampede) The bar, fiberglass (requires suspension pins, partiz 2640) 3737	30301			
(red-anodized) (sxt1mm ball bearings (4) Suspension arms (front) (2) Suspension arms (front) (2) Suspension plins, 2.5x31.5mm (king pins) w/e-clips (2) (strengthens caster blocks) Suspension plins, 4.4mm (2) w/e-clips (Use with tie bar to strengthen front bulkhead) Suspension plins, 4.4mm (2) w/e-clips (Use with tie bar to strengthen front bulkhead) Suspension prins, at stell (hex drive) (requires spension prins part #2640 for a complete suspension prins part #2640 for a complete	3636X	- · · · · · · · · · · · · · · · · · · ·		
Suspension pins, 2.5x31.5mm (king pins) w/ e-clips (2) (strengthens caster blocks) Suspension pins, 44mm (2) w/ E-clips (Use with the bar to strengthen front bulkhead) Suspension screw pin set, Steel (hex drive) (requires part #2640 for a complete suspension pins set) (Rustler, Stampede, Bandrit) Threaded rods (20/25/44mm 1 ea.) // (1) IZmm set screw Threaded rods (20/25/44mm 1 ea.) // (1) IZmm set screw Size (requires suspension pins part #2640) Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1) (assembled wirde ends)/hollow balls (2)(See part 37414 for complete camber link set) 3737 Turnbuckle, aluminum (brd-anodized), camber link, front, 39mm (1) (assembled wirde ends)/hollow balls (2)(See part 3741X for complete camber link set) 37414 Turnbuckles (E2mm) (front tie rods) (2) 37415 Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wird ends & hollow balls) werench 2336A Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wird ends & hollow balls) (fits Stampede) (requires Smm aluminum wrench #5477) 37417 Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wird ends & hollow balls) (fits Stampede) (requires Smm aluminum wrench #5477) 3751 Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wird ends & hollow balls) (fits Stampede) (requires Smm aluminum wrench #5477) 376 Turnbuckles, aluminum (red-anodized), toe links, front, 39mm (2), rear, 49mm (2) (assembled wird ned ends & hollow balls) (fits Stampede) (requires Smm aluminum wrench #5477) 377 Turnbuckles, aluminum (red-anodized), toe links, front, 39mm (2), rear, 49mm (2) (assembled wird ned ends & hollow balls) (fits Stampede) (requires Smm aluminum wrench #5477) 378 Turnbuckles, aluminum (red-anodized), toe links, front, 39mm (2), rear, 49mm (2) (assembled wird ned ends and hollow balls) (fits Stampede) (requires Smm aluminum wrench #5477) 379 Turnbuckles,			2746	
Suspension pins, 2.5x31.5mm (king pins) w/ e-clips (2) (strengthens caster blocks) Suspension pins, 44mm (2) w/ E-clips (Use with the bar to strengthen front bulkhead) Suspension screw pin set, Steel (hex drive) (requires part #2640 for a complete suspension pins set) (Rustler, Stampede, Bandrit) Threaded rods (20/25/44mm 1 ea.) // (1) IZmm set screw Threaded rods (20/25/44mm 1 ea.) // (1) IZmm set screw Size (requires suspension pins part #2640) Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1) (assembled wirde ends)/hollow balls (2)(See part 37414 for complete camber link set) 3737 Turnbuckle, aluminum (brd-anodized), camber link, front, 39mm (1) (assembled wirde ends)/hollow balls (2)(See part 3741X for complete camber link set) 37414 Turnbuckles (E2mm) (front tie rods) (2) 37415 Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wird ends & hollow balls) werench 2336A Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wird ends & hollow balls) (fits Stampede) (requires Smm aluminum wrench #5477) 37417 Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wird ends & hollow balls) (fits Stampede) (requires Smm aluminum wrench #5477) 3751 Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wird ends & hollow balls) (fits Stampede) (requires Smm aluminum wrench #5477) 376 Turnbuckles, aluminum (red-anodized), toe links, front, 39mm (2), rear, 49mm (2) (assembled wird ned ends & hollow balls) (fits Stampede) (requires Smm aluminum wrench #5477) 377 Turnbuckles, aluminum (red-anodized), toe links, front, 39mm (2), rear, 49mm (2) (assembled wird ned ends & hollow balls) (fits Stampede) (requires Smm aluminum wrench #5477) 378 Turnbuckles, aluminum (red-anodized), toe links, front, 39mm (2), rear, 49mm (2) (assembled wird ned ends and hollow balls) (fits Stampede) (requires Smm aluminum wrench #5477) 379 Turnbuckles,				Motors & Electronics
Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to strengthen front bulkhead) Suspension pins eyn set, steel (hex drive) (requires part #2840 for a complete suspension pin set) (Rustler, Stampede, Bandit) Tel bar, fiberglass (requires suspension pins, part# 2840) Tie bar, fiberglass (requires suspension pins exit (requires suspension pins (requires suspension pins exit (requires suspension pins exit	3740		1552	
strengthen front bulkhead) strengthen front bulkhead) strengthen front bulkhead) strengthen front bulkhead) for a complete suspension pin set) (Rustler, Stampede, Bandit) for a complete suspension pin set) (Rustler, Stampede, Bandit) for a complete suspension pin set) (Rustler, Stampede, Bandit) for a complete suspension pin set) (Rustler, Stampede, Bandit) for bar, fiberglass (requires suspension pins, part# 2640) for part part suspension pins set (Rustler) for bar, fiberglass (requires suspension pins, part# 2640) for part part suspension pins set (Rustler) for bar, fiberglass (requires suspension pins, part# 2640) for complete camber link set) for complete camber link set) for complete camber link set) for part part suspension pins set (Rustler, Stampede) for complete camber link set) for part part suspension pins, part# 2640) for complete camber link set) for part part suspension pins, part# 2640) for complete camber link set) for part part suspension pins, part# 2640) for complete camber link set) for part part suspension pins, part# 2640) for part part suspension pins, part# 2640) for complete camber link set) for part part suspension pins part# 2640) for complete camber link set) for part part suspension pins part# 2640) for part suspension pins suspension pins part# 2640) for part suspension pins part# 2640) for part suspension pins part# 2640) for part suspension pi	2640		2260	
Suspension screw pin sat, steel (hox drive) (requires part #2640 for a complete suspension pin set) (Rustler, Stampede, Bandit) 1725 Threaded rods (20/25/4/4mm 1 ea.) / (1) (2mm set screw 1725	2040		3790	Gear adapter, fixed
for a complete suspension pin set) (Rustler, Stampede, Bandit) 2537 Threaded rods (2025/44mm 1 e.a.) (f) 1 2mms ets screw Tie bar, fiberglass (requires suspension pins, part# 2640) 3737A Turmbuckle, aluminum (blue-anodized), camber link, front, 39mm (1) (assembled wirde ends)/hollow balls (2)(See part 3741A for complete camber link set) 3737 Turmbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled wirde ends)/hollow balls (2)(See part 3741X for complete camber link set) 3738 Turmbuckles (aluminum (blue-anodized), camber links, front, 39mm (2) rear, 49mm (2) (assembled wird ends) hollow balls (2)(See part 3741X for complete camber link set) 3741 Turmbuckles, aluminum (blue-anodized), toe links, front, 39mm (2) rear, 49mm (2) (assembled wird ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #54577) 3741X Turmbuckles, aluminum (red-anodized), toe links, front, 39mm (2) rear, 49mm (2) (assembled wird rod ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #54577) 3741X Turmbuckles, aluminum (red-anodized), camber links, front, 39mm (2) rear, 49mm (2) (assembled wird rod ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #54577) 3741X Turmbuckles, aluminum (red-anodized), camber links, front, 39mm (2) rear, 49mm (2) (assembled wird rod ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #54577) 3745 Turmbuckles, camber link, 59mm (79mm center to center) (2) (assembled with rod ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #54577) 3745 Turmbuckles, camber link, 59mm (79mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede) (requires 5mm aluminum wrench #54577) 3745 Turmbuckles, camber link, 59mm (79mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede) (requires 5mm aluminum wrench #54577) 3745 Turmbuckles, camber link, 59mm (79mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede) (requires 5mm aluminum wrench #54577) 3745 Turmb	3640	· · · · · · · · · · · · · · · · · · ·		•
Trie bar, fiberglass (requires suspension pins, part# 2640) To bar, fiberglass (requires suspension pins, part# 2640) Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1) (assembled wirdord ends)/hollow balls (2)(See part 3741A for complete camber link set) Turnbuckles (62mm) (front tie rods) (2) Turnbuckles (62mm) (front tie rods) (2) Turnbuckles, aluminum (blue-anodized), camber link, front, 39mm (2), rear, 49mm (2) (assembled wirdo ends & hollow balls) (requires 5mm aluminum wench #5477) Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirdo ends & hollow balls) (requires 5mm aluminum wench #5477) Turnbuckles, aluminum (red-anodized), toe links, 61mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wench #5477) Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirdo ends & hollow balls) (requires 5mm aluminum wench #5477) Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirdo ends & hollow balls) (requires 5mm aluminum wench #5477) Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirdo ends & hollow balls) (rits Stampede) (2) (assembled with rod ends & hollow balls) (rits Stampede) (2) (assembled with rod ends & hollow balls) (rits Stampede) (2) (assembled with rod ends & hollow balls) (rits Stampede) (2) (assembled with rod ends & hollow balls) (rits Stampede) (2) (assembled with rod ends & hollow balls) (rits Stampede) (2) (assembled with rod ends & hollow balls) (rits Stampede) (2) (assembled with rod ends & hollow balls) (rits Stampede) (2) (assembled with rod ends & hollow balls) (rits Stampede) (2) (assembled with rod ends & hollow balls) (rits Stampede) (2) (assembled with rod ends & hollow balls) (rits, right) (2) (assembled with rod ends & hollow balls) (rits, right) (2) (assembled with rod ends & hollow balls) (rits, right) (2) (assembled with rod ends & hollow balls) (rits, right) (2)			1275	
Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1) (assembled wird ends)/hollow balls (2)(See part 3741A for complete camber link set) 37373 Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1) (assembled wird ends)/hollow balls (2)(See part 3741X for complete camber link set) 37374 Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wird ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477) 3741X Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wird ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477) 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wird ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477) 3741X Turnbuckles, aluminum (red-anodized), toe links, 61mm (2) (assembled with rod ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477) 3745 Turnbuckles, eluminum (red-anodized), toe links, 61mm (2) (assembled with rod ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477) 3746 Turnbuckles, eluminum (red-anodized), toe links, 61mm (2) (assembled with rod ends and hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477) 3747 Turnbuckles, eluminum (red-anodized), toe links, 61mm (2) (assembled with rod ends and hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477) 3748 Turnbuckles, eluminum (red-anodized), toe links, 61mm (2) (assembled with rod ends and hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477) 3749 Turnbuckles, eluminum (red-anodized), toe links, 61mm (2) (assembled with rod ends and hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477) 3740 Turnbuckles, eluminum (red-anodized), toe links, 61mm (2) (assembled with rod ends and hollow balls) (fits Stampede) (requires 5mm aluminum (red-anodized) (amber to center) (2) (assembled with rod ends and hollow balls) (fits Sta				
11/10/10/10/10/10/10/10/10/10/10/10/10/1			3785	
complete camber link set) 1737 Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled wirod ends)/hollow balls (2)(See part 3741X for complete camber link set) 1741 Turnbuckles (62mm) (front tie rods) (2) 1741 Turnbuckles (62mm) (front tie rods) (2) 1741 Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477) 1741 Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wir od ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477) 1741 Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wir od ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477) 1741 Turnbuckles, aluminum (red-anodized), toe links, 61mm (2) (2)(assembled with rod ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477) 1742 Turnbuckles, aluminum (red-anodized), toe links, 61mm (2) (2)(assembled with rod ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477) 1745 Turnbuckles, aluminum (red-anodized), toe links, 61mm (2) (2)(assembled with rod ends and hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477) 1745 Turnbuckles, cole link, 61mm (69mm center to center) (assembled with rod ends and hollow balls) (fits Stampede) 1746 Antenna caps, (ink) (firm) (69mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede) 1756 Antenna caps, (ink) (firm) (69mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede) 1756 Antenna caps, (ink) (firm) (69mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede) 1756 Antenna (1) (ink) (fits Stampede) 1756 Antenna (1) (ink	3737A			
Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (2), (assembled wind ends), (ablis (2)(See part 3741X for complete camber link set) Turnbuckles (62mm) (front lie rods) (2) Turnbuckles (62mm) (front lie rods) (2) Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wind ends & hollow balls) (miss Stampede) Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled wind ends & hollow balls) (fits Stampede) Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wind ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), comber links, front, 39mm (2), rear, 49mm (2) (assembled wind ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), toe links, 61mm (2) (assembled with rod ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), toe links, 61mm (2) (assembled with rod ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477) Turnbuckles, camber link, 39mm (69mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede) Turnbuckles, toe link, 59mm (78mm center to center) (2) (and gold-plated bullet connectors)
Complete camber link set)	3737		3626	
3139 Turnbuckles, 6(2mm) (front tie rods) (2) 3741A Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wirod ends & hollow balls) wrench 2336A Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled wirod ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #\$477) 3741X Turnbuckles, aluminum (fold-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wird ord ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #\$477) 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wird ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #\$477) 3741X Turnbuckles, aluminum (red-anodized), toe links, 61mm (2) (assembled with rod ends and hollow balls) (fits Stampede) (requires 5mm aluminum wrench #\$477) 3745 Turnbuckles, camber link, 59mm (69mm center to center) (2) (assembled with rod ends and hollow balls) (1 left, 1 right) 3745 Turnbuckles, cole link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) (1 left, 1 right) 3745 Turnbuckles, camber link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) (1 left, 1 right) 3745 Turnbuckles, camber link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) (1 left, 1 right) 3745 Turnbuckles, camber link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) (1 left, 1 right) 3746 Antenna caps, vinyl (2) antennas spool 3747 Antenna, tube (1) vinyl antenna cap (1) wire retainer (1) 3748 Body clips (12) (standard size) 3749 Double-sided adhesive tape (25mm x 25mm) (2) 3740 Antenna, tube (1) vinyl antenna cap (1) wire retainer (1) 3741 Battery, Power Cell, 3000mAh (NiMH, 6-C flat, 7.2V) 3742 Butts, 3mm nylon locking (12) 3743 Nuts, 3mm nylon locking (12) 3744 Nuts, 4mm nylon locking (12) 3745 Nuts, 4mm nylon locking (12) 3746 Saltery, Power Cell, 3000mAh (NiMH, 6-C flat, 7.2V) 3747 Nuts, 4mm nylon locking (1		(1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for	2725	• • • • • • • • • • • • • • • • • • • •
Turnbuckles, aluminum (blue-anodized), colinks, 61mm (2) (assembled wirod ends & hollow balls) wrench Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled wirod ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wir od ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477) 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled with rod ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477) 3644 Turnbuckles, aluminum (red-anodized), toe links, 61mm (2) (assembled with rod ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477) 3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) (assembled with rod ends and hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede) Turnbuckles, toe link, 59mm (78mm center to center)			3/25	
39mm (2), rear, 49mm (2) (assembled wird oends & hollow balls) wrench 2336A Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled wird oends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477) 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wird oends & hollow balls) (red ends end end end end end end hollow balls) (red ends end			2074	• •
wrench Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) assembled w/ rod ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477) 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)wrench Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477) 3644 Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends and hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477) 3745 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) 3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) 3645 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) 3645 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) 3646 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) 3647 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) 3648 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) 3649 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) 3640 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) 3641 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) 3642 Antenna, tube (1)/ winyl antenna cap (1)/ wire retainer (1) 3643 Body clips (1)/ winyl antenna cap (1)/ wire retainer (1) 3644 Shoulder screws, Ultra Shocks (3x12) (6) 3658 Bettery, to digital high-torque (balled value products) 3650 Turnbuckles, aluminum wrench #5477) 3659 Shoulder screws, Ultra Shocks (3x12) (6) 3661 3662 Shoulder screws, Ultra Shocks (3x12)	3/41A	1 urnbuckies, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled wired ends & bollow balls)/		
2336A Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477) 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls) (wirench 2336X Turnbuckles, aluminum (red-anodized), toe links, 61mm (2) (2) (assembled with rod ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477) 3644 Turnbuckles, aluminum wrench #5477) 3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) (1 left, 1 right) 3745 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede) Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede) Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede) Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede) Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede) Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede) Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede) Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede) Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede) Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede) Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede) Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede) Turnbuckles, toe link, 6				· , , , , , , , , , , , , , , , , , , ,
(assembled w/ rod ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477) 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench 2336X Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477) 3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) 3745 Turnbuckles, toe link, 59mm (78mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) 3645 Turnbuckles, toe link, 59mm (78mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) 3646 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (1 left, 1 right) 3745 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (1 left, 1 right) 3746 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede) 3756 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede) 376 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede) 377 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede) 378 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede) 379 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede) 379 Turnbuckles, toe link, 61mm (96mm center to center) (2) (297 Attended to ends and hollow balls) (fits Stampede) 379 Turnbuckles, toe link, 61mm (96mm center to center) (2) (297 Attended to ends and hollow balls) (fits Stampede) 370 Turnbuckles, toe link, 61mm (96mm center to center) (2) (297 Attended to ends and hollow bal	2336A		2056	Servo, high-torque, waterproof (blue case)
Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/r rod ends & hollow balls)/wrench 2336X Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #45477) 3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) 3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) 3645 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) 3646 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) 3647 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) 3648 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) 3649 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) 3640 Antenna caps, vinyl (2)/ antenna spool 3641 Antenna caps, vinyl (2)/ antenna spool 3642 Shoulder screws, Ultra Shocks (3x12) (6) 3652 Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench 3653 Usandard size) 3654 Battery, Power Cell, 3000mAh (NiMH, 6-C flat, 7.2V) 3655 Battery, Power Cell, 3000mAh (NiMH, 6-C flat, 7.2V) 3657 Velinean (2)(assembled control, waterproof (brushless) (fwd/rev/brake) 3658 W.L-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake) 3658 W.L-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake) 3659 Waller (2) (assembled with rod ends and hollow balls) (1 left, 1 right) 3659 Waller (2) (2) (standard size) 3650 Waller (2) (standard size) 3651 Battery, Power Cell, 3000mAh (NiMH, 6-C flat, 7.2V) 3652 Battery, Series 3 Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V) 3653 Battery, Series 4 Power Cell, 3000mAh (NiMH, 6-C flat, 7.2V) 3654 Battery, Series 5 Power Cell, 4200mAh (NiMH,			3350R	, , , , ,
39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477) 3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) 3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) (1 left, 1 right) 3645 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede) 3646 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede) 3647 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede) 3648 Antenna caps, vinyl (2)/ antenna spool 3649 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) 3640 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) 3641 Shoulder screws, Ultra Shocks (3x12) (6) 3642 Shoulder screws, Ultra Shocks (3x12) (6) 3643 Battery charge indicators (green (4), blue (4), grey (4)) 3644 Bady clips, heavy duty (12) 3645 Shoulder screws, Ultra Shocks (3x12) (6) 3646 Battery, Power Cell AA Alkaline (4) 3647 Buts, 3mm nylon locking (12) 3648 Battery, Series 3 Power Cell, 3000mAh (NiMH, 6-C flat, 7.2V) 3649 Double-sided adhesive tape (25mm x 25mm) (2) 3640 Shus, 3mm nylon locking (10) 3641 Battery, Series 3 Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V) 3642 Shus, 3mm nylon locking (10) 3643 Battery, Series 3 Power Cell, 4000mAh (NiMH, 7-C hump, 8.4V) 3644 Battery, Series 4 Power Cell, 4000mAh (NiMH, 7-C hump, 8.4V) 3645 Battery, Series 5 Power Cell, 4000mAh (NiMH, 7-C hump, 8.4V) 3646 Battery, Series 5 Power Cell, 4000mAh (NiMH, 7-C hump, 8.4V) 3647 Battery, Series 5 Power Cell, 4000mAh (NiMH, 7-C hump, 8.4V)				
balls)/wrench Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477) 3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) 3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) 3645 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede) Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede) Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede) Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) Turnbuckles, camber link, 39mm (96mm center to center) (2) (assembled with rod ends and hollow balls) Turnbuckles, camber link, 39mm (96mm center to center) (2) (assembled with rod ends and hollow balls) Turnbuckles, camber link, 39mm (96mm center to center) (2) (assembled with rod ends and hollow balls) Turnbuckles, camber link, 39mm (96mm center to center) (2) (assembled with rod ends and hollow balls) Turnbuckles, camber link, 39mm (96mm center to center) (2) (assembled with rod ends and hollow balls) Turnbuckles, camber link, 39mm (96mm center to center) (2) (assembled with rod ends and hollow balls) Turnbuckles, camber link, 39mm (96mm center to center) (2) (assembled with rod ends and hollow balls) Turnbuckles, camber link, 39mm (96mm center to center) (2) (assembled with rod ends and hollow balls) Turnbuckles, camber link, 39mm (96mm center to center) (2) (ast	3741X		22EED	· " "
2336X Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477) 3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) 3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) 3645 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) 3646 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede) 3647 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) 3648 Shoulder screws, (1) vinyl antenna cap (1)/ wire retainer (1) 3649 Body clips, heavy duty (12) 3640 Shoulder screws (3x8mm hex cap) (6)/washers (6)/ wrench 3640 Shoulder screws (1) (2) (standard size) 3641 Shoulder screws (1) (2) (standard size) 3642 Shoulder screws (3x8mm hex cap) (6)/washers (6)/ wrench 3643 Body clips, heavy duty (12) 3644 Nuts, 3mm nylon locking (12) 3645 Nuts, 4mm flanged nylon locking (steel, serrated) (8) 3646 Nuts, 4mm flanged, serrated (4mm) (blue-anodized) (4) 3647 Nuts, 4mm flanged, serrated (4mm) (blue-anodized) (4) 3648 Sattery, Series 5 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) 3659 Battery, Series 5 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) 3667 Sattery, Series 5 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) 3668 Battery, Series 5 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) 3669 Battery, Series 5 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) 3670 Battery, Series 5 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) 3671 Battery, Series 5 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) 3672 Battery, Series 5 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) 3673 Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)		· // / / / / / / / / / / / / / / / / /	3333K	
(2)(assembled with rod ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477) 3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) 3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) 3645 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) 3645 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede) 3646 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede) 3647 Antenna caps, vinyl (2)/ antenna spool 3648 Antenna caps, vinyl (2)/ antenna spool 3649 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) 3640 Shoulder screws, Ultra Shocks (3x12) (6) 3641 Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters) 3642 Shoulder screws, Ultra Shocks (3x12) (6) 3643 Battery, Power Cell AA Alkaline (4) 3654 Battery, Power Cell, 3000mAh (NiMH, 6-C flat, 7.2V) 3665 Battery, Series 3 Power Cell, 3300mAh (NiMH, 6-C flat, 7.2V) 3675 Battery, Series 3 Power Cell, 3300mAh (NiMH, 6-C flat, 7.2V) 3676 Nuts, 4mm njolon locking (12) 3777 Nuts, 4mm njolon locking (10) 378 Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) 379 Double-sided (4mm) (blue-anodized) (4) 379 Double-sided (4mm) (blue-anodized) (4) 370 Double-sided (4mm) (blue-anodized) (4) 371 Double-sided (4mm) (blue-anodized) (4) 372 Battery, Series 4 Power Cell, 300mAh (NiMH, 7-C hump, 8.4V) 373 Battery, Series 5 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) 374 Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) 375 Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) 376 Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)	2336X		3018R	
Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede) Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede) Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede) Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede) Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede) Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) Turnbuckles, toe link, 61mm (96mm center to center) (2) Act to DC converter, 40W Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports) Track Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery charge indicators (green (4), blue (4), grey (4)) Battery charge indicators (green (4), blue (4), grey (4)) Battery charge indicators (green (4), blue (4), grey (4)) Battery charge indicators (green (4), blue (4), grey (4)) Battery charge indicators (green (4), blue (4), grey (4)) Battery, Power Cell, 3000mAh (NiMH, 6-C flat, 7.2V) Battery, Series 4 Power Cell, 3300mAh (NiMH, 6-C hump, 8.4V)	2000%			
Turnbuckles, cambel with rod ends and hollow balls) (1 left, 1 right) 3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) 3645 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) 3645 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede) 3766 Antenna caps, vinyl (2)/ antenna spool 3776 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) 3786 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) 3786 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) 3786 Antenna (1)/ wire retainer (1) 3786 Antenna (2)/ wire retainer (1) 3886 Shoulder screws, Ultra Shocks (3x12) (6) 3896 Body clips (12) (standard size) 3904 Body clips, heavy duty (12) 3904 Body clips, heavy duty (12) 3905 Battery, Power Cell, 3000mAh (NiMH, 6-C flat, 7.2V) 3906 Battery, Power Cell, 3000mAh (NiMH, 6-C flat, 7.2V) 3907 Battery, Series 3 Power Cell, 3300mAh (NiMH, 6-C flat, 7.2V) 3908 Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) 3909 Pouble-sided adhesive tape (25mm x 25mm) (2) 3910 Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) 3911 Battery, Series 5 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) 3912 Battery, Series 5 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) 3913 Battery, Series 5 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) 3914 Battery, Series 5 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) 3915 Battery, Series 5 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) 3916 Battery, Series 5 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) 3917 Battery, Series 5 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) 3917 Battery, Series 5 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) 3917 Battery, Series 5 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)		,,,		Radio System Ratteries & Charners
Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede) Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede) Act to DC converter, 40W Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Shoulder screws, Ultra Shocks (3x12) (6) Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Body clips (12) (standard size) Body clips, heavy duty (12) Bouble-sided adhesive tape (25mm x 25mm) (2) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery, Power Cell AA Alkaline (4) Battery, Power Cell, 3000mAh (NiMH, 6-C flat, 7.2V) Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 3 Power Cell, 3300mAh (NiMH, 6-C flat, 7.2V) Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V) Nuts, 4mm nylon locking (10) Nuts, 4mm nylon locking (10) Nuts, 4mm nylon locking (10) Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)	3644		2854Y	
3645 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede) 3645 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede) 3646 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede) 3647 Antenna caps, vinyl (2)/ antenna spool 3648 Antenna caps, vinyl (2)/ antenna spool 3649 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) 3658 Battery charge indicators (green (4), blue (4), grey (4)) 3659 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) 3650 transmitters) 3650 transmitters				_
Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede) 1	3745	, , , , , , , , , , , , , , , , , , , ,		
(assembled with rod ends and hollow balls) (fits Stampede) 2938X Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports) 1726 Antenna caps, vinyl (2)/ antenna spool 2943 Battery charge indicators (green (4), blue (4), grey (4)) 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) 2943 Battery charge indicators (green (4), blue (4), grey (4)) 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) 2943 Battery charge indicators (green (4), blue (4), grey (4)) 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) 2943 Battery charge indicators (green (4), blue (4), grey (4)) 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) 2943 Battery charge indicators (green (4), blue (4), grey (4)) 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) 2943 Battery charge indicators (green (4), blue (4), grey (4)) 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) 2943 Battery charge indicators (green (4), blue (4), grey (4)) 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) 2943 Battery charge indicators (green (4), blue (4), grey (4) 2943 Battery charge indicators (green (4), blue (4), grey (4) 2944 Battery, Power Cell AA Alkaline (4) 2926 Battery, Power Cell AA Alkaline (4) 2926 Battery, Power Cell, 3000mAh (NiMH, 6-C flat, 7.2V) 2926 Battery, Series 3 Power Cell, 3000mAh (NiMH, 6-C flat, 7.2V) 2927 Battery, Series 3 Power Cell, 3300mAh (NiMH, 6-C flat, 7.2V) 2941 Battery, Series 4 Power Cell, 4200mAh (NiMH, 6-C flat, 7.2V) 2941 Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) 2951 Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) 2951 Battery Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) 2951 Battery Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) 2951 Battery Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) 2951 Battery Series 5 Power C	3645	·		
### separate balance ports Antenna caps, vinyl (2)/ antenna spool 726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) 727 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) 728 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) 729 Battery charge indicators (green (4), blue (4), grey (4)) 739 Battery charge indicators (green (4), blue (4), grey (4)) 739 Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters) 730 Battery, Power Cell AA Alkaline (4) 730 Battery, Power Cell, 3000mAh (NiMH, 6-C flat, 7.2V) 730 Battery, Power Cell, 3000mAh (NiMH, 6-C flat, 7.2V) 730 Battery, Series 3 Power Cell, 3300mAh (NiMH, 6-C flat, 7.2V) 730 Battery, Series 3 Power Cell, 3300mAh (NiMH, 6-C flat, 7.2V) 730 Battery, Series 4 Power Cell, 4200mAh (NiMH, 6-C flat, 7.2V) 730 Battery, Series 4 Power Cell, 4200mAh (NiMH, 6-C flat, 7.2V) 730 Battery, Series 4 Power Cell, 4200mAh (NiMH, 6-C flat, 7.2V) 730 Battery, Series 5 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) 730 Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) 730 Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) 730 Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) 730 Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) 730 Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) 730 Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) 731 Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)	3043			
Antenna caps, vinyl (2)/ antenna spool 2943 Battery charge indicators (green (4), blue (4), grey (4)) 3642 Shoulder screws, Ultra Shocks (3x12) (6) 3652 Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench 3634 Body clips (12) (standard size) 3634 Body clips, heavy duty (12) 3634 Body clips, heavy duty (12) 3635 Bouble-sided adhesive tape (25mm x 25mm) (2) 3646 Nuts, 3mm nylon locking (12) 3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8) 3648 Body clips, heavy clips (12) 3649 Nuts, 4mm nylon locking (10) 3640 Nuts, 4mm nylon locking (10) 36530 Battery, Power Cell, 3000mAh (NiMH, 6-C flat, 7.2V) 3647 Nuts, 4mm nylon locking (10) 36548 Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V) 36550 Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V) 366548 Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V) 366550 Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V) 3667 Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V) 3667 Nuts, 4mm nylon locking (10) 3670 Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) 3687 Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) 36951X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) 36961X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)				
Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Shoulder screws, Ultra Shocks (3x12) (6) Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench Body clips (12) (standard size) Body clips, heavy duty (12) Double-sided adhesive tape (25mm x 25mm) (2) Nuts, 3mm nylon locking (12) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm nylon locking (10) Shattery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V) Battery, Series 4 Power Cell, 4200mAh (NiMH, 6-C flat, 7.2V) Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)	1000			
3642Shoulder screws, Ultra Shocks (3x12) (6)6530 transmitters)1552Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench2914Battery, Power Cell AA Alkaline (4)1834Body clips (12) (standard size)2922XBattery, Power Cell, 3000mAh (NiMH, 6-C flat, 7.2V)3934Body clips, heavy duty (12)2926XBattery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)1589Double-sided adhesive tape (25mm x 25mm) (2)2942XBattery, Series 3 Power Cell, 3300mAh (NiMH, 6-C flat, 7.2V)2745Nuts, 3mm nylon locking (12)2941XBattery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)3647Nuts, 4mm flanged nylon locking (steel, serrated) (8)2952XBattery, Series 4 Power Cell, 4200mAh (NiMH, 6-C flat, 7.2V)1747Nuts, 4mm nylon locking (10)2951XBattery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)1747RNuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)2961XBattery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)				
1552Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench2914Battery, Power Cell AA Alkaline (4)1834Body clips (12) (standard size)2922XBattery, Power Cell, 3000mAh (NiMH, 6-C flat, 7.2V)3934Body clips, heavy duty (12)2926XBattery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)1589Double-sided adhesive tape (25mm x 25mm) (2)2942XBattery, Series 3 Power Cell, 3300mAh (NiMH, 6-C flat, 7.2V)2745Nuts, 3mm nylon locking (12)2941XBattery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)3647Nuts, 4mm flanged nylon locking (steel, serrated) (8)2952XBattery, Series 4 Power Cell, 4200mAh (NiMH, 6-C flat, 7.2V)1747Nuts, 4mm nylon locking (10)2951XBattery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)1747RNuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)2961XBattery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)			ხ548	
Body clips (12) (standard size) Body clips, heavy duty (12) Double-sided adhesive tape (25mm x 25mm) (2) Nuts, 3mm nylon locking (12) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm nylon locking (10) Pasttery, Power Cell, 3000mAh (NiMH, 6-C flat, 7.2V) Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V) Battery, Series 4 Power Cell, 4200mAh (NiMH, 6-C flat, 7.2V) Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)			2914	
3934 Body clips, heavy duty (12) 2926X Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V) 2942X Battery, Series 3 Power Cell, 3300mAh (NiMH, 6-C flat, 7.2V) 2943 Battery, Series 3 Power Cell, 3300mAh (NiMH, 6-C flat, 7.2V) 2944 Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V) 2945 Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V) 2948 Battery, Series 4 Power Cell, 4200mAh (NiMH, 6-C flat, 7.2V) 2951X Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) 2951X Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) 2961X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)				• • • • • • • • • • • • • • • • • • • •
Double-sided adhesive tape (25mm x 25mm) (2) Nuts, 3mm nylon locking (12) Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm nylon locking (10) Pastiery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V) Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)				
2745 Nuts, 3mm nylon locking (12) 3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8) 2952X Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V) 2952X Battery, Series 4 Power Cell, 4200mAh (NiMH, 6-C flat, 7.2V) 2951X Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) 2951X Battery, Series 5 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) 2961X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)				
Nuts, 4mm flanged nylon locking (steel, serrated) (8) 1747 Nuts, 4mm nylon locking (10) 1748 Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) 1749 Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) 2952X Battery, Series 4 Power Cell, 4200mAh (NiMH, 6-C flat, 7.2V) Battery, Series 5 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)		. , , , , ,		• • • • • • • • • • • • • • • • • • • •
1747R Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) 2961X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)	1589	Nuts, 3mm hylon locking (12)		
	1589 2745 3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)	2952X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 6-C flat, 7.2V)
1/4/G Nuts, aluminum, Tianged, serrated (4mm) (green-anodized) (4)	1589 2745 3647 1747	Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm nylon locking (10)	2951X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)
	1589 2745 3647 1747 1747R	Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm nylon locking (10) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)	2951X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)

2984	Battery/charger completer pack (includes #2969 2-amp NiMH	4761	Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o
	peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH battery (1))	1666	springs (rear) (2) Silicone shock oil (30 wt)
2992	Battery/charger completer pack (includes #2970 iD charger (1),	1000	Shocks (Pro-level Aluminum)
2260	#2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))	2664	Big Bore shock cylinder (long) (1)
2260 2975	BEC assembly (complete) Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)	2666	Big Bore shock cylinder (XX-long) (1)
2972	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification	5862	Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)
2973	Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification	2660	Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2)
2971	Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery Identification	2662	Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification	2669	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
2978	Fuse, charger, 5A (2) (for #2974, 2975, 2977)	2362	Rebuild kit, Ultra shocks (for 2 shocks)
2072A	Gear set (for 2070, 2075 servos)	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for	2742X	(2) Rod ends, short (6)/ hollow balls (6)
2968	Traxxas iD batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for	2667	Shock caps, aluminum (Big Bore Shocks) (2)
2000	Traxxas iD batteries)	1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
6557	Mount, telemetry expander (fits Stampede 2WD)	2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long)
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad	1664	(2) Shock shafts, steel, chrome finish (long) (2)
6519 6518	Receiver, micro, TQ 2.4GHz (3-channel)	2656	Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2)
6522	Receiver, micro, TQi 2.4GHz with telemetry (5-channel) Sensor, RPM (short)/ 3x4mm BCS (2)	1765	Silicone diaphragms (4)
6521	Sensor, temperature and voltage (long)	1666	Silicone shock oil (30 wt)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)	2668	Spring retainers, upper & lower (2)/ spring pre-load spacers:
2053	Servo gears (for 2055, 2056 servos)		1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)
2075	Servo, digital high-torque (ball bearing), waterproof	5860	Springs, front (white) (progressive rate) (2) (fits #5862 aluminum
2056	Servo, high-torque, waterproof (blue case)	0000	Big Bore shocks)
6538	Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)	5859	Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)
6540 6516	Telemetry trigger magnet, 5X2mm (1) Transmitter, TQ 2.4GHz, 2-channel (transmitter only)		Shocks (Ultra Shocks)
6528	Transmitter, TQi Traxxas Link enabled, 2.4GHz high output,	3642	Shoulder screws, Ultra Shocks (3x12) (6)
	2-channel (transmitter only)	3765A	Body, Ultra Shock(s) (long) (grey) (2)
6529	Transmitter, TQi Traxxas Link enabled, 2.4GHz high output,	3766A	Body, Ultra Shock(s) (XXL) (grey) (2)
CEOO	3-channel (transmitter only)	2362	Rebuild kit, Ultra shocks (for 2 shocks)
6530	Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4-channel (transmitter only)	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws
6537	Wire retainers, gear cover/ 3x4mm BCS (2)	2742X	(2) Rod ends, short (6)/ hollow balls (6)
3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage	3767	Shock caps (2)/ shock bottoms (2)
	detection, fwd/rev/brake)	8361	Shock caps (black) (4) (assembled with hollow balls)
	Ready-To-Race Model	3767A	Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
36034-1	Bigfoot® No. 1: 1/10 Scale Officially Licensed Replica Monster Truck	3767G	Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
	with TQ 2.4GHz radio system	3767P 3767X	Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks) Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
	Rear Suspension	1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long)
1675	Bushings, self-lubricating (5x11x4mm) (14)		(2)
3739	Screw pin set (Rustler/ Bandit/ Stampede)	1664	Shock shafts, steel, chrome finish (long) (2)
3638 3752	Shock tower (rear) Stub axle carriers (2) (requires 5x11x4mm bushngs and bearings)	2656	Shock shafts, steel, chrome finish (xx-long) (2)
3652A	Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6	1765 1666	Silicone diaphragms (4) Silicone shock oil (30 wt)
000271	aluminum (blue-anodized)/ 5x11mm ball bearings (4)	3769	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
3652G	Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)	3768	Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
3652P	Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6	3758	Springs, front (black) (2)
00501	aluminum (pink-anodized)/ 5x11mm ball bearings (4)	3758T	Springs, front (blue) (2)
3652X	Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6	3758A	Springs, front (green) (2)
2753X	aluminum (red-anodized)/ 5x11mm ball bearings (4) Stub axles, rear (2)	3758P	Springs, front (pink) (2)
3655X	Suspension arms, left & right	3758R	Springs, front (red) (2)
3640	Suspension screw pin set, steel (hex drive) (requires part #2640	3758X 3757	Springs, front (white) (2) Springs, rear (black) (2)
	for a complete suspension pin set) (Rustler, Stampede, Bandit)	3757 3757T	Springs, rear (black) (2) Springs, rear (blue) (2)
	Shocks (Aluminum)	3757A	Springs, rear (green) (2)
1965	Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring	3757P	Springs, rear (pink) (2)
1942	retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws	3757R 3757X	Springs, rear (red) (2.9 rate) (2) Springs, rear (white) (2)
1344	(2)	4957	Springs, rear (write) (2) Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)
2742X	Rod ends, short (6)/ hollow balls (6)	3760	Ultra Shocks (black) (long) (complete w/ spring pre-load spacers &
2760	Shock caps, aluminum (2)		springs) (front) (2)
1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)	3762	Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers
2765T	Shock shafts, hardened steel, titanium nitride coated (X-long) (2)	27604	& springs) (rear) (2)
1664	Shock shafts, steel, chrome finish (long) (2)	3760A	Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)
	Shock shafts steel shrome finish (V long) (2)		
2765 4760	Shock shafts, steel, chrome finish (X-long) (2) Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o	3762A	Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load

Page 4 Bigfoot® No. 1 Officially Licensed Replica: TQ 2.4 GHz Radio (Model 36034-1) Part
--

	Slipper Clutch Components	3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
3793 5552X	Input shaft (slipper shaft) / spring pin Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/	3645	Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede)
2554	4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm cap-head machine (hex drive) (6)		Team Traxxas Items
5556	Slipper pressure plate & hub (aluminum alloy)	2514	Decal sheet, racing sponsors
	Spur Gears & Pinion Gears	6160X	DVD, Maxx® Power! Full Throttle Action (sleeve)
3790	Gear adapter, fixed	9950	Official Team Traxxas racing decal set (flag logo/ 6-color)
2427	Gear, 14-T pinion (48-pitch)/ set screw	9909	Traxxas racing banner, red & black (3x7 feet)
2416	Gear, 16-T pinion (48-pitch) / set screw		Tires & Wheels
1918	Gear, 18-T pinion (48-pitch) / set screw	5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
2419 2423	Gear, 19-T pinion (48-pitch) / set screw Gear, 23-T pinion (48-pitch) / set screw	1675 5854	Bushings, self-lubricating (5x11x4mm) (14) Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856
1725	Gear, pinion (25-tooth) (48-pitch) / set screw	0004	#6469)
1676	Spur gear, 76-tooth (48-pitch) (for models with Torque-Control	3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
	slipper clutch)	1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
683	Spur gear, 83-tooth (48-pitch) (for models with Torque-Control slipper clutch)	1747G 1747P	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
1686	Spur gear, 86-tooth (48-pitch) (for models with Torque-Control	1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
	slipper clutch)	1647	Silicone grease
690	Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper	2754	Stub axle pins (4)
	clutch)	3689	Tires & wheels, assembled, glued (2.8") (All-Star black chrome
	Steering Components		wheels, paddle tires, foam inserts) (2WD electric rear) (2) (TSM rated)
728	Ball bearings (5x8x2.5mm) (2)	3668A	Tires & wheels, assembled, glued (2.8") (All-Star black chrome
1545 1742	Bellcrank bushings (plastic) (5x8x2.5mm) (4) Rod ends, long (6)/ hollow ball connectors (6)		wheels, Talon tires, foam inserts) (2WD electric rear) (2) (TSM
844	Servo saver	3669A	rated) Tires & wheels, assembled, glued (2.8") (All-Star black chrome
336	Turnbuckles, 78mm (2)	3003A	wheels, Talon tires, foam inserts) (nitro rear/ electric front) (2)
2336A	Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2)		(TSM rated)
	(assembled w/ rod ends & hollow balls) (fits Stampede) (requires	3668	Tires & wheels, assembled, glued (2.8") (All-Star chrome whee
336X	5mm aluminum wrench #5477) Turnbuckles, aluminum (red-anodized), toe links, 61mm	3669	Talon tires, foam inserts) (2WD electric rear) (2)
000%	(2)(assembled with rod ends & hollow balls) (fits Stampede)	3009	Tires & wheels, assembled, glued (2.8") (All-Star chrome whee Talon tires, foam inserts) (nitro rear/ electric front) (2)
	(requires 5mm aluminum wrench #5477)	3663X	Tires & wheels, assembled, glued (chrome wheels, Terra Groove
645	Turnbuckles, toe link, 61mm (96mm center to center) (2)		dual profile tires, foam inserts) (2WD electric rear) (2)
	(assembled with rod ends and hollow balls) (fits Stampede)	3665X	Tires & wheels, assembled, glued (chrome wheels, Terra Groove
	Suspension Linkage	3663	dual profile tires, foam inserts) (nitro rear/ electric front) (2) Tires & wheels, assembled, glued (satin chrome wheels, Terra
642	Shoulder screws, Ultra Shocks (3x12) (6)		Groove dual profile tires, foam inserts) (2WD electric rear) (2)
8 641A 8641	Camber link set (plastic / non-adjustable) (front & rear) (grey) Camber link set (plastic/ non-adjustable) (front & rear) (black)	3665	Tires & wheels, assembled, glued (satin chrome wheels, Terra
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws		Groove dual profile tires, foam inserts) (nitro rear/ electric fron (2)
	(2)	6771	Tires and wheels, assembled, glued 2.8" (All-Star chrome
2742	Rod ends, long (6)/ hollow ball connectors (6)		wheels, Maxx® tires, foam inserts) (2)
2742X 3739	Rod ends, short (6)/ hollow balls (6) Screw pin set (Rustler/ Bandit/ Stampede)	6770	Tires, Maxx® 2.8" (2)/ foam inserts (2)
740	Suspension pins, 2.5x31.5mm (king pins) w/ e-clips (2)	3671 3667	Tires, Talon 2.8" (2)/ foam inserts (2)
	(strengthens caster blocks)	1654	Tires, Terra Groove (dual profile 5.3"x2.7"- 2.0") (2)/ foam inserts (2) Wheel hubs, hex (rear) (2)/ stub axle pins (2)
637	Suspension pins, 31.5mm, chrome (2) w/ E-clips (4)	3654	Wheel hubs, hex (front) (tall offset) (2)/ axle pins (2.5x12mm) (2)
640	Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to strengthen front bulkhead)	5853X	Wheel hubs, splined, 17mm, short (2), long (2)/wheel nuts,
640	Suspension screw pin set, steel (hex drive) (requires part #2640		splined, 17mm (4) (blue-anodized)/ hub retainer M4x0.7 (4)/axle
	for a complete suspension pin set) (Rustler, Stampede, Bandit)	5353	pin (4)/wrench, 5mm Wheel nuts, splined, 17mm (blue-anodized) (4)
737A	Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm	5480X	Wheel wrench, splined, 17mm
	(1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for complete camber link set)	3772A	Wheels, All-Star 2.8" (black chrome) (2WD electric rear)
738A	Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm	5576A	Wheels, All-Star 2.8" (black chrome) (nitro rear/ electric front) (
	(1) (assembled w/ rod ends & hollow balls) (See part 3741A for	3772	Wheels, All-Star 2.8" (chrome) (2WD electric rear)
	complete camber link set)	5576 3673	Wheels, All Star 2.8" (chrome) (2) (Rustler/Stampede front) Wheels, chrome (2.2") (front) (2)
3737	Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for	3672	Wheels, chrome (2.2") (rear) (2)
	complete camber link set)	3675	Wheels, dyeable nylon 2.2 (front) (2)
738	Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm	3674	Wheels, dyeable nylon 2.2 (rear) (2)
	(1) (assembled with rod ends & hollow balls)(See part 3741X for	3664	Wheels, satin chrome, dual profile (2.0" outer, 3.0" inner) (2WD
027	complete camber link set) Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear	3666	electric rear) (2) Wheels, satin chrome, dual profile (2.0" outer, 3.0" inner) (nitro
937	camber links)	0000	rear/ electric front) (2)
336	Turnbuckles, 78mm (optional rear camber rods) (2)	3774	Wheels, Twin-Spoke 2.8" (chrome) (2WD electric rear) (2)
741A	Turnbuckles, aluminum (blue-anodized), camber links, front,	5572	Wheels, Twin-Spoke 2.8" (chrome) (nitro rear/ electric front) (2)
	39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/		Transmission Components
336A	wrench Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2)	1552	Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench
	(assembled w/ rod ends & hollow balls) (fits Stampede) (requires	4607	Ball bearings (5x11x4mm) (8)
	5mm aluminum wrench #5477)	5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
741X	Turnbuckles, aluminum (red-anodized), camber links, front,	2519 3792	Differential gear (60-tooth) (for optional ball differential only) Dust cover/rubber plug (w/ screws) (telemetry ready)
	39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench	5478	Flat wrench, 8mm (blue-anodized aluminum)
	,		Gear adapter, fixed
336X	Turnbuckles, aluminum (red-anodized), toe links, 61mm	3790	Ocal adapter, fixed
336X	(2)(assembled with rod ends & hollow balls) (fits Stampede)	3790 3691	Gearbox halves (l&r) (black) w/ idler gear shaft
2336X 3644			·

Page 5 Bigfoot® No. 1 Officially Licensed Replica: TQ 2.4 GHz Radio (Model 36034-1) Parts List

1996	Idler gear (30-tooth)
3696	Idler gear, steel (30-tooth)
3793	Input shaft (slipper shaft) / spring pin
2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede, Rustler)
2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede, Rustler)
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2554	Screws, 3x6mm cap-head machine (hex drive) (6)
3185X	Screws, 3x8mm washerhead machine (large head for motor mount)
31007	(6)
1647	Silicone grease
5556	Slipper pressure plate & hub (aluminum alloy)
3195	Top drive gear, steel (22-tooth)
	Traxxas Tools
3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3432	Scissors, curved tip
	, , , , , , , , , , , , , , , , , , ,
3431	Scissors, straight tip
3431 3415	Scissors, straight tip Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm,
	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut
	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips,
	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/
	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle
	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/
	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle THIT HIGK GS & THY GRIEGE ROLLS Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws
3415 1942	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle THIT HICKLES & THY CALLET ROLLS Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, heavy duty (Jato/Slayer) (8)
3415 1942 5525R	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle THITI DICKLES & THITE ROLLS Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
3415 1942 5525R 2742	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle THIT DIECKLES & TITE ALIEU ROIS Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, heavy duty (Jato/Slayer) (8) Rod ends, long (6)/ hollow ball connectors (6)
3415 1942 5525R 2742 5347	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, 40 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle THITIBLEK ES & THECRIFICE ROLLS Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, heavy duty (Jato/Slayer) (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for
3415 1942 5525R 2742 5347 2742X	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle THIT INCLES & THIT PAILED ROTS Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, heavy duty (Jato/Slayer) (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for complete camber link set) Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled w/ rod ends & hollow balls) (See part 3741A for
3415 1942 5525R 2742 5347 2742X 3737A	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle **Timble** *
3415 1942 5525R 2742 5347 2742X 3737A	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle THIT INCLES & THIT PAILED ROTS Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, heavy duty (Jato/Slayer) (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6) Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for complete camber link set) Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled w/ rod ends & hollow balls) (See part 3741A for

Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) 2336A (assembled w/ rod ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477)

Turnbuckles, 78mm (optional rear camber rods) (2)

complete camber link set)

camber links)

wrench

3738

1937

2336

3741A

Turnbuckles, aluminum (red-anodized), camber links, front,

Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls)(See part 3741X for

Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear

Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/

3741X 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench

Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede) 2336X (requires 5mm aluminum wrench #5477)

Turnbuckles, toe link, 61mm (96mm center to center) (2)

3645 (assembled with rod ends and hollow balls) (fits Stampede)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM