



Ford Fiesta® ST Rally (Model 74064-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

- 4607 **Ball bearings (5x11x4mm) (8)**
- 4612 **Ball bearings (10x15x4mm) (2)**
- 2728 **Ball bearings (5x8x2.5mm) (2)**
- 5119A Ball bearings, black rubber sealed (10x15x4mm) (2)
- 5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
- 5120 Ball bearings, blue rubber sealed (12x18x4mm) (2)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 5117 Ball bearings, blue rubber sealed (6x12x4mm) (2)
- 5118 Ball bearings, blue rubber sealed (8x16x5mm) (2)
- 2545 Bellcrank bushings (plastic) (5x8x2.5mm) (4)
- 3934 Body clips, heavy duty (12)
- 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)

Body & Accessories

- 1926 Antenna caps, vinyl (2)/ antenna spool
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 7434 Body bumper, foam (low profile) (use with #7435 front skidplate)
- 3935 **Body clip (mounting clip), angled, 90-degrees (10)**
- 3934 Body clips, heavy duty (12)
- 6416 Body mount posts (2)/ body post pivot (2)/ screw pins, 2.5x18mm (2)
- 7415X Body mounts, front & rear/ body post, rear (1)
- 1815 Body washers (8)
- 6716 **Body washers, foam, 2mm (2)/ 3mm (2)/ 4mm (4)**
- 7412 **Body, Ford Fiesta® ST Rally (clear, requires painting)**
- 7416 **Body, Ford Fiesta® ST Rally (painted, decals applied)**
- 2514 **Decal sheet, racing sponsors**
- 9950 **Official Team Traxxas racing decal set (flag logo/ 6-color)**
- 7413 Wing, Ford Fiesta® ST Rally (black)/ 3x8 FCS (4)

Center Driveline

- 5119A Ball bearings, black rubber sealed (10x15x4mm) (2)
- 5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
- 5120 Ball bearings, blue rubber sealed (12x18x4mm) (2)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 5117 Ball bearings, blue rubber sealed (6x12x4mm) (2)
- 6893G **Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)**
- 6893X **Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft)**
- 7477 Cover, gear/ wire retainer
- 6814 **Differential kit, center (complete)**
- 6888 Drive hub, center, rear (1)/ front (1)/screw pin
- 6855 **Driveshaft, center, 6061-T6 aluminum (blue-anodized)**
- 6855G **Driveshaft, center, 6061-T6 aluminum (green-anodized)**
- 7455 Driveshaft, center, plastic (black)/ screw pin
- 6766 Gear clutch, complete (high stall)
- 6883 **Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft)**
- 5148 Grease, white lithium
- 6884 **Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4)**
- 6893 Input shaft (slipper shaft)/ bearing adapter (1)/pin (1)
- 7460 Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1)
- 7490 Plate, motor
- 7490G **Plate, motor, green**
- 5352R **Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring, Revo® (1)/ spring, Maxx® (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))**
- 5352X **Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))**
- 5552X **Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))**
- 2575 Screws, 3x6mm button-head machine (hex drive) (6)
- 2554 Screws, 3x6mm cap-head machine (hex drive) (6)
- 3932 Screws, 3x6mm flat-head machine (hex drive) (6)
- 1647 Silicone grease
- 6878 **Slipper clutch, complete**
- 5556 **Slipper pressure plate & hub (aluminum alloy)**
- 5351 **Slipper pressure plate and hub (alloy)**

Chassis & Attachments

- 7426 Battery hold-down (1)/ hold-down retainer, front & rear (1 each)
- 7426X **Battery hold-downs, tall (2) (allows for installation of taller, multi-cell batteries)**
- 7434 Body bumper, foam (low profile) (use with #7435 front skidplate)
- 7424 Box, receiver (sealed)/ foam pads/ 2.5x12mm CS (2)/ 3x6mm CS (2)/ 3x12mm BCS (2)
- 7422 Chassis
- 7423 Nerf bars, chassis (2)
- 7425 Seal kit, receiver box (includes o-ring, seals, and silicone grease)
- 7435 Skidplate, front (angled for higher ground clearance) (use with #7434 foam body bumper)

Differential Components

- 5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
- 5117 Ball bearings, blue rubber sealed (6x12x4mm) (2)
- 5118 Ball bearings, blue rubber sealed (8x16x5mm) (2)
- 5381 Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW
- 6814 **Differential kit, center (complete)**
- 5136X **Differential oil kit (1 each: 10K, 30K, 50K weights)**
- 6882X Gear set, differential (output gears (2)/ spider gears (2)/ spider gear shaft, carrier support)
- 6881 Housings, differential, front
- 6880 Housings, differential, rear
- 5379X Ring gear, differential/ pinion gear, differential
- 5379R **Ring gear, differential/ pinion gear, differential (machined, spiral cut) (front)**
- 6879R **Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear)**
- 6879 Ring gear, differential/ pinion gear, differential (rear)
- 3965 Screws, 2.5x8mm cap-head machine (6)
- 1647 Silicone grease

Driveline Components

- 5119A Ball bearings, black rubber sealed (10x15x4mm) (2)
- 5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 6828X Differential output yokes, heavy duty (2)/ screw pin (2)
- 6760 Driveshaft assembly, front, heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
- 6761 Driveshaft assembly, rear, heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
- 6759 Half shafts, heavy duty (external splined (2)/ internal splined (2))/ metal u-joints (4)
- 6854X Stub axles, front, heavy duty (2)/ yokes (2)/ pins (4)
- 6853X Stub axles, rear, heavy duty (2)/pins (2)

Front Suspension & Steering

- 2728 Ball bearings (5x8x2.5mm) (2)
- 2545 Bellcrank bushings (plastic) (5x8x2.5mm) (4)
- 6823 Bulkhead tie bars, front & rear, aluminum (blue-anodized)
- 6823G **Bulkhead tie bars, front & rear, aluminum (green-anodized)**
- 6823R **Bulkhead tie bars, front & rear, aluminum (red-anodized)**
- 7430X Bulkhead, front
- 6743 Camber link set (plastic/ non-adjustable) (front & rear)
- 6832X **Caster blocks (c-hubs), 6061-T6 aluminum (blue-anodized), left & right**
- 6832G **Caster blocks (c-hubs), 6061-T6 aluminum (green-anodized), left & right**
- 6832R **Caster blocks (c-hubs), 6061-T6 aluminum (red-anodized), left & right**
- 6832Caster blocks (c-hubs), left & right
- 6895 **Linkage, front sway bar (2) (assembled with rod ends, hollow balls and ball studs)**
- 6897 **Linkage, rear sway bar (2) (assembled with rod ends, hollow balls and ball studs)**
- 7438 Linkage, steering
- 2742 Rod ends, long (6)/ hollow ball connectors (6)
- 3646 Screws, 3x15mm flat-head machine (hex drive) (6)
- 5529 Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
- 6839 Shock tower, front
- 6839X **Shock tower, front, 7075-T6 aluminum (blue-anodized)**
- 6845X Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering

Page 2 Ford Fiesta® ST Rally: TQ 2.4GHz Radio (Model 74064-4) Parts List

| | |
|-------|--|
| 6837X | Steering blocks, 6061-T6 aluminum (blue-anodized), left & right |
| 6837G | Steering blocks, 6061-T6 aluminum (green-anodized), left & right |
| 6837R | Steering blocks, 6061-T6 aluminum (red-anodized), left & right |
| 6837 | Steering blocks, left & right |
| 6854X | Stub axles, front, heavy duty (2)/ yokes (2)/ pins (4) |
| 6731 | Suspension arms, front/rear (left & right) (2) |
| 6834 | Suspension pin set, complete (front and rear) |
| 6898 | Sway bar kit (front and rear) (includes front and rear sway bars and adjustable linkage) |
| 3139 | Turnbuckles (62mm) (front tie rods) (2) |
| 3139A | Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) |
| 3139X | Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) |
| 6896 | Wires, sway bar (front & rear, hard & soft) / 3x6 FCS (4) |

Hardware

| | |
|-------|---|
| 1926 | Antenna caps, vinyl (2)/ antenna spool |
| 1726 | Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) |
| 1552 | Screws, 3x8mm cap-head machine (hex drive) (6)/ washers (6)/ wrench |
| 3935 | Body clip (mounting clip), angled, 90-degrees (10) |
| 3934 | Body clips, heavy duty (12) |
| 1589 | Double-sided adhesive tape (25mm x 25mm) (2) |
| 2586 | Screws, 3x15mm cap-head machine (hex drive) (6) |
| 2745 | Nuts, 3mm nylon locking (12) |
| 3647 | Nuts, 4mm flanged nylon locking (steel, serrated) (8) |
| 1747 | Nuts, 4mm nylon locking (10) |
| 1985 | PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) |
| 2742 | Rod ends, long (6)/ hollow ball connectors (6) |
| 2742X | Rod ends, short (6)/ hollow balls (6) |
| 3347 | Screws, 2.5x5mm button-head machine (hex drive) (6) |
| 3215 | Screws, 2.5x6mm cap-head machine (hex drive) (6) |
| 3965 | Screws, 2.5x8mm cap-head machine (6) |
| 2577 | Screws, 3x10mm button-head machine (hex drive) (6) |
| 2578 | Screws, 3x12mm button-head machine (hex drive) (6) |
| 2552 | Screws, 3x12mm countersunk machine (6) (hex drive) |
| 2579 | Screws, 3x15mm button-head machine (hex drive) (6) |
| 3646 | Screws, 3x15mm flat-head machine (hex drive) (6) |
| 2583 | Screws, 3x18mm button-head machine (hex drive) (6) |
| 2580 | Screws, 3x20mm button-head machine (hex drive) (6) |
| 2591 | Screws, 3x23mm button-head machine (hex drive) (6) |
| 2582 | Screws, 3x30mm button-head machine (hex drive) (6) |
| 2592 | Screws, 3x40mm button-head machine (hex drive) (6) |
| 2575 | Screws, 3x6mm button-head machine (hex drive) (6) |
| 2534 | Screws, 3x6mm countersunk machine (6) (hex drive) |
| 3932 | Screws, 3x6mm flat-head machine (hex drive) (6) |
| 2576 | Screws, 3x8mm button-head machine (hex drive) (6) |
| 3931 | Screws, 3x8mm flat-head machine (hex drive) (6) |
| 3936 | Screws, 4x10mm button-head machine (hex drive) (6) |
| 3937 | Screws, 4x12mm button-head machine (hex drive) (6) |
| 2542 | Screws, 4x12mm countersunk machine (hex drive) (6) |
| 3938 | Screws, 4x14mm button-head machine (hex drive) (6) |
| 2546 | Screws, 4x15mm countersunk machine (hex drive) (6) |
| 2743 | Set (grub) screws, 3mm hardened (12) |
| 3642X | Shoulder screws, Ultra Shocks (3x12 hex drive) (6) |
| 2754 | Stub axle pins (4) |
| 2748X | Tool Set (1.5mm & 2.5mm allens/ 4-way lug, 8mm & 4mm wrench & U-joint wrenches) |
| 2746 | Washers, 3x6mm metal (12) |

Motors & Electronics

| | |
|-------|---|
| 1726 | Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) |
| 2260 | BEC assembly (complete) |
| 3340 | Cooling fan, Velineon VXL-3s ESC |
| 3354R | Motor cover, endbell (Velineon 3500) |
| 7460 | Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1) |
| 3785 | Motor, Titan 12T (12-Turn, 550 size) |
| 3351R | Motor, Velineon 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors) |
| 7490 | Plate, motor |
| 7490G | Plate, motor, green |
| 3347 | Screws, 2.5x5mm button-head machine (hex drive) (6) |
| 3932 | Screws, 3x6mm flat-head machine (hex drive) (6) |
| 2074 | Servo case/gaskets (for 2056 and 2075 waterproof servos) |
| 2053 | Servo gears (for 2055, 2056 servos) |
| 2250 | Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof |

| | |
|-------|--|
| 2255 | Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof |
| 2056 | Servo, high-torque, waterproof (blue case) |
| 3350R | Velineon VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon 3500 motor, and speed control mounting plate (part #3725)) |
| 3355R | Velineon VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake) |
| 3018R | XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake) |

Radio System, Batteries & Chargers

| | |
|-------|--|
| 2842X | 5000mAh 7.4v 2-Cell 25C LiPo Battery |
| 2843X | 5800mAh 7.4v 2-Cell 25C LiPo Battery |
| 2869X | 7600mAh 7.4v 2-Cell 25C LiPo Battery |
| 2976 | AC to DC converter, 40W |
| 2938X | Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports) |
| 2943 | Battery charge indicators (green (4), blue (4), grey (4)) |
| 6548 | Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitters) |
| 2914 | Battery, Power Cell AA Alkaline (4) |
| 2923X | Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) |
| 2926X | Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V) |
| 2940X | Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V) |
| 2941X | Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V) |
| 2950X | Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V) |
| 2951X | Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) |
| 2960X | Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) |
| 2961X | Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) |
| 2983 | Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH battery (1)) |
| 2992 | Battery/charger completer pack (includes #2970 iD charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1)) |
| 2260 | BEC assembly (complete) |
| 2927R | Charger, AC, 500 mAh (7 cell, NiMH) (US only) |
| 2975 | Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) |
| 2972 | Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification |
| 2973 | Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification |
| 2971 | Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery Identification |
| 2970 | Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification |
| 6525 | Communication link, telemetry expander |
| 6512 | Cover plate, Traxxas Link Wireless Module |
| 2978 | Fuse, charger, 5A (2) (for #2974, 2975, 2977) |
| 2968X | LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas iD batteries) |
| 2968 | LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas iD batteries) |
| 6555 | Mount, telemetry expander (fits Slash 4X4, Stampede 4X4, Rally, Jato) |
| 6535 | Mount, temperature sensor (electric motors)/ wire tie/ thermal pad |
| 6519 | Receiver, micro, TQ 2.4GHz (3-channel) |
| 6533 | Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel) |
| 6518 | Receiver, micro, TQi 2.4GHz with telemetry (5-channel) |
| 3932 | Screws, 3x6mm flat-head machine (hex drive) (6) |
| 6552 | Seal kit, expander box (includes o-ring, seals, and silicone grease) |
| 6526 | Sensor, auto-detectable, temperature |
| 6527 | Sensor, auto-detectable, voltage |
| 6520 | Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1) |
| 6521 | Sensor, temperature and voltage (long) |
| 2074 | Servo case/gaskets (for 2056 and 2075 waterproof servos) |
| 2053 | Servo gears (for 2055, 2056 servos) |
| 2250 | Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof |
| 2255 | Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof |
| 2056 | Servo, high-torque, waterproof (blue case) |
| 6550 | Telemetry expander, TQi radio system |
| 6551 | Telemetry GPS module, TQi radio system |
| 6539 | Telemetry trigger magnet holder, center differential/ magnet, 5x2mm (1)/ 3x8mm BCS (3) |
| 6540 | Telemetry trigger magnet, 5X2mm (1) |
| 2928 | Temperature sensor, EZ-Peak Plus |
| 6509R | TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link enabled, TSM (2-ch transmitter, 5-ch micro receiver) |

Page 3 Ford Fiesta® ST Rally: TQ 2.4GHz Radio (Model 74064-4) Parts List

| | |
|-------|--|
| 6507R | TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) |
| 6516 | Transmitter, TQ 2.4GHz, 2-channel (transmitter only) |
| 6528 | Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 2-channel (transmitter only) |
| 6529 | Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 3-channel (transmitter only) |
| 6530 | Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4-channel (transmitter only) |
| 6511 | Traxxas Link Wireless Module |

Ready-To-Race Model

| | |
|---------|---|
| 74064-4 | Ford Fiesta® ST Rally: 1/10 Scale Electric Rally Racer with Officially Licensed Painted Body and TQ 2.4GHz radio system |
|---------|---|

Rear Suspension

| | |
|-------|--|
| 6823 | Bulkhead tie bars, front & rear, aluminum (blue-anodized) |
| 6823G | Bulkhead tie bars, front & rear, aluminum (green-anodized) |
| 6823R | Bulkhead tie bars, front & rear, aluminum (red-anodized) |
| 7429 | Bulkhead, rear |
| 2441A | Camber link set for Bandit (grey) (plastic/ non-adjustable) |
| 1952X | Carriers, stub axle (blue-anodized 6061-T6 aluminum) (rear) (2) |
| 1952G | Carriers, stub axle (green-anodized 6061-T6 aluminum) (rear) (2) |
| 1952 | Carriers, stub axle (rear) (2) |
| 1952A | Carriers, stub axle (red-anodized 6061-T6 aluminum) (rear) (2) |
| 6895 | Linkage, front sway bar (2) (assembled with rod ends, hollow balls and ball studs) |
| 6897 | Linkage, rear sway bar (2) (assembled with rod ends, hollow balls and ball studs) |
| 2742 | Rod ends, long (6)/ hollow ball connectors (6) |
| 5529 | Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4) |
| 6838 | Shock tower, rear |
| 6838X | Shock tower, rear, 7075-T6 aluminum (blue-anodized) |
| 6853X | Stub axles, rear, heavy duty (2)/pins (2) |
| 6731 | Suspension arms, front/rear (left & right) (2) |
| 6834 | Suspension pin set, complete (front and rear) |
| 6898 | Sway bar kit (front and rear) (includes front and rear sway bars and adjustable linkage) |
| 3139 | Turnbuckles (62mm) (front tie rods) (2) |
| 6896 | Wires, sway bar (front & rear, hard & soft) / 3x6 FCS (4) |

Shocks (Aluminum)

| | |
|-------|---|
| 1965 | Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2) |
| 1942 | Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) |
| 2742X | Rod ends, short (6)/ hollow balls (6) |
| 2760 | Shock caps, aluminum (2) |
| 1664T | Shock shafts, hardened steel, titanium nitride coated (long) (2) |
| 2765T | Shock shafts, hardened steel, titanium nitride coated (X-long) (2) |
| 1664 | Shock shafts, steel, chrome finish (long) (2) |
| 2765 | Shock shafts, steel, chrome finish (X-long) (2) |
| 4760 | Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2) |
| 4761 | Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2) |
| 1666 | Silicone shock oil (30 wt) |

Shocks (Pro-level Aluminum)

| | |
|-------|--|
| 2664 | Big Bore shock cylinder (long) (1) |
| 2666 | Big Bore shock cylinder (XX-long) (1) |
| 5862 | Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4) |
| 2660 | Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2) |
| 2662 | Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2) |
| 2669 | Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks) |
| 2362 | Rebuild kit, Ultra shocks (for 2 shocks) |
| 1942 | Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) |
| 2742X | Rod ends, short (6)/ hollow balls (6) |
| 2667 | Shock caps, aluminum (Big Bore Shocks) (2) |
| 1664T | Shock shafts, hardened steel, titanium nitride coated (long) (2) |
| 2656T | Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) |
| 1664 | Shock shafts, steel, chrome finish (long) (2) |
| 2656 | Shock shafts, steel, chrome finish (xx-long) (2) |
| 1765 | Silicone diaphragms (4) |
| 1666 | Silicone shock oil (30 wt) |

| | |
|------|---|
| 2668 | Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) |
| 6863 | Springs, front (progressive, +10% rate, pink) (2) |
| 6864 | Springs, front (progressive, +20% rate, blue) (2) |
| 6862 | Springs, front (progressive, -10% rate, green) (2) |
| 6861 | Springs, front (progressive, -20% rate, orange) (2) |
| 7458 | Springs, front (white) (progressive rate) (2) |
| 6867 | Springs, rear (progressive, +10% rate, pink) (2) |
| 6868 | Springs, rear (progressive, +20% rate, blue) (2) |
| 6866 | Springs, rear (progressive, -10% rate, green) (2) |
| 6865 | Springs, rear (progressive, -20% rate, orange) (2) |
| 7457 | Springs, rear (white) (progressive rate) (2) |

Shocks (Ultra Shocks)

| | |
|-------|---|
| 3642 | Attachment screws, shock (3x12mm shoulder screws) (6) |
| 3765A | Body, Ultra Shock(s) (long) (grey) (2) |
| 3766A | Body, Ultra Shock(s) (XXL) (grey) (2) |
| 2362 | Rebuild kit, Ultra shocks (for 2 shocks) |
| 1942 | Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) |
| 2742X | Rod ends, short (6)/ hollow balls (6) |
| 3767 | Shock caps (2)/ shock bottoms (2) |
| 3767A | Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks) |
| 3767G | Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks) |
| 3767P | Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks) |
| 3767X | Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks) |
| 1664T | Shock shafts, hardened steel, titanium nitride coated (long) (2) |
| 2656T | Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) |
| 1664 | Shock shafts, steel, chrome finish (long) (2) |
| 2656 | Shock shafts, steel, chrome finish (xx-long) (2) |
| 1765 | Silicone diaphragms (4) |
| 1666 | Silicone shock oil (30 wt) |
| 3769 | Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2) |
| 3768 | Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2)) |
| 6863 | Springs, front (progressive, +10% rate, pink) (2) |
| 6864 | Springs, front (progressive, +20% rate, blue) (2) |
| 6862 | Springs, front (progressive, -10% rate, green) (2) |
| 6861 | Springs, front (progressive, -20% rate, orange) (2) |
| 7458 | Springs, front (white) (progressive rate) (2) |
| 6867 | Springs, rear (progressive, +10% rate, pink) (2) |
| 6868 | Springs, rear (progressive, +20% rate, blue) (2) |
| 6866 | Springs, rear (progressive, -10% rate, green) (2) |
| 6865 | Springs, rear (progressive, -20% rate, orange) (2) |
| 7457 | Springs, rear (white) (progressive rate) (2) |
| 3760 | Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2) |
| 3762 | Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2) |
| 3760A | Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2) |
| 3762A | Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2) |

Slipper Clutch Components

| | |
|-------|--|
| 1552 | Backplate screws (3x8mm cap-head machine) (6)/washers (6)/ wrench |
| 6893G | Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft) |
| 6893X | Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/ 10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft) |
| 6814 | Differential kit, center (complete) |
| 6888 | Drive hub, center, rear (1)/ front (1)/screw pin |
| 6888X | Drive hub, front, hardened steel (1)/ screw pin (1) |
| 6766 | Gear clutch, complete (high stall) |
| 6883 | Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft) |
| 6884 | Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4) |
| 6893 | Input shaft (slipper shaft)/ bearing adapter (1)/pin (1) |
| 5352R | Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring, Revo® (1)/ spring, Maxx® (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) |
| 5352X | Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) |
| 5552X | Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) |
| 6878 | Slipper clutch, complete |
| 5556 | Slipper pressure plate & hub (aluminum alloy) |
| 5351 | Slipper pressure plate and hub (alloy) |

Spur Gears & Pinion Gears

| | |
|------|---|
| 7477 | Cover, gear/ wire retainer |
| 2428 | Gear, 12-T pinion (48-pitch) / set screw |
| 2416 | Gear, 16-T pinion (48-pitch) / set screw |
| 1918 | Gear, 18-T pinion (48-pitch) / set screw |
| 2419 | Gear, 19-T pinion (48-pitch) / set screw |
| 2423 | Gear, 23-T pinion (48-pitch) / set screw |
| 2426 | Gear, 26-T pinion (48-pitch)/set screw |
| 2431 | Gear, 31-T pinion (48-pitch) / set screw |
| 4725 | Gear, pinion (25-tooth) (48-pitch) / set screw |
| 4728 | Gear, pinion (28-tooth) (48-pitch)/ set screw |
| 2676 | Screws, 3x12mm roundhead self-tapping (6) |
| 4676 | Spur gear, 76-tooth (48-pitch) (for models with Torque-Control slipper clutch) |
| 4683 | Spur gear, 83-tooth (48-pitch) (for models with Torque-Control slipper clutch) |

Steering Components

| | |
|-------|--|
| 1552 | Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/ wrench |
| 2728 | Ball bearings (5x8x2.5mm) (2) |
| 2545 | Bellcrank bushings (plastic) (5x8x2.5mm) (4) |
| 7438 | Linkage, steering |
| 2742 | Rod ends, long (6)/ hollow ball connectors (6) |
| 6845X | Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering |
| 2746 | Washers, 3x6mm metal (12) |

Suspension Linkage

| | |
|-------|---|
| 6743 | Camber link set (plastic/ non-adjustable) (front & rear) |
| 2441A | Camber link set for Bandit (grey) (plastic/ non-adjustable) |
| 6834 | Suspension pin set, complete (front and rear) |

Team Traxxas Items

| | |
|-------|---|
| 2514 | Decal sheet, racing sponsors |
| 6160X | DVD, Maxx® Power! Full Throttle Action (sleeve) |
| 9950 | Official Team Traxxas racing decal set (flag logo/ 6-color) |
| 9909 | Traxxas racing banner, red & black (3x7 feet) |

Tires & Wheels

| | |
|-------|---|
| 5116 | Ball bearings, blue rubber sealed (5x11x4mm) (2) |
| 5854 | Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469) |
| 3647 | Nuts, 4mm flanged nylon locking (steel, serrated) (8) |
| 1985 | PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) |
| 1647 | Silicone grease |
| 2754 | Stub axle pins (4) |
| 7473T | Tires & wheels, assembled, glued (black wheels, gravel pattern tires, foam inserts) (2) (TSM rated) |
| 7473X | Tires & wheels, assembled, glued (Green wheels, BFGoodrich® Rally, gravel pattern tires, foam inserts) (2) (TSM rated) |
| 7473A | Tires & wheels, assembled, glued (orange wheels, BFGoodrich® Rally, gravel pattern tires, foam inserts) (2) (TSM rated) |
| 7473R | Tires & wheels, assembled, glued (White wheels, BFGoodrich® Rally, gravel pattern, S1 compound tires, foam inserts) (2) |
| 7473 | Tires & wheels, assembled, glued (White wheels, BFGoodrich® Rally, gravel pattern, tires, foam inserts) (2) (TSM rated) |
| 7471 | Tires, BFGoodrich® Rally, gravel pattern (2)/ foam inserts (2) |
| 7471R | Tires, BFGoodrich® Rally, gravel pattern, S1 compound (2)/ foam inserts (2) |
| 1654 | Wheel hubs, hex (rear) (2)/ stub axle pins (2) |
| 6856X | Wheel hubs, splined, 17mm, short (4)/ wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4 X 0.7 (4)/ axle pin (4)/ wrench, 5mm |
| 5353 | Wheel nuts, splined, 17mm (blue-anodized) (4) |
| 5480X | Wheel wrench, splined, 17mm |
| 7472X | Wheels, green (2) |
| 7472A | Wheels, orange (2) |
| 7472 | Wheels, white (2) |

Traxxas Tools

| | |
|------|--|
| 3432 | Scissors, curved tip |
| 3431 | Scissors, straight tip |
| 3415 | Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle |

Turnbuckles & Threaded Rods

| | |
|-------|--|
| 6743 | Camber link set (plastic/ non-adjustable) (front & rear) |
| 2441A | Camber link set for Bandit (grey) (plastic/ non-adjustable) |
| 2742 | Rod ends, long (6)/ hollow ball connectors (6) |
| 5529 | Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4) |
| 3139 | Turnbuckles (62mm) (front tie rods) (2) |
| 3139A | Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) |
| 3139X | Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) |

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM