

## Ford Mustang GT (Model 83044-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Bearings & Bushings
119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
120	Ball bearings, blue rubber sealed (12x18x4mm) (2)
116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
105	Ball bearings, blue rubber sealed (6x10x3mm) (2)
118	Ball bearings, blue rubber sealed (8x16x5mm) (2)
	Body & Accessories
319	Body bumper, foam
334A	Body clips, black (12) (standard size)
315	Body mounts, front & rear (fits #8311 body) (2)
316	Body mounts, front & rear/ body mount posts/ body mount sliders
317	Body washers, foam
391	Body, Cadillac CTS-V (clear, requires painting)/ decal sheet
044	(includes side mirrors, spoiler, & mounting hardware)
391A	Body, Cadillac CTS-V, blue (painted, decals applied)
391X	Body, Cadillac CTS-V, silver (painted, decals applied)
386	Body, Chevrolet Corvette Z06 (clear, requires painting)/ decal
DOCY	sheet (includes side mirrors, spoiler, & mounting hardware)
86X	Body, Chevrolet Corvette Z06, blue (painted, decals applied)
86A	Body, Chevrolet Corvette Z06, graphite (painted, decals applied)
86R 11	Body, Chevrolet Corvette Z06, red (painted, decals applied) Body, Ford GT® (clear, requires painting)/ decal sheet (includes
11	tail lights, exhaust tips, & mounting hardware)
11X	Body, Ford GT®, black (painted, decals applied) (tail lights,
	exhaust tips, & mounting hardware (part #8314) sold separately)
311A	Body, Ford GT®, blue (painted, decals applied) (tail lights,
	exhaust tips, & mounting hardware (part #8314) sold separately)
311R	Body, Ford GT®, red (painted, decals applied) (tail lights,
	exhaust tips, & mounting hardware (part #8314) sold separately)
312	Body, Ford Mustang (clear, requires painting)/ window masks/
	decal sheet
12X	Body, Ford Mustang, black (painted, decals applied)
36	Bumper, rear (1)/ rear body mount (1)
93	Decal sheet, Cadillac CTS-V
87	Decal sheets, Chevrolet Corvette Z06
92	Mirrors, side, black (left & right)/ mirror retainers (2)/ body clips
	(4)/ o-rings (4)/ spoiler, black/ spoiler retainer (1)/ 1.6x5 BCS
	(self-tapping) (3)
888	Mirrors, side, black (left & right)/ mirror retainers (2)/ spoiler,
	black/ spoiler retainer (1)/ 1.6x5 BCS (self-tapping) (3)/ 2.6x8 BCS
	(self-tapping) (2)
514	Tail lights (2)/ tail light mounts (4) / exhaust tips (2)/ exhaust tip
	mount (1)/ 3x10 flathead screws (2)/ 3x8 BCS (2)
	Brake Components
867	Brake calipers (red), front (2)/ rear (2)
56	Wheel hubs, hex (disc brake rotors) (4)
00	
	Center Driveline
81	Housing, differential (front)
80	Housing, differential (rear)
	Chassis & Attachments
27	
27	Battery hold-down/ battery clip/ hold-down post/ screw pin/ pivot post
10	screw Rody humper form
19 24	Body bumper, foam
24	Box, receiver (sealed) (steering servo mount)/ receiver cover/ access plug/ foam pads/ silicone grease/ 2.5x10 CS (3)
35	
35 36	Bumper, front (1 each, upper & lower) Bumper, rear (1)/ rear body mount (1)
36 22	Chassis
22 21	Chassis Chassis brace (front)
23	Gear cover (rear chassis brace)/ wire retainer
	Differential Components
81	Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW
36X	Differential oil kit (1 each: 10K, 30K, 50K weights)
381	Housing, differential (front)
380	Housing, differential (rear)
	Housing, spool / spool shaft/ bushing
379	Ring gear, differential/ pinion gear, differential (machined, spiral
379 3 <b>79R</b>	and a series and a series and a series of the series of th
379 3 <b>79R</b>	cut) (rear)
	cut) (rear) Ring gear, differential/ pinion gear, differential (rear)
79R	

-	
353	Drive cups, inner (2)/ screw pins (2)
355X	Driveshaft, center, aluminum (blue-anodized)
355G	Driveshaft, center, aluminum (green-anodized)
355R	Driveshaft, center, aluminum (red-anodized)
355	Driveshaft, center, aluminum / pin
350	Driveshaft, front (2)
351	Driveshaft, rear (2)
350X	Driveshafts, steel constant-velocity (assembled), front (2)
351X	Driveshafts, steel constant-velocity (assembled), rear (2)
382	O-rings (12)
754	
354	Stub axle pins (4) Stub axles (front or rear) (2)
	Wheel hubs, hex (disc brake rotors) (4)
356	
	Front Suspension & Steering
330	Bulkhead, front
341	Camber link/toe link set (plastic/ non-adjustable) (front & rear)
332	Caster blocks (c-hubs) (2)/ kingpin bushings (4)
334	Mounts, suspension arms (front & rear)/ hinge pin retainers (4)
334X	Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
334G	Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
334R	Mounts, suspension arms, aluminum (red-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
347	Rod ends, Revo (large) with hollow balls (12)
345	Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))
345G	Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1))
345R	Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))
344	Servo saver/ servo saver spring/ servo horn, steering
338	Shock towers, front & rear
343	Steering bellcranks/ hardware
337	Steering block (2)
754	Stub axle pins (4)
354	Stub axles (front or rear) (2)
333	Suspension arms, front (left & right)
340	Suspension pin set, complete (front & rear)
398	Sway bar kit, 4-Tec 2.0 (front and rear) (includes front and rear
	sway bars and adjustable linkage)
342	Toe links, steel (34mm) (2)
341X	Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
341G	Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/
	aluminum wrench
341R	Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
	Hardware
834A	Body clips, black (12) (standard size)
347	Nuts, 4mm flanged nylon locking, serrated (black) (10)
347	Rod ends, Revo (large) with hollow balls (12)
229	Screws, 2.5x10mm cap-head machine (hex drive) (6)
236	Screws, 2.5x12mm cap-head machine (6)
215	Screws, 2.5x6mm cap-head machine (hex drive) (6)
577	Screws, 3x10mm button-head machine (hex drive) (6)
587	Screws, 3x10mm cap-head machine (6) (no washer)
551	Screws, 3x10mm countersunk machine (6) (hex drive)
859	Screws, 3x10mm flat-head machine (hex drive) (4)
578	Screws, 3x12mm button-head machine (hex drive) (6)
552	Screws, 3x12mm countersunk machine (6) (hex drive)
593	Screws, 3x14mm button-head machine (hex drive) (6)
579	Screws, 3x15mm button-head machine (hex drive) (6)
553	Screws, 3x15mm countersunk machine (6) (hex drive)
356	Wheel hubs, hex (disc brake rotors) (4)
	Motors & Electronics
260	BEC assembly (complete)
072A	Gear set (for 2070, 2075 servos)
354R	Motor cover, endbell (Velineon 3500)

- 85 Motor, Titan 12T (12-Turn, 550 size)
- 0 Plate, motor

Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))

Servo case/gaskets (for 2056 and 2075 waterproof servos)

## Page 2 Ford Mustang GT: TQ 2.4 GHz Radio (Model 83044-4) Parts List

Page Z	Ford Mustany GT: TQ 2.4 GHZ Radio (Model 65044-	4) Par
8345G	Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1))	6529
8345R	Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))	6530
8344	Servo saver/ servo saver spring/ servo horn, steering	
2075	Servo, digital high-torque (ball bearing), waterproof	6511
3350R	Velineon VXL-3s Brushless Power System, waterproof (includes	3018R
	VXL-3s waterproof ESC, Velineon 3500 motor, and speed control	_
	mounting plate (part #3725))	
3355R	Velineon VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)	83044
3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage	
	detection, fwd/rev/brake)	
	Radio System, Batteries & Chargers	8329
2842X	5000mAh 7.4v 2-Cell 25C LiPo Battery	8352
2843X	5800mAh 7.4v 2-Cell 25C LiPo Battery	8334
2869X	7600mAh 7.4v 2-Cell 25C LiPo Battery	8334X
2976	AC to DC converter, 40W	
2938X	Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to	8334G
	separate balance ports)	8334R
2943	Battery charge indicators (green (4), blue (4), grey (4))	00041
6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517	5347
2914	transmitters) Battery, Power Cell AA Alkaline (4)	8338
2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)	2754
2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)	8354
2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)	8331
2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)	8340
2983	Battery/charger completer pack (includes #2969 2-amp NiMH	8398
	peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH	8341X
	battery (1))	00417
2992	Battery/charger completer pack (includes #2970 iD charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))	
2260	BEC assembly (complete)	8341G
2975	Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)	
2972	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery	
	Identification	8341R
2973	Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto	
	Battery Identification	
2971	Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery Identification	10.10
2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery	1942
2010	Identification	2742X
6525	Communication link, telemetry expander	8361
6512	Cover plate, Traxxas Link Wireless Module	8362X
2978	Fuse, charger, 5A (2) (for #2974, 2975, 2977)	8362G
2072A	Gear set (for 2070, 2075 servos)	8362P
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas iD batteries)	8366
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for	8365
2000	Traxxas iD batteries)	8362 <b>8363</b>
6560	Mount, telemetry expander (fits 4-Tec 2.0)	8364
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal	0004
	pad	
6519	Receiver, micro, TQ 2.4GHz (3-channel)	2658
6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)	
6552	Seal kit, expander box (includes o-ring, seals, and silicone grease)	2669
6526	Sensor, auto-detectable, temperature	2000
6527	Sensor, auto-detectable, voltage	1942
6521	Sensor, temperature and voltage (long)	
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)	2742X
8345	Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))	8361
8345G	Servo saver nuts, aluminum, green-anodized (hex (1), serrated	2667 4261T
024ED	(1))	42011
<b>8345R</b> 8344	Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver/ servo saver spring/ servo horn, steering	4262T
2075	Servo saven servo saver spring/ servo noni, steering Servo, digital high-torque (ball bearing), waterproof	4261
6553X	Telemetry expander 2.0 and GPS module 2.0, TQi radio system	4262
6550X	Telemetry expander 2.0, TQi radio system (compatible only with	1765
	#6551X GPS module)	1666
6550	Telemetry expander, TQi radio system	2668
6551X	Telemetry GPS module 2.0, TQi radio system (compatible only	
65F4	with #6550X telemetry expander)	8362X
6551 6509R	Telemetry GPS module, TQi radio system TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link	8362G
0009K	enabled, TSM (2-ch transmitter, 5-ch micro receiver)	8362P
6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas	8366
	Link Wireless Module, TSM (4-ch transmitter, 5-ch micro	8365
	receiver)	8362
6516 6528	Transmitter, TQ 2.4GHz, 2-channel (transmitter only)	8363
6528	Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 2- channel (transmitter only)	8364

6529	Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 3-
	channel (transmitter only)
6530	Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4- channel (transmitter only)
6511	Traxxas Link Wireless Module
3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage
	detection, fwd/rev/brake)
	Ready-To-Race Model
83044-4	Ford Mustang GT: 1/10 Scale AWD Supercar with TQ 2.4GHz radio
	system
	Rear Suspension
8329	Bulkhead, rear
8352	Carriers, stub axle (left & right)
8334	Mounts, suspension arms (front & rear)/ hinge pin retainers (4)
8334X	Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
8334G	Mounts, suspension arms, aluminum (green-anodized) (front &
	rear)/ hinge pin retainers (12)/ inserts (6)
8334R	Mounts, suspension arms, aluminum (red-anodized) (front &
E2 47	rear)/ hinge pin retainers (12)/ inserts (6)
5347 8338	Rod ends, Revo (large) with hollow balls (12) Shock towers, front & rear
2754	Stub axle pins (4)
8354	Stub axles (front or rear) (2)
8331	Suspension arms, rear (left & right)
8340	Suspension pin set, complete (front & rear)
8398	Sway bar kit, 4-Tec 2.0 (front and rear) (includes front and rear
8341X	sway bars and adjustable linkage) Turnbuckles, aluminum (blue-anodized), camber links, 32mm
	(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/
	aluminum wrench
8341G	Turnbuckles, aluminum (green-anodized), camber links, 32mm
	(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341R	Turnbuckles, aluminum (red-anodized), camber links, 32mm
	(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/
	aluminum wrench
	Shocks (Aluminum)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws
0740V	(2) Red and a short (6)/ hollow holls (6)
2742X 8361	Rod ends, short (6)/ hollow balls (6) Shock caps (black) (4) (assembled with hollow balls)
8362X	Spring, shock (blue) (3.7 rate) (2)
8362G	Spring, shock (green) (3.7 rate) (2)
8362P	Spring, shock (pink) (3.7 rate) (2)
8366	Spring, shock (red) (2.8 rate, white stripe) (2)
<b>8365</b> 8362	Spring, shock (red) (3.325 rate, orange stripe) (2) Spring, shock (red) (3.7 rate) (2)
8363	Spring, shock (red) (4.075 rate, green stripe) (2)
8364	
	Spring, shock (red) (4.4 rate, black stripe) (2)
2658	Shocks (Pro-level Aluminum)
2658	<b>Shocks (Pro-level Aluminum)</b> Big Bore shocks (short) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts w/ springs)(f/r)(2) (Note:
	Big Bore shocks (short) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts w/ springs)(f/r)(2) (Note: Assembled with 32mm shafts, 29mm shafts included)
2658 2669	Since (ve) (vertex, biotection (c)) Since (vertex) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts w/ springs)(f/r)(2) (Note: Assembled with 32mm shafts, 29mm shafts included) Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings
2669	SiDCKS (Pro-IeVel Allin Minimum) Big Bore shocks (short) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts w/ springs)(f/r)(2) (Note: Assembled with 32mm shafts, 29mm shafts included) Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
	Since (ve) (vertex, biotection (c)) Since (vertex) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts w/ springs)(f/r)(2) (Note: Assembled with 32mm shafts, 29mm shafts included) Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings
<b>2669</b> 1942 2742X	Since ((c) ((rotat), bishered pp) (2) Since (c) (Pro- (PVP) All ((min)) Big Bore shocks (short) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts w/ springs)(f/r)(2) (Note: Assembled with 32mm shafts, 29mm shafts included) Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6)
<b>2669</b> 1942 2742X 8361	Since (co) (total) determined and the set of
<b>2669</b> 1942 2742X 8361 <b>2667</b>	Since (ve) (vertex), between provention (vere
<b>2669</b> 1942 2742X 8361	Since (ve) (vertex), between prove (vertex), between p
<b>2669</b> 1942 2742X 8361 <b>2667</b>	Since (ve) (vertex), between provention (vere
2669 1942 2742X 8361 2667 4261T	Since (ve) (vertex), between provements (vert
2669 1942 2742X 8361 2667 4261T 4262T 4262 4261 4262	Since (vo) (voice) (and (voice) (and (voice) (
2669 1942 2742X 8361 2667 4261T 4262T 4261 4261 4262 1765	Sinck (co) (victor) activities activities (c)
2669 1942 2742X 8361 2667 4261T 4262T 4261 4262 1765 1666	Sinck (co) (correctly, biotectorpo) (c) Sinck (co) (correctly, biotectorpo) (c) Sinck (co) (correctly, biotectorpo) (c) Big Bore shocks (short) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts w/ springs)(f/r)(2) (Note: Assembled with 32mm shafts, 29mm shafts included) Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps (black) (4) (assembled with hollow balls) Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (29mm) (front) (2) Shock shafts, steel, chrome finish (29mm) (front) (2) Shock shafts, steel, chrome finish (32mm) (2) Silicone diaphragms (4) Silicone shock oil (30 wt)
2669 1942 2742X 8361 2667 4261T 4262T 4261 4262 1765	Since (vo) (voi (voi (voi (v), betweet po) (2) Since (voi (voi (voi (v), betweet po) (2) Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (29mm) (front) (2) Shock shafts, steel, chrome finish (29mm) (front) (2) Shock shafts, steel, chrome finish (32mm) (2) Silicone diaphragms (4) Silicone shock oil (30 wt) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore
2669 1942 2742X 8361 2667 4261T 4262T 4261 4262 1765 1666	Since (vo) (voice) (action of the second point) Since (voice) (voice) (voice) (voice) (voice) (voice) aluminum) (assembled with TiN shafts w/ springs)(f/r)(2) (Note: Assembled with 32mm shafts, 29mm shafts included) Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps (black) (4) (assembled with hollow balls) Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (29mm) (front) (2) Shock shafts, steel, chrome finish (29mm) (front) (2) Shock shafts, steel, chrome finish (32mm) (2) Silicone diaphragms (4) Silicone shock oil (30 wt) Spring retainers, upper & lower (2)/ spring pre-load spacers:
2669 1942 2742X 8361 2667 4261T 4262T 4262 1765 1666 2668	Sinck (co) (view, biotection (co) (c) Sinck (co) (view, biotection (co) (c) Sinck (co) (view, biotection (co) (c) Big Bore shocks (short) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts w/ springs)(f/r)(2) (Note: Assembled with 32mm shafts, 29mm shafts included) Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (29mm) (front) (2) Shock shafts, steel, chrome finish (29mm) (front) (2) Shock shafts, steel, chrome finish (32mm) (front) (2) Shock shafts, steel, chrome finish (32mm) (2) Silicone diaphragms (4) Silicone shock oil (30 wt) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Spring, shock (blue) (3.7 rate) (2)
2669 1942 2742X 8361 2667 4261T 4262T 4261 4262 1765 1666 2668 8362X 8362G 8362P	Sinck (co) (notes) between provided pro
2669 1942 2742X 8361 2667 4261T 4262 1765 1666 2668 8362X 8362G 8362P 8366	Since (co) (co) (co) (co) (co) (co) (co) (co)
2669 1942 2742X 8361 2667 4261T 4262T 4262 1765 1666 2668 8362X 8362Q 8362P 8366 8365	Since (vo) (voi (voi (voi (voi (voi (voi (voi (voi
2669 1942 2742X 8361 2667 4261T 4262 1765 1666 2668 8362X 8362G 8362P 8366	Shock shafts, hardened steel, titanium nitride coated (29mm) (front) (2) Shock shafts, hardened steel, titanium nitride coated (32mm) (2) Shock shafts, steel, chrome finish (29mm) (2) Shock shafts, steel, chrome finish (32mm) (2) Spring, shock (pil) (3.7 rate) (2) Spring, shock (red) (3.37 rate) (2) Spring, shock (red) (3.7 rate) (2) Spring, shock (red) (3.7 rate) (2)
2669 1942 2742X 8361 2667 4261T 4262T 4262 1765 1666 2668 8362X 8362P 8362 8362P 8366 8365 8362	Since (vo) (voi (voi (voi (voi (voi (voi (voi (voi

REV. 190122 1728

## Page 3 Ford Mustang GT: TQ 2.4 GHz Radio (Model 83044-4) Parts List

Page 3	Ford Mustang GT: TQ 2.4 GHz Radio (Model 83044-4
	Shocks (Ultra Shocks)
1942	Ded ande (16 lang 8 4 abert)/ bellew bell connectors (10)/ bell coreve
1012	(2)
2742X	Rod ends, short (6)/ hollow balls (6)
8361 <b>8362X</b>	Shock caps (black) (4) (assembled with hollow balls) Spring, shock (blue) (3.7 rate) (2)
8362G	Spring, shock (green) (3.7 rate) (2)
8362P	Spring, shock (pink) (3.7 rate) (2)
8366	Spring, shock (red) (2.8 rate, white stripe) (2)
<b>8365</b> 8362	Spring, shock (red) (3.325 rate, orange stripe) (2) Spring, shock (red) (3.7 rate) (2)
8363	Spring, shock (red) (4.075 rate, green stripe) (2)
8364	Spring, shock (red) (4.4 rate, black stripe) (2)
8360	Ultra Shocks (grey) (short) (includes spring pre-load spacers) (2)
	Spur Gears & Pinion Gears
2728	Ball bearings (5x8x2.5mm) (2)
8323 <b>2419</b>	Gear cover (rear chassis brace)/ wire retainer Gear, 19-T pinion (48-pitch) / set screw
2421	Gear, 21-T pinion (48-pitch) / set screw
2422	Gear, 22-T pinion (48-pitch) / set screw
2423	Gear, 23-T pinion (48-pitch) / set screw
2424 2426	Gear, 24-T pinion (48-pitch) / set screw Gear, 26-T pinion (48-pitch)/set screw
4725	Gear, pinion (25-tooth) (48-pitch) / set screw
4728	Gear, pinion (28-tooth) (48-pitch)/ set screw
<b>8359</b> 8357	Spur gear, 62-tooth Spur gear, 70-tooth
0337	
5347	Steering Components
8345	Rod ends, Revo (large) with hollow balls (12) Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))
8345G	Servo saver nuts, aluminum, green-anodized (hex (1), serrated
	(1))
<b>8345R</b> 8344	Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver/ servo saver spring/ servo horn, steering
8343	Steering bellcranks/ hardware
8342	Toe links, steel (34mm) (2)
	Suspension Linkage
8341	Camber link/toe link set (plastic/ non-adjustable) (front & rear)
5347 <b>8341X</b>	Rod ends, Revo (large) with hollow balls (12)
03418	Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8341G	Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/
8341R	aluminum wrench Turnbuckles, aluminum (red-anodized), camber links, 32mm
	(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/
	aluminum wrench
	Team Traxxas Items
2514 9950	Decal sheet, racing sponsors Official Team Traxxas racing decal set (flag logo/ 6-color)
9909	Traxxas racing banner, red & black (3x7 feet)
	Tires & Wheels
8375	Tires & wheels, assembled, glued (split-spoke black chrome
	wheels, 1.9" Response tires, foam inserts) (front (2), rear (extra
0270	wide) (2)) (VXL rated) Tires and wheels, assembled, glued (split-spoke black chrome
8378	wheels, 1.9" Drift tires) (front and rear)
8373	Tires and wheels, assembled, glued (split-spoke black chrome wheels, 1.9" Response tires) (front) (2)
8374	Tires and wheels, assembled, glued (split-spoke black chrome wheels, 1.9" Response tires) (extra wide, rear) (2)
8376G 8377G	Tires and wheels, assembled, glued (split-spoke green wheels, 1.9" Drift tires) (front) Tires and wheels, assembled, glued (split-spoke green wheels,
8374G	1.9" Drift tires) (rear) Tires and wheels, assembled, glued (split-spoke green wheels, Tires and wheels, assembled, glued (split-spoke green wheels,
	1.9" Response tires) (extra wide, rear) (2) (VXL rated)
8373G	Tires and wheels, assembled, glued (split-spoke green wheels, 1.9" Response tires) (front) (2) (VXL rated)
8376A	Tires and wheels, assembled, glued (split-spoke orange wheels, 1.9" Drift tires) (front)
8377A	Tires and wheels, assembled, glued (split-spoke orange wheels, 1.9" Drift tires) (rear)
8374A	Tires and wheels, assembled, glued (split-spoke orange wheels,
8373A	1.9" Response tires) (extra wide, rear) (2) (VXL rated) Tires and wheels, assembled, glued (split-spoke orange wheels,
	1.9" Response tires) (front) (2) (VXL rated)

	8370	Tires, Response 1.9" Touring (extra wide, rear)/ foam inserts (2) (fits #8372 wide wheel)
	8369	Tires, Response 1.9" Touring (front) (2)/ foam inserts (2)
	8371	Wheels, 1.9" split-spoke (black chrome) (front) (2)
	8372	Wheels, 1.9" split-spoke (black chrome) (wide, rear) (2)
		Traxxas Tools
	3433X	Body reamer (aluminum handle)
	3436	Cap, body reamer
	3432	Scissors, curved tip
	3431	Scissors, straight tip
	3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm,
		3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut
		drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips,
		#0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/
		driver handle
		Turnbuckles & Threaded Rods
	8341	Camber link/toe link set (plastic/ non-adjustable) (front & rear)
	8342	Toe links, steel (34mm) (2)
	8341X	Turnbuckles, aluminum (blue-anodized), camber links, 32mm
		(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/
		aluminum wrench
	8341G	Turnbuckles, aluminum (green-anodized), camber links, 32mm
		(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/
		aluminum wrench
	8341R	Turnbuckles, aluminum (red-anodized), camber links, 32mm
		(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/
		aluminum wrench

If you have questions or need technical assistance, call Traxxas at:



For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com TRAXXAS.COM