

Stampede 4X4 Unassembled Kit (Model 67010-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Bearings & Bushings	2554 3932	Screws, 3x6mm cap-head machine (hex drive) (6) Screws, 3x6mm flat-head machine (hex drive) (6)
1607	Ball bearings (5x11x4mm) (8)	3932 1647	Silicone grease
1612	Ball bearings (10x15x4mm) (2)	6878	Slipper clutch, complete
2728	Ball bearings (5x8x2.5mm) (2)	5556	Slipper pressure plate & hub (aluminum alloy)
119	Ball bearings, blue rubber sealed (10x15x4mm) (2)	5351	Slipper pressure plate and hub (alloy)
120	Ball bearings, blue rubber sealed (12x18x4mm) (2)		Chassis & Attachments
116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	0745	
114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)	6715	Body mount (1)/ body mount post (2) (front)
117 118	Ball bearings, blue rubber sealed (6x12x4mm) (2) Ball bearings, blue rubber sealed (8x16x5mm) (2)	6815R	Body mount (1)/ body mount post (2)/ body post extensions (2) (fron or rear)
545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)	3628	Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2)
985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)	6735	Bumper, front/ skidplate, front (black)
300		6722	Chassis
	Body & Accessories	6727	Hold down, battery (2)/ hold down retainer/ battery post/ angled bod
926	Antenna caps, vinyl (2)/ antenna spool		clip
726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	6727X	Hold down, battery/ hold down retainer/ battery post/ angled
935 934	Body clip (mounting clip), angled, 90-degrees (10) Body clips, heavy duty (12)	0000	body clip (allows for installation of taller, multi-cell batteries)
815	Body washers (8)	3629	Seal kit, receiver box (includes o-ring, seals, and silicone grease)
716	Body washers, foam, 2mm (2)/ 3mm (2)/ 4mm (4)	5185 4974	Tires, rubber (2) (fits Traxxas® wheelie bar wheels)
617	Body, Stampede® (clear, requires painting) (requires #3614 to	4374 6777	Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4) Wheelie bar mounts/ rear skidplate (black)
• • •	mount)	4976	Wheels (4)/ axles (2), for Maxx® wheelie bar
711X	Body, Stampede® 4X4 VXL, ProGraphix® (Graphics are printed,	5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4).
	requires paint & final color application)/ decal sheet	OTOOA	axles (2)/ rubber tires (2)
714	Body, Stampede® 4X4, ProGraphix® (Graphics are printed,	5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/
	requires paint & final color application)/ decal sheet		axles (2)/ rubber tires (2)
615	Body, Stampede® VXL, ProGraphix® (replacement for the		Differential Components
	painted body. Graphics are printed, requires paint & final color application)/ window, grille, lights decal sheet	5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
617R	Body, Stampede® VXL, ProGraphix® (replacement for the	5117	Ball bearings, blue rubber sealed (10x10x4mm) (2)
01710	painted body. Graphics are printed, requires paint & final color	5118	Ball bearings, blue rubber sealed (0x12x4mm) (2)
	application)/ window, grille, lights decal sheet	5381	Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TV
514	Decal sheet, racing sponsors	6814	Differential kit, center (complete)
950	Official Team Traxxas® racing decal set (flag logo/ 6-color)	6882X	Gear set, differential (output gears (2)/ spider gears (2)/ spider gear
185	Tires, rubber (2) (fits Traxxas® wheelie bar wheels)		shaft, carrier support)
974	Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)	6881	Housings, differential, front
777	Wheelie bar mounts/ rear skidplate (black)	6880	Housings, differential, rear
976	Wheels (4)/ axles (2), for Maxx® wheelie bar	5379X	Ring gear, differential/ pinion gear, differential
186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)	6778	Ring gear, differential/pinion gear, differential (12/47 ratio) (front)
186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/	6779 5379R	Ring gear, differential/pinion gear, differential (12/47 ratio) (rear)
100	axles (2)/ rubber tires (2)	53/9K	Ring gear, differential/ pinion gear, differential (machined, spira cut) (front)
	Center Driveline	6879R	Ring gear, differential/ pinion gear, differential (machined, spira
1101		•••••	cut) (rear)
119A	Ball bearings, black rubber sealed (10x15x4mm) (2)	6879	Ring gear, differential/ pinion gear, differential (rear)
5120 5116	Ball bearings, blue rubber sealed (12x18x4mm) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2)	3965	Screws, 2.5x8mm cap-head machine (6)
5117	Ball bearings, blue rubber sealed (5x11x4mm) (2)	1647	Silicone grease
893G	Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/		Driveline Components
	10x15x4mm ball bearing (black rubber sealed) (1) (for slipper	6455	Axle carriers, rear, 6061-T6 aluminum, left & right (blue-
	shaft)	0.100	anodized) (Compatible only when installing #6451 & #6452 stee
893X	Bearing adapter, 6160-T6 aluminum (blue-anodized)		constant-velocity driveshafts)
	(1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper	5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
744	shaft)	5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
741	Cover, center driveshaft (clear)	5117	Ball bearings, blue rubber sealed (6x12x4mm) (2) (Compatible
877A 877	Cover, gear (clear) Cover, gear/ motor wire hold-down clip		only when installing #6451 & #6452 steel constant-velocity
814	Differential kit, center (complete)	6828X	driveshafts) Differential output yokes, heavy duty (2)/ screw pin (2)
888	Drive hub, center, rear (1)/ front (1)/screw pin	6851X	Driveshaft assembly, front, heavy duty (1) (left or right) (fully
888X	Drive hub, front, hardened steel (1)/ screw pin (1)	00017	assembled, ready to install)/ screw pin (1)
755	Driveshaft, center, 6061-T6 aluminum (blue-anodized)	6852X	Driveshaft assembly, rear, heavy duty (1) (left or right) (fully
756	Driveshaft, center, plastic (blue)/ screw pin		assembled, ready to install)/ screw pin (1)
8883	Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft)	6851R	Driveshafts, front, steel-spline constant-velocity (complete assembly) (2)
148	Grease, white lithium	6852R	Driveshafts, rear, steel-spline constant-velocity (complete
884	Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/		assembly) (2)
	bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4)	6750	Half shaft, external splined (steel-spline constant-velocity) (1)
893	Input shaft (slipper shaft)/ bearing adapter (1)/pin (1)	6751	Half shaft, internal splined (steel-spline constant-velocity) (1)
890	Plate, motor	6850X	Half shafts, heavy duty (external splined (2)/ internal splined (2))/ metal u-joints (4)
890X 352R	Plate, motor, 6061-T6 aluminum (blue-anodized) Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum	6757	Rebuild kit, steel-splined constant-velocity driveshafts (include pins, dustboots, lube, and hardware)
	friction pads (3)/ spring, Revo® (1)/ spring, Maxx® (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))	6439	Steering blocks, 6061-T6 aluminum, left & right (blue-anodized)
252V	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/	J-00	(Compatible only when installing #6451 & #6452 steel constant- velocity driveshafts)
332A	2x9 8mm nin/ 5x8mm MW/ 5 0mm Ni /11/ 4 0mm Ni /11)		
5352X 5552X	2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/	6754	Stub axle, front, 5mm (steel-splined constant-velocity
5552X	2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))	6754	Stub axle, front, 5mm (steel-splined constant-velocity driveshaft) (1)

Page 2	Stampede 4X4	Unassembled Kit	(Model 67010-4)	Parts List
--------	--------------	-----------------	-----------------	------------

Page 2	Stampede 4X4 Unassembled Kit (Model 67010-4) I	Parts Lis	t
6753	Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft) (1)	2579 3646	Screws, 3x15mm button-head machine (hex drive) (6) Screws, 3x15mm flat-head machine (hex drive) (6)
6854X	Stub axles, front, heavy duty (2)/ yokes (2)/ pins (4)	2583	Screws, 3x18mm button-head machine (hex drive) (6)
6853X	Stub axles, rear, heavy duty (2)/pins (2)	2580	Screws, 3x20mm button-head machine (hex drive) (6)
6869	Wheel adaptors, 12mm hex, 6061-T6 aluminum (blue-anodized)	2591	Screws, 3x23mm button-head machine (hex drive) (6)
	(4)/ screw pins (4)/ drill bit, 0.25 inch (for 6mm shafts) (requires	2582	Screws, 3x30mm button-head machine (hex drive) (6)
1654X	#6451 (x2), #6452 (x2), #6439, #6455, #5117 (x3)) Wheel hubs, hex (blue-anodized, lightweight aluminum) (2)/ axle	2592 2575	Screws, 3x40mm button-head machine (hex drive) (6)
	pins(4)	2575	Screws, 3x6mm button-head machine (hex drive) (6) Screws, 3x6mm cap-head machine (hex drive) (6)
	Front Suspension & Steering	2534	Screws, 3x6mm countersunk machine (6) (hex drive)
5114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)	3932	Screws, 3x6mm flat-head machine (hex drive) (6)
2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)	2576	Screws, 3x8mm button-head machine (hex drive) (6)
6823	Bulkhead tie bars, front & rear, aluminum (blue-anodized)	3931 3937	Screws, 3x8mm flat-head machine (hex drive) (6) Screws, 4x12mm button-head machine (hex drive) (6)
6823G	Bulkhead tie bars, front & rear, aluminum (green-anodized)	2542	Screws, 4x12mm button flead machine (flex drive) (6)
6823R 3641A	Bulkhead tie bars, front & rear, aluminum (red-anodized) Camber link set (plastic / non-adjustable) (front & rear) (grey)	2546	Screws, 4x15mm countersunk machine (hex drive) (6)
3641	Camber link set (plastic/ non-adjustable) (front & rear) (black)	2743	Set (grub) screws, 3mm hardened (12)
6832X	Caster blocks (c-hubs), 6061-T6 aluminum (blue-anodized), left &	3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
6832G	right Caster blocks (c-hubs), 6061-T6 aluminum (green-anodized), left	2754 2746	Stub axle pins (4) Washers, 3x6mm metal (12)
6832R	& right Caster blocks (c-hubs), 6061-T6 aluminum (red-anodized), left &		LED Lights
	right	6784	LED light bar (chrome, 4 clear lights)
6832	Caster blocks (c-hubs), left & right		Motors & Electronics
6895	Linkage, front sway bar (2) (assembled with rod ends, hollow balls and ball studs)	1726 2260	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC assembly (complete)
6897	Linkage, rear sway bar (2) (assembled with rod ends, hollow	2072A	Gear set (for 2070, 2075 servos)
6846	balls and ball studs) Linkage, steering (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow	2072X	Gear set, metal (for 2070, 2075 servos)
0040	balls (2)	2252	Gear set, metal (for 2250, 2255 servos)
2669	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings &	2072R 6860A	Gear set, metal, high speed (for 2070, 2075 servos) Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm
	washers (2) (Big Bore Shocks)	000071	NL (1)
2742 3646	Rod ends, long (6)/ hollow ball connectors (6) Screws, 3x15mm flat-head machine (hex drive) (6)	6860R	Motor mount, 6061-T6 aluminum (blue-anodized)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,	3785	Motor, Titan® 12T (12-Turn, 550 size)
	captured (4)	3351R	Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)
6839 6839X	Shock tower, front 7075 T6 aluminum (blue anadized)	2254	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)
6845X	Shock tower, front, 7075-T6 aluminum (blue-anodized) Steering bellcranks/ servo saver/ servo saver spring/ servo spring	2253	Servo case, aluminum (red-anodized) (middle) (for 2255 servo)
	retainer/servo horn, steering	2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
6837X	Steering blocks, 6061-T6 aluminum (blue-anodized), left & right	2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
6837G 6837R	Steering blocks, 6061-T6 aluminum (green-anodized), left & right Steering blocks, 6061-T6 aluminum (red-anodized), left & right	2053	Servo gears (for 2055, 2056 servos)
6837	Steering blocks, left & right	2075R 2075	Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof
6854X	Stub axles, front, heavy duty (2)/ yokes (2)/ pins (4)	2075	Servo, digital high-torque 330 coreless, metal gear (ball bearing),
6732	Suspension arm guards, front (2)/ guard spacers (2)/ hollow balls (2)/ 3X16mm BCS (8)		waterproof
3655X	Suspension arms, left & right	2255	Servo, digital high-torque 400 brushless, metal gear (ball
6834	Suspension pin set, complete (front and rear)	2075X	bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof
6898	Sway bar kit (front and rear) (includes front and rear sway bars	2056	Servo, high-torque, waterproof (blue case)
3643	and adjustable linkage) Turnbuckles, camber link, 49mm (82mm center to center)	3350R	Velineon® VXL-3s Brushless Power System, waterproof
	(assembled with rod ends and hollow balls) (1 left, 1 right)		(includes VXL-3s waterproof ESC, Velineon 3500 motor, and speed control mounting plate (part #3725))
5539	Turnbuckles, camber links, 58mm (assembled with rod ends and	3355R	Velineon® VXL-3s Electronic Speed Control, waterproof
6896	hollow balls) (2) Wires, sway bar (front & rear, hard & soft) / 3x6 FCS (4)		(brushless) (fwd/rev/brake)
0030	Hardware	3018R	XL-5 Electronic Speed Control, waterproof (land version, low- voltage detection, fwd/rev/brake)
1926	Antenna caps, vinyl (2)/ antenna spool		Radio System, Batteries & Chargers
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	2854X	10000mAh 7.4v 2-Cell 25C LiPo Battery
3642	Attachment screws, shock (3x12mm shoulder screws) (6)	2842X	5000mAh 7.4v 2-Cell 25C LiPo Battery
1552	Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/	2843X	5800mAh 7.4v 2-Cell 25C LiPo Battery
3035	wrench Rody clin (mounting clin), angled, 90-degrees (10)	2976	AC to DC converter, 40W
3935 3934	Body clip (mounting clip), angled, 90-degrees (10) Body clips, heavy duty (12)	2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports)
1589	Double-sided adhesive tape (25mm x 25mm) (2)	6548	Battery door, transmitter (replacement for #6516, 6517, 6528,
2586	Screws, 3x15mm cap-head machine (hex drive) (6)		6529, 6530 transmitters)
2745	Nuts, 3mm nylon locking (12)	2914	Battery, Power Cell AA Alkaline (4)
3647 1747	Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm nylon locking (10)	2926X	Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)
1747 1747R	Nuts, 4mm nylon locking (10) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)	2941X 2951X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V) Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)	2961X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)
1747P	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)	2984	Battery/charger completer pack (includes #2969 2-amp NiMH
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)		peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH
5525	Rod ends (12)/ hollow balls (12)	2002	battery (1)) Pottory/oborgor completer peck (includes #2070 iD oborgor (1))
2742X 3347	Rod ends, short (6)/ hollow balls (6) Screws, 2.5x5mm button-head machine (hex drive) (6)	2992	Battery/charger completer pack (includes #2970 iD charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))
3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)	2260	BEC assembly (complete)
3965	Screws, 2.5x8mm cap-head machine (6)	2975	Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2577	Screws, 3x10mm button-head machine (hex drive) (6)	2972	Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery
2578 2552	Screws, 3x12mm button-head machine (hex drive) (6) Screws, 3x12mm countersunk machine (6) (hex drive)		Identification
2002	GGEWS, SX12HIII COUNTEISUIIK HIACHINE (O) (NEX UNVE)		

_	Stampede 4X4 Unassembled Kit (Model 67010-4) I		
2973	Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto	6838	Shock tower, rear
2971	Battery Identification Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery	6838X	Shock tower, rear, 7075-T6 aluminum (blue-anodized) Stub axles, rear, heavy duty (2)/pins (2)
.511	Identification	6853X 6732	Stub axies, rear, neavy duty (2)/pins (2) Suspension arm guards, front (2)/ guard spacers (2)/ hollow balls (2)
970	Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto	0702	3X16mm BCS (8)
	Battery Identification	3655X	Suspension arms, left & right
5525 1978	Communication link, telemetry expander Fuse, charger, 5A (2) (for #2974, 2975, 2977)	6834	Suspension pin set, complete (front and rear)
.970 2072A	Gear set (for 2070, 2075 servos)	6898	Sway bar kit (front and rear) (includes front and rear sway bars and adjustable linkage)
2072X	Gear set, metal (for 2070, 2075 servos)	3644	Turnbuckles, camber link, 39mm (69mm center to center)
2252	Gear set, metal (for 2250, 2255 servos)		(assembled with rod ends and hollow balls) (1 left, 1 right)
2072R 2968X	Gear set, metal, high speed (for 2070, 2075 servos)	6896	Wires, sway bar (front & rear, hard & soft) / 3x6 FCS (4)
300A	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)		Shocks (Aluminum)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for	1965	Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring
	Traxxas® iD® batteries)	1942	retainers (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screw
3555	Mount, telemetry expander (fits Slash 4X4, Stampede® 4X4, Rally, Jato®)	1012	(2)
535	Mount, temperature sensor (electric motors)/ wire tie/ thermal	2742X	Rod ends, short (6)/ hollow balls (6)
	pad	2760	Shock caps, aluminum (2) Shock shorts, hardened steel titenium nitride costed (lang.) (2)
519	Receiver, micro, TQ 2.4GHz (3-channel)	1664T 2765T	Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (X-long) (2)
518 552	Receiver, micro, TQi 2.4GHz with telemetry (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone	1664	Shock shafts, steel, chrome finish (long) (2)
1332	grease)	2765	Shock shafts, steel, chrome finish (X-long) (2)
526	Sensor, auto-detectable, temperature	4760	Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o
5527	Sensor, auto-detectable, voltage	4761	springs (front) (2) Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/
5520 5521	Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1) Sensor, temperature and voltage (long)	4/01	springs (rear) (2)
254	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)	1666	Silicone shock oil (30 wt)
253	Servo case, aluminum (red-anodized) (middle) (for 2255 servo)		Shocks (Pro-level Aluminum)
251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for	2664	Big Bore shock cylinder (long) (1)
	2250, 2255 servos)	2666	Big Bore shock cylinder (XX-long) (1)
074 053	Servo case/gaskets (for 2056 and 2075 waterproof servos)	5862	Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum)
055 075R	Servo gears (for 2055, 2056 servos) Servo, digital high-speed, metal gear (ball bearing), waterproof	0000	(assembled with TiN shafts and springs) (front & rear) (4)
2075	Servo, digital high-torque (ball bearing), waterproof	2660	Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2)
250	Servo, digital high-torque 330 coreless, metal gear (ball bearing),	2662	Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6
	waterproof		aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof	2669	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushing
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof	2362	& washers (2) (Big Bore Shocks) Rebuild kit, Ultra shocks (for 2 shocks)
056	Servo, high-torque, waterproof (blue case)	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screw
553X	Telemetry expander 2.0 and GPS module 2.0, TQi radio system		(2)
5550X	Telemetry expander 2.0, TQi radio system (compatible only with #6551X GPS module)	2742X 2667	Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2)
5550	Telemetry expander, TQi radio system	2667 1664T	Shock caps, auminum (big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2)
551X	Telemetry GPS module 2.0, TQi radio system (compatible only	2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long)
	with #6550X telemetry expander)		(2)
539	Telemetry trigger magnet holder, center differential/ magnet, 5x2mm (1)/ 3x8mm BCS (3)	1664	Shock shafts, steel, chrome finish (long) (2)
538	Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/	2656 1765	Shock shafts, steel, chrome finish (xx-long) (2) Silicone diaphragms (4)
	3x8mm CCS (3)/ 3x10mm CCS (3)	1666	Silicone shock oil (30 wt)
540	Telemetry trigger magnet, 5X2mm (1)	2668	Spring retainers, upper & lower (2)/ spring pre-load spacers:
509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)		1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore
507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas	coco	Shocks)
••••	Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro	6863 6864	Springs, front (progressive, +10% rate, pink) (2) Springs, front (progressive, +20% rate, blue) (2)
	receiver)	6862	Springs, front (progressive, +20 % rate, bide) (2)
516	Transmitter, TQ 2.4GHz, 2-channel (transmitter only)	6861	Springs, front (progressive, -20% rate, orange) (2)
528	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2- channel (transmitter only)	6857	Springs, front (white) (progressive rate) (2)
529	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-	5860	Springs, front (white) (progressive rate) (2) (fits #5862 aluminur
	channel (transmitter only)	6867	Big Bore shocks) Springs, rear (progressive, +10% rate, pink) (2)
530	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-	6868	Springs, rear (progressive, +20% rate, blue) (2)
	channel (transmitter only)	6866	Springs, rear (progressive, -10% rate, green) (2)
	Rear Suspension	6865	Springs, rear (progressive, -20% rate, orange) (2)
823 823 C	Bulkhead tie bars, front & rear, aluminum (blue-anodized)	6858	Springs, rear (white) (progressive rate) (2)
823G 823R	Bulkhead tie bars, front & rear, aluminum (green-anodized) Bulkhead tie bars, front & rear, aluminum (red-anodized)	5859	Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)
829	Bulkhead, rear		Shocks (Ultra Shocks)
641A	Camber link set (plastic / non-adjustable) (front & rear) (grey)	26.40	
641	Camber link set (plastic/ non-adjustable) (front & rear) (black)	3642 3765A	Attachment screws, shock (3x12mm shoulder screws) (6) Body, Ultra Shock(s) (long) (grey) (2)
952X	Carriers, stub axle (blue-anodized 6061-T6 aluminum) (rear) (2)	3765A 3766A	Body, Ultra Shock(s) (long) (grey) (2) Body, Ultra Shock(s) (XXL) (grey) (2)
952G	Carriers, stub axle (green-anodized 6061-T6 aluminum) (rear) (2)	2362	Rebuild kit, Ultra shocks (for 2 shocks)
952 952A	Carriers, stub axle (rear) (2) Carriers, stub axle (red-anodized 6061-T6 aluminum) (rear) (2)	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screw
895	Linkage, front sway bar (2) (assembled with rod ends, hollow	07.40\/	(2)
	balls and ball studs)	2742X 3767	Rod ends, short (6)/ hollow balls (6) Shock caps (2)/ shock bottoms (2)
897	Linkage, rear sway bar (2) (assembled with rod ends, hollow		,
091	halls and hall stude)	3767A	Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks

3767G

3767P

balls and ball studs)

Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)

5529

Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)

Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)

767X	Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)	3945	Gear, 15-T pinion (32-p) (mach. steel)/ set screw
664T 656T	Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long)	3945X	Gear, 15-T pinion (32-p), heavy duty (machined, hardened ste set screw
664	(2) Shock shafts, steel, chrome finish (long) (2)	3946 3946X	Gear, 16-T pinion (32-p) (mach. steel)/ set screw Gear, 16-T pinion (32-p), heavy duty (machined, hardened ste
656	Shock shafts, steel, chrome finish (xx-long) (2)	33407	set screw
61X	Shocks, GTR long hard-anodized, PTFE-coated bodies with TiN	3947	Gear, 17-T pinion (32-p) (mach. steel)/ set screw
cov	shafts (assembled) (2) (without springs)	3947X	Gear, 17-T pinion (32-p), heavy duty (machined, hardened ste set screw
62X	Shocks, GTR xx-long hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)	3948	Gear, 18-T pinion (32-p) (mach. steel)/ set screw
65	Silicone diaphragms (4)	3948X	Gear, 18-T pinion (32-p), heavy duty (machined, hardened ste
666	Silicone shock oil (30 wt)		set screw
'69 '68	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2) Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole	3949 3949X	Gear, 19-T pinion (32-p) (mach. steel)/ set screw Gear, 19-T pinion (32-p), heavy duty (machined, hardened ste
00	(2)) (2))	33437	set screw
758	Springs, front (black) (2)	3950	Gear, 20-T pinion (32-p) (mach. steel)/ set screw
58T	Springs, front (blue) (2)	3950X	Gear, 20-T pinion (32-p), heavy duty (machined, hardened ste
58A 58P	Springs, front (green) (2) Springs, front (pink) (2)	3951	set screw Gear, 21-T pinion (32-p) (mach. steel)/ set screw
63	Springs, front (pink) (2) Springs, front (progressive, +10% rate, pink) (2)	3951X	Gear, 21-T pinion (32-p), heavy duty (machined, hardened ste
64	Springs, front (progressive, +20% rate, blue) (2)		set screw
62	Springs, front (progressive, -10% rate, green) (2)	3952 3952X	Gear, 22-T pinion (32-p) (mach.steel)/set screw Gear, 22-T pinion (32-p), heavy duty (machined, hardened ste
61 58X	Springs, front (progressive, -20% rate, orange) (2) Springs, front (white) (2)	3332X	set screw
56^ 57	Springs, front (white) (2) Springs, front (white) (progressive rate) (2)	6745	Gear, 9-T pinion (32-p) (steel)/ set screw
57	Springs, rear (black) (2)	6842	Spur gear, 50-tooth (0.8 metric pitch, compatible with 32-pitch
57T	Springs, rear (blue) (2)	6842R	Spur gear, 50-tooth (0.8 metric pitch, compatible with 32-pitch (for center differential)
57A 57P	Springs, rear (green) (2) Springs, rear (pink) (2)	6843	Spur gear, 52-tooth (0.8 metric pitch, compatible with 32-pitch
67	Springs, rear (prink) (2) Springs, rear (progressive, +10% rate, pink) (2)	6843R	Spur gear, 52-tooth (0.8 metric pitch, compatible with 32-pitch
68	Springs, rear (progressive, +20% rate, blue) (2)	3956	(for center differential) Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch)
66	Springs, rear (progressive, -10% rate, green) (2)	3956R	Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch)
6 5 57X	Springs, rear (progressive, -20% rate, orange) (2) Springs, rear (white) (2)		(for center differential)
58	Springs, rear (white) (progressive rate) (2)	3956X	Spur gear, steel, 54-tooth (0.8 metric pitch, compatible with 3
57	Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)		pitch) (for center differential)
60	Ultra Shocks (black) (long) (complete w/ spring pre-load spacers	4550	Steering Components
62	& springs) (front) (2) Ultra Shocks (black) (xx-long) (complete w/ spring pre-load	1552	Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/wrench
-	spacers & springs) (rear) (2)	5114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
60A	Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers &	2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)
'62A	springs) (2) Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers &	2072A 2072X	Gear set (for 2070, 2075 servos) Gear set, metal (for 2070, 2075 servos)
02.	springs) (rear) (2)	2072R	Gear set, metal, high speed (for 2070, 2075 servos)
	Slipper Clutch Components	6846	Linkage, steering (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow b
93G	Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/	2742	(2) Rod ends, long (6)/ hollow ball connectors (6)
	10x15x4mm ball bearing (black rubber sealed) (1) (for slipper	2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
93X	shaft) Bearing adapter, 6160-T6 aluminum (blue-anodized)	2053	Servo gears (for 2055, 2056 servos)
	(1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper	2075R	Servo, digital high-speed, metal gear (ball bearing), waterpro
	shaft)	2075 2075X	Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterpro
1 4 88	Differential kit, center (complete) Drive hub, center, rear (1)/ front (1)/screw pin	2075	Servo, high-torque, waterproof (blue case)
88X	Drive hub, front, hardened steel (1)/ screw pin (1)	6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring
83	Gear set, center differential (output gears (2)/ spider gears (2)/	0740	retainer/servo horn, steering
24	spider gear shaft)	2746	Washers, 3x6mm metal (12)
84	Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4)	201::	Suspension Linkage
93	Input shaft (slipper shaft)/ bearing adapter (1)/pin (1)	3641A 3641	Camber link set (plastic / non-adjustable) (front & rear) (grey)
52R	Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum	5525	Camber link set (plastic/ non-adjustable) (front & rear) (black) Rod ends (12)/ hollow balls (12)
	friction pads (3)/ spring, Revo® (1)/ spring, Maxx® (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))	6834	Suspension pin set, complete (front and rear)
52X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/	2537	Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw
E011	2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))	3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
52X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))	3643	Turnbuckles, camber link, 49mm (82mm center to center)
54	Screws, 3x6mm cap-head machine (hex drive) (6)		(assembled with rod ends and hollow balls) (1 left, 1 right)
78	Slipper clutch, complete	5539	Turnbuckles, camber links, 58mm (assembled with rod ends hollow balls) (2)
56	Slipper pressure plate & hub (aluminum alloy)		hollow balls) (2)
51	Slipper pressure plate and hub (alloy)	2544	Team Traxxas Items
47	Spur Gears & Pinion Gears	2514 6160X	Decal sheet, racing sponsors DVD, Maxx® Power! Full Throttle Action (sleeve)
47 42	Gear, 11-T pinion (32-p) (steel)/ set screw Gear, 12-T pinion (32-p) (mach. steel)/ set screw	9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)
42X	Gear, 12-1 pinion (32-p) (mach. steel)/ set screw Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw	9909	Traxxas® racing banner, red & black (3x7 feet) TIPCS & WINCOLS
	Gear, 13-T pinion (32-p) (mach. steel)/ set screw	5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
943		0110	Dan Dearings, Dide Tubber Scaled (JATTA4IIIII) (2)
	Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw	5854	Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #685 #6469)
943 943X 944 944X	Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel)/	5854 3647	Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #685 #6469) Nuts, 4mm flanged nylon locking (steel, serrated) (8)

Page 5 Stampede 4X4 Unassembled Kit (Model 67010-4) Parts List

Page 5	Stampede 4X4 Unassembled Kit (Model 6/010-4)
1747P	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
1647	Silicone grease
2754	Stub axle pins (4)
4175	Tires & wheels, assembled, glued (2.8") (All-Star black chrome
	wheels, paddle tires, foam inserts) (nitro rear/electric front) (2) (TSM rated)
3669A	Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Talon tires, foam inserts) (front/rear, Stampede 4x4) (2)
3669	Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Talon tires, foam inserts) (front/rear, Stampede 4x4) (2)
6771	Tires and wheels, assembled, glued 2.8" (All-Star chrome wheels, Maxx® tires, foam inserts) (2)
6770	Tires, Maxx® 2.8" (2)/ foam inserts (2)
3671	Tires, Talon 2.8" (2)/ foam inserts (2)
1654	Wheel hubs, hex (rear) (2)/ stub axle pins (2)
1654X	Wheel hubs, hex (blue-anodized, lightweight aluminum) (2)/ axle pins(4)
6856X	Wheel hubs, splined, 17mm, short (4)/ wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4 X 0.7 (4)/ axle pin (4)/ wrench, 5mm
5353	Wheel nuts, splined, 17mm (blue-anodized) (4)
5480X	Wheel wrench, splined, 17mm
5576A	Wheels, All-Star 2.8" (black chrome) (front/rear, Stampede 4x4) (2)
5576	Wheels, All-Star 2.8" (chrome) (Stampede 4x4 front or rear) (2)
5572	Wheels, Twin-Spoke 2.8" (chrome) (front/rear, Stampede 4x4) (2)
	Traxxas Tools
3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3432	Scissors, curved tip
3431	Scissors, straight tip
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm,
	3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut
	drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips,
	#0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle
	Turnbuckles & Threaded Rods
5525	Rod ends (12)/ hollow balls (12)
3644	Turnbuckles, camber link, 39mm (69mm center to center)
0044	(assembled with rod ends and hollow balls) (1 left, 1 right)
3643	Turnbuckles, camber link, 49mm (82mm center to center)
	(assembled with rod ends and hollow balls) (1 left, 1 right)
5539	Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM