



Stampede VXL (Model 36076-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

- 4607 **Ball bearings (5x11x4mm) (8)**
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 1675 **Bushings, self-lubricating (5x11x4mm) (14)**
- 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)

Body & Accessories

- 1926 **Antenna caps, vinyl (2)/ antenna spool**
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 1834 Body clips (12) (standard size)
- 3934 Body clips, heavy duty (12)
- 1914R **Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware**
- 3614 Body mounts (front & rear)
- 3619 **Body mounts, front & rear/ body mount posts, front & rear (adjustable)/ 2.5x18mm screw pins (4)**
- 1815 Body washers (8)
- 6716 **Body washers, foam, 2mm (2)/ 3mm (2)/ 4mm (4)**
- 3617 **Body, Stampede (clear, requires painting) (requires #3614 to mount)**
- 3615 **Body, Stampede VXL, ProGraphix (replacement for the painted body. Graphics are printed, requires paint & final color application)/ window, grill, lights decal sheet**
- 3617R Body, Stampede VXL, ProGraphix (replacement for the painted body. Graphics are printed, requires paint & final color application)/ window, grill, lights decal sheet
- 2514 **Decal sheet, racing sponsors**
- 3613R Decal sheets, Stampede VXL
- 9950 **Official Team Traxxas racing decal set (flag logo/ 6-color)**
- 5185 **Tires, rubber (2) (fits Traxxas wheelie bar wheels)**
- 3677A **Wheelie bar mount (1) / hardware (green)**
- 3677P **Wheelie bar mount (1) / hardware (pink)**
- 3677 Wheelie bar mount (1)/ hardware (black)
- 3677X **Wheelie bar mount (1)/ hardware (blue)**
- 3678 Wheelie bar, assembled (black) (fits Slash, Stampede, Rustler, Bandit series)
- 3678X **Wheelie bar, assembled (blue) (fits Slash, Stampede, Rustler, Bandit series)**
- 3678A **Wheelie bar, assembled (green) (fits Stampede, Rustler, Bandit series)**
- 3678P **Wheelie bar, assembled (pink) (fits Stampede, Rustler, Bandit series)**
- 4976 Wheels (4)/ axles (2), for Maxx wheelie bar
- 5186A **Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**
- 5186 **Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**

Chassis & Attachments

- 3725X **Battery expansion kit (allows for installation of taller multi-cell battery packs) (Rustler, Bandit, Stampede) (requires part #3627X)**
- 3627X Battery hold-down (grey) (1) / receiver hold-down (grey) (1) / metal posts (2)/ spacers (2)/ body clips (2)/ servo tape/ adhesive foam pad
- 3628 Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2)
- 2735 Bumper (front)
- 2735P **Bumper (front) (pink)**
- 3622 **Main chassis (black)**
- 3622A Main chassis (grey)
- 3725 Mounting plate, speed control (VXL-3s) (Bandit, Rustler, Stampede)
- 3629 Seal kit, receiver box (includes o-ring, seals, and silicone grease)
- 3623 Skid plates, front & rear (black)
- 3623X **Skid plates, front & rear (blue)**
- 3623A **Skid plates, front & rear (green)**
- 3623P **Skid plates, front & rear (pink)**
- 5185 **Tires, rubber (2) (fits Traxxas wheelie bar wheels)**
- 3677A **Wheelie bar mount (1) / hardware (green)**
- 3677P **Wheelie bar mount (1) / hardware (pink)**
- 3677 Wheelie bar mount (1)/ hardware (black)
- 3677X **Wheelie bar mount (1)/ hardware (blue)**
- 3678 Wheelie bar, assembled (black) (fits Slash, Stampede, Rustler, Bandit series)
- 3678X **Wheelie bar, assembled (blue) (fits Slash, Stampede, Rustler, Bandit series)**
- 3678A **Wheelie bar, assembled (green) (fits Stampede, Rustler, Bandit series)**

- 3678P **Wheelie bar, assembled (pink) (fits Stampede, Rustler, Bandit series)**
- 4976 Wheels (4)/ axles (2), for Maxx wheelie bar
- 5186A **Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**
- 5186 **Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**

Differential Components

- 2381X Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede, Rustler)
- 2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
- 2388X Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede, Rustler)
- 5169 Screws, 2.6x8mm countersunk machine (6)
- 1647 Silicone grease

Driveline Components

- 4628R Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/ screw pin (2)
- 4628X **Differential output yokes, hardened steel (w/ U-joints) (2)**
- 6828X **Differential output yokes, heavy duty (2)/ screw pin (2)**
- 1951R **Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2) (fits 2WD Rustler/Stampede)**
- 1953 **Half shaft pro-pack (internal-splined (6)/ external-splined (6) (plastic shafts only)**
- 6752 **Half shaft, external splined (steel-spline constant-velocity) (1) (fits 2WD Rustler/Stampede)**
- 6751 **Half shaft, internal splined (steel-spline constant-velocity) (1)**
- 6850X **Half shafts, heavy duty (external splined (2)/ internal splined (2))/ metal u-joints (4)**
- 1951 Half shafts, long truck (external-splined (2) & internal-splined (2)/ metal U-joints (4)
- 6757 **Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)**
- 3752 Stub axle carriers (2) (requires 5x11x4mm bearings)
- 3652A **Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)**
- 3652G **Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)**
- 3652P **Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)**
- 3652X **Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)**
- 2754 Stub axle pins (4)
- 6753 **Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft) (1)**
- 2753X Stub axles, rear (2)
- 6853X **Stub axles, rear, heavy duty (2)/pins (2)**

Front Suspension & Steering

- 3637 Axles (front) (2)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 2530 **Bulkhead (front) (black)**
- 2530A Bulkhead (front) (grey)
- 3632 Caster blocks (l&r) (30-degree)
- 3632A **Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)**
- 3632G **Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)**
- 3632P **Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)**
- 3632X **Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)**
- 3646 Screws, 3x15mm flat-head machine (hex drive) (6)
- 1844 Servo saver
- 3639 Shock tower (front)
- 3736 Steering blocks, left & right (2) (requires 5x11x4mm bearings)
- 3636A **Steering blocks, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)**
- 3636G **Steering blocks, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)**
- 3636P **Steering blocks, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)**
- 3636X **Steering blocks, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)**
- 3631 Suspension arms (front) (2)
- 2640 Suspension pins, 44mm (2) w/ E-clips

Page 2 Stampede VXL: TQi Traxxas Link Enabled 2.4GHz Radio & TSM (Model 36076-4) Parts List

- 3640 Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Rustler, Stampede, Bandit)
 2532 Tie bar, fiberglass
 3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
 3645 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede)

Hardware

- 1926 **Antenna caps, vinyl (2)/ antenna spool**
 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
 1552 **Backplate screws (3x8mm cap-head machine) (6)/washers (6)/ wrench**
 1834 Body clips (12) (standard size)
 3934 Body clips, heavy duty (12)
 1633 E-clips/ C-rings
 2586 Screws, 3x15mm cap-head machine (hex drive) (6)
 2745 Nuts, 3mm nylon locking (12)
 3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
 1747 Nuts, 4mm nylon locking (10)
 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
 5525 Rod ends (12)/ hollow balls (12)
 5347 Rod ends, Revo (large) with hollow balls (12)
 2742X Rod ends, short (6)/ hollow balls (6)
 3236 Screws, 2.5x12mm cap-head machine (6)
 3347 Screws, 2.5x5mm button-head machine (hex drive) (6)
 2577 Screws, 3x10mm button-head machine (hex drive) (6)
 4859 Screws, 3x10mm flat-head machine (hex drive) (4)
 2578 Screws, 3x12mm button-head machine (hex drive) (6)
 2552 Screws, 3x12mm countersunk machine (6) (hex drive)
 2579 Screws, 3x15mm button-head machine (hex drive) (6)
 3646 Screws, 3x15mm flat-head machine (hex drive) (6)
 2580 Screws, 3x20mm button-head machine (hex drive) (6)
 2591 Screws, 3x23mm button-head machine (hex drive) (6)
 2582 Screws, 3x30mm button-head machine (hex drive) (6)
 2592 Screws, 3x40mm button-head machine (hex drive) (6)
 2575 Screws, 3x6mm button-head machine (hex drive) (6)
 2554 Screws, 3x6mm cap-head machine (hex drive) (6)
 3932 Screws, 3x6mm flat-head machine (hex drive) (6)
 3931 Screws, 3x8mm flat-head machine (hex drive) (6)
 3937 Screws, 4x12mm button-head machine (hex drive) (6)
 2542 Screws, 4x12mm countersunk machine (hex drive) (6)
 2743 Set (grub) screws, 3mm hardened (12)
 5529 Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
 3642X **Shoulder screws, Ultra Shocks (3x12 hex drive) (6)**
 2754 Stub axle pins (4)
 2746 **Washers, 3x6mm metal (12)**

Motors & Electronics

- 1552 **Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench**
 3342 Bullet connectors, male, 3.5mm (3)/ heat shrink
 3340 **Cooling fan, Velineon VXL-3s ESC**
 3790 Gear adapter, fixed
 2072A Gear set (for 2070, 2075 servos)
 3354R Motor cover, endbell (Velineon 3500)
 3351R Motor, Velineon 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)
 3725 Mounting plate, speed control (VXL-3s) (Bandit, Rustler, Stampede)
 3352R Rebuild kit, Velineon 3500 (includes plastic endbell, 5x11x4mm ball bearings (2), 2.5x5mm BCS (with threadlock) (4), rear bushing)
 3347 Screws, 2.5x5mm button-head machine (hex drive) (6)
 3931 Screws, 3x8mm flat-head machine (hex drive) (6)
 2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
 2075 Servo, digital high-torque (ball bearing), waterproof
 3350R Velineon VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon 3500 motor, and speed control mounting plate (part #3725))
 3355R Velineon VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)
 3343 Wire, 12-gauge, silicone (Maxx Cable) (650mm or 26 inches)

Radio System, Batteries & Chargers

- 2854X **10000mAh 7.4v 2-Cell 25C LiPo Battery**
 2849X **4000mAh 11.1v 3-Cell 25C LiPo Battery**
 2842X **5000mAh 7.4v 2-Cell 25C LiPo Battery**
 2843X **5800mAh 7.4v 2-Cell 25C LiPo Battery**
 2857X **6400mAh 11.1v 3-Cell 25C LiPo Battery**
 2976 **AC to DC converter, 40W**
 2938X **Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports)**
 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
 2943 **Battery charge indicators (green (4), blue (4), grey (4))**

- 6546 Battery door, TQi transmitter (replacement for #6528, 6529, 6530 transmitters)
 2914 **Battery, Power Cell AA Alkaline (4)**
 2922X **Battery, Power Cell, 3000mAh (NiMH, 6-C flat, 7.2V)**
 2926X **Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)**
 2942X **Battery, Series 3 Power Cell, 3300mAh (NiMH, 6-C flat, 7.2V)**
 2941X **Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)**
 2952X **Battery, Series 4 Power Cell, 4200mAh (NiMH, 6-C flat, 7.2V)**
 2951X **Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)**
 2961X **Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)**
 2963X **Battery, Series 5 Power Cell, 5000mAh (NiMH, 8-C hump, 9.6V)**
 2984 **Battery/charger complete pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH battery (1))**
 2992 **Battery/charger complete pack (includes #2970 iD charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))**
 2975 **Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)**
 2972 **Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification**
 2973 **Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification**
 2971 **Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery Identification**
 2970 **Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification**
 6525 **Communication link, telemetry expander**
 6512 Cover plate, Traxxas Link Wireless Module
 2978 **Fuse, charger, 5A (2) (for #2974, 2975, 2977)**
 2072A Gear set (for 2070, 2075 servos)
 6557 **Mount, telemetry expander (fits Stampede 2WD)**
 6535 **Mount, temperature sensor (electric motors)/ wire tie/ thermal pad**
 6533 Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)
 6552 **Seal kit, expander box (includes o-ring, seals, and silicone grease)**
 6526 **Sensor, auto-detectable, temperature**
 6527 **Sensor, auto-detectable, voltage**
 6522 **Sensor, RPM (short) 3x4mm BCS (2)**
 6521 **Sensor, temperature and voltage (long)**
 2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
 2075 Servo, digital high-torque (ball bearing), waterproof
 6550 **Telemetry expander, TQi radio system**
 6551 **Telemetry GPS module, TQi radio system**
 6538 **Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)**
 6540 **Telemetry trigger magnet, 5X2mm (1)**
 6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link enabled, TSM (2-ch transmitter, 5-ch micro receiver)
 6507R **TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)**
 6528 Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 2-channel (transmitter only)
 6529 **Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 3-channel (transmitter only)**
 6530 **Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4-channel (transmitter only)**
 6511 **Traxxas Link Wireless Module**
 3355R Velineon VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)
 6537 **Wire retainers, gear cover/ 3x4mm BCS (2)**

Ready-To-Race Model

- 36076-4 Stampede VXL: 1/10 Scale Monster Truck with TQi Traxxas Link Enabled 2.4GHz Radio System & Traxxas Stability Management (TSM)

Rear Suspension

- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
 3638 Shock tower (rear)
 3752 Stub axle carriers (2) (requires 5x11x4mm bearings)
 3652A **Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)**
 3652G **Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)**
 3652P **Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)**
 3652X **Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)**
 2753X Stub axles, rear (2)
 3655X Suspension arms, left & right
 3640 Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Rustler, Stampede, Bandit)

Shocks (Aluminum)

- 1965 Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2)
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 2760 Shock caps, aluminum (2)
- 1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
- 2765T Shock shafts, hardened steel, titanium nitride coated (X-long) (2)
- 1664 Shock shafts, steel, chrome finish (long) (2)
- 2765 Shock shafts, steel, chrome finish (X-long) (2)
- 4760 Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2)
- 4761 Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2)
- 1666 Silicone shock oil (30 wt)

Shocks (Pro-level Aluminum)

- 2664 Big Bore shock cylinder (long) (1)
- 2666 Big Bore shock cylinder (XX-long) (1)
- 5862 Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)
- 2660 Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2)
- 2662 Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
- 2669 Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
- 2362 Rebuild kit, Ultra shocks (for 2 shocks)
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 2667 Shock caps, aluminum (Big Bore Shocks) (2)
- 1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
- 2656T Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
- 1664 Shock shafts, steel, chrome finish (long) (2)
- 2656 Shock shafts, steel, chrome finish (xx-long) (2)
- 1765 Silicone diaphragms (4)
- 1666 Silicone shock oil (30 wt)
- 2668 Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)
- 5860 Springs, front (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)
- 5859 Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)

Shocks (Ultra Shocks)

- 3642 Attachment screws, shock (3x12mm shoulder screws) (6)
- 3765A Body, Ultra Shock(s) (long) (grey) (2)
- 3766A Body, Ultra Shock(s) (XXL) (grey) (2)
- 2362 Rebuild kit, Ultra shocks (for 2 shocks)
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 3767 Shock caps (2)/ shock bottoms (2)
- 8361 Shock caps (black) (4) (assembled with hollow balls)
- 3767A Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
- 3767G Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
- 3767P Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)
- 3767X Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
- 1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
- 2656T Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
- 1664 Shock shafts, steel, chrome finish (long) (2)
- 2656 Shock shafts, steel, chrome finish (xx-long) (2)
- 1765 Silicone diaphragms (4)
- 1666 Silicone shock oil (30 wt)
- 3769 Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
- 3768 Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
- 3758 Springs, front (black) (2)
- 3758T Springs, front (blue) (2)
- 3758A Springs, front (green) (2)
- 3758P Springs, front (pink) (2)
- 3758X Springs, front (white) (2)
- 3757 Springs, rear (black) (2)
- 3757T Springs, rear (blue) (2)
- 3757A Springs, rear (green) (2)
- 3757P Springs, rear (pink) (2)
- 3757R Springs, rear (red) (2.9 rate) (2)
- 3757X Springs, rear (white) (2)
- 4957 Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)

- 3760 Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)
- 3762 Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)
- 3760A Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)
- 3762A Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

Slipper Clutch Components

- 3793 Input shaft (slipper shaft) / spring pin
- 5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
- 2554 Screws, 3x6mm cap-head machine (hex drive) (6)
- 5556 Slipper pressure plate & hub (aluminum alloy)

Spur Gears & Pinion Gears

- 3790 Gear adapter, fixed
- 2416 Gear, 16-T pinion (48-pitch) / set screw
- 1918 Gear, 18-T pinion (48-pitch) / set screw
- 2419 Gear, 19-T pinion (48-pitch) / set screw
- 2421 Gear, 21-T pinion (48-pitch) / set screw
- 2423 Gear, 23-T pinion (48-pitch) / set screw
- 2426 Gear, 26-T pinion (48-pitch)/set screw
- 2431 Gear, 31-T pinion (48-pitch) / set screw
- 4725 Gear, pinion (25-tooth) (48-pitch) / set screw
- 4728 Gear, pinion (28-tooth) (48-pitch) / set screw
- 4676 Spur gear, 76-tooth (48-pitch) (for models with Torque-Control slipper clutch)
- 4683 Spur gear, 83-tooth (48-pitch) (for models with Torque-Control slipper clutch)
- 4686 Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch)
- 4690 Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)

Steering Components

- 5347 Rod ends, Revo (large) with hollow balls (12)
- 1844 Servo saver
- 2336A Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477)
- 2336X Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477)
- 3645 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede)

Suspension Linkage

- 5525 Rod ends (12)/ hollow balls (12)
- 5347 Rod ends, Revo (large) with hollow balls (12)
- 1844 Servo saver
- 2640 Suspension pins, 44mm (2) w/ E-clips
- 3640 Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Rustler, Stampede, Bandit)
- 3737A Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends/hollow balls (2)(See part 3741A for complete camber link set)
- 3738A Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled w/ rod ends & hollow balls) (See part 3741A for complete camber link set)
- 3737 Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends/hollow balls (2)(See part 3741X for complete camber link set)
- 3738 Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls)(See part 3741X for complete camber link set)
- 3741A Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/wrench
- 2336A Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477)
- 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
- 2336X Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477)
- 3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 3643 Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 3645 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede)

Team Traxxas Items

- 2514 Decal sheet, racing sponsors
- 6160X DVD, Maxx Power! Full Throttle Action (sleeve)
- 9950 Official Team Traxxas racing decal set (flag logo/ 6-color)
- 9909 Traxxas racing banner, red & black (3x7 feet)

Tires & Wheels

- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 5854 Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)
- 3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
- 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
- 1647 Silicone grease
- 2754 Stub axle pins (4)
- 3689 Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, paddle tires, foam inserts) (electric rear) (2) (TSM rated)
- 3668A Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Talon tires, foam inserts) (electric rear) (2) (TSM rated)
- 3669A Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Talon tires, foam inserts) (nitro rear/ electric front) (2) (TSM rated)
- 3668 Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Talon tires, foam inserts) (electric rear) (2)
- 3669 Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Talon tires, foam inserts) (nitro rear/ electric front) (2)
- 1970 Tires, low-profile spiked 2.2" (2)
- 4791 Tires, Pro-Trax mini-spiked 2.2" (rear) (2)
- 4790R Tires, Pro-Trax spiked 2.2" (soft-compound)(rear) (2)/ foam inserts (2)
- 1870 Tires, Sledgehammer terra-spiked (2)
- 3671 Tires, Talon 2.8" (2)/ foam inserts (2)
- 1654 Wheel hubs, hex (rear) (2)/ stub axle pins (2)
- 3654 Wheel hubs, hex (front) (tall offset) (2)/ axle pins (2.5x12mm) (2)
- 5853X Wheel hubs, splined, 17mm, short (2), long (2)/wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4x0.7 (4)/axle pin (4)/wrench, 5mm
- 5353 Wheel nuts, splined, 17mm (blue-anodized) (4)
- 5480X Wheel wrench, splined, 17mm
- 3772A Wheels, All-Star 2.8" (black chrome) (electric rear)
- 5576A Wheels, All-Star 2.8" (black chrome) (nitro rear/ electric front) (2)
- 3772 Wheels, All-Star 2.8" (chrome) (electric rear)
- 5576 Wheels, All Star 2.8" (chrome) (2) (Rustler/Stampede front)
- 3673 Wheels, chrome (2.2") (front) (2)
- 3672 Wheels, chrome (2.2") (rear) (2)
- 3675 Wheels, dyeable nylon 2.2 (front) (2)
- 3674 Wheels, dyeable nylon 2.2 (rear) (2)
- 3774 Wheels, Twin-Spoke 2.8" (chrome) (electric rear) (2)
- 5572 Wheels, Twin-Spoke 2.8" (chrome) (nitro rear/ electric front) (2)

Transmission Components

- 1552 Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench
- 4607 Ball bearings (5x11x4mm) (8)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 3792 Dust cover/rubber plug (w/ screws) (telemetry ready)
- 5478 Flat wrench, 8mm (blue-anodized aluminum)
- 3790 Gear adapter, fixed
- 3691 Gearbox halves (l&r) (black) w/ idler gear shaft
- 3691A Gearbox halves (l&r) (grey) w/ idler gear shaft
- 5148 Grease, white lithium
- 3696 Idler gear, steel (30-tooth)
- 3793 Input shaft (slipper shaft) / spring pin
- 2381X Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede, Rustler)
- 2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
- 2388X Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede, Rustler)
- 5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
- 2554 Screws, 3x6mm cap-head machine (hex drive) (6)
- 3931 Screws, 3x8mm flat-head machine (hex drive) (6)
- 3185X Screws, 3x8mm washerhead machine (large head for motor mount) (6)
- 1647 Silicone grease
- 5556 Slipper pressure plate & hub (aluminum alloy)
- 3195 Top drive gear, steel (22-tooth)

Turnbuckles & Threaded Rods

- 5525 Rod ends (12)/ hollow balls (12)
- 5347 Rod ends, Revo (large) with hollow balls (12)
- 3737A Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for complete camber link set)
- 3738A Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled w/ rod ends & hollow balls) (See part 3741A for complete camber link set)
- 3737 Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for complete camber link set)
- 3738 Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls)(See part 3741X for complete camber link set)
- 3741A Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
- 2336A Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477)
- 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
- 2336X Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477)
- 3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 3643 Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 3645 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM