



# Stampede (Model 36054-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

## Bearings & Bushings

- 4607** Ball bearings (5x11x4mm) (8)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 1675 Bushings, self-lubricating (5x11x4mm) (14)
- 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)

## Body & Accessories

- 1926** Antenna caps, vinyl (2)/ antenna spool
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 1834 Body clips (12) (standard size)
- 3934** Body clips, heavy duty (12)
- 1914R** Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware
- 3614 Body mounts (front & rear)
- 3619** Body mounts, front & rear/ body mount posts, front & rear (adjustable)/ 2.5x18mm screw pins (4)
- 1815 Body washers (8)
- 6716** Body washers, foam, 2mm (2)/ 3mm (2)/ 4mm (4)
- 3714** Body, Rustler (clear, requires painting)/window, lights decal sheet/ wing and aluminum hardware
- 3717** Body, Rustler, ProGraphix (replacement for the painted body. Graphics are printed, requires paint & final color application)/window, lights, decal sheet/wing & aluminum hardware
- 3617** Body, Stampede (clear, requires painting) (requires #3614 to mount)
- 3617R** Body, Stampede VXL, ProGraphix (replacement for the painted body. Graphics are printed, requires paint & final color application)/ window, grill, lights decal sheet
- 3649** Body, Stampede, Hawaiian graphics (painted, decals applied)
- 3617X** Body, Stampede, ProGraphix (replacement for the painted body. Graphics are printed, requires paint & final color application)/ window, grill, lights decal sheet
- 3648** Body, Stampede, Rock n' Roll (painted, decals applied)
- 2514** Decal sheet, racing sponsors
- 3616 Decal sheets, Stampede
- 9950** Official Team Traxxas racing decal set (flag logo/ 6-color)
- 3931 Screws, 3x8mm flat-head machine (hex drive) (6)
- 5185** Tires, rubber (2) (fits Traxxas wheelie bar wheels)
- 4974** Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)
- 3677A** Wheelie bar mount (1) / hardware (green)
- 3677P** Wheelie bar mount (1) / hardware (pink)
- 3677** Wheelie bar mount (1)/ hardware (black)
- 3677X** Wheelie bar mount (1)/ hardware (blue)
- 3678** Wheelie bar, assembled (black) (fits Slash, Stampede, Rustler, Bandit series)
- 3678X** Wheelie bar, assembled (blue) (fits Slash, Stampede, Rustler, Bandit series)
- 3678A** Wheelie bar, assembled (green) (fits Stampede, Rustler, Bandit series)
- 3678P** Wheelie bar, assembled (pink) (fits Stampede, Rustler, Bandit series)
- 4976** Wheels (4)/ axles (2), for Maxx wheelie bar
- 5186A** Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
- 5186** Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)

## Chassis & Attachments

- 3725X** Battery expansion kit (allows for installation of taller multi-cell battery packs) (Rustler, Bandit, Stampede) (requires part #3627X)
- 3627X Battery hold-down (grey) (1) / receiver hold-down (grey) (1) / metal posts (2)/ spacers (2)/ body clips (2)/ servo tape/ adhesive foam pad
- 3628 Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2)
- 2735 Bumper (front)
- 2735P** Bumper (front) (pink)
- 3622** Main chassis (black)
- 3622A Main chassis (grey)
- 3626 Mounting plate, electronic speed control/ receiver box (for installation of XL-5/ XL-10/VXL and waterproof receiver box into Stampede)
- 3629 Seal kit, receiver box (includes o-ring, seals, and silicone grease)
- 3623 Skid plates, front & rear (black)
- 3623X** Skid plates, front & rear (blue)
- 3623A** Skid plates, front & rear (green)
- 3623P** Skid plates, front & rear (pink)
- 5185** Tires, rubber (2) (fits Traxxas wheelie bar wheels)
- 4974** Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)

- 3677A** Wheelie bar mount (1) / hardware (green)
- 3677P** Wheelie bar mount (1) / hardware (pink)
- 3677** Wheelie bar mount (1)/ hardware (black)
- 3677X** Wheelie bar mount (1)/ hardware (blue)
- 3678** Wheelie bar, assembled (black) (fits Slash, Stampede, Rustler, Bandit series)
- 3678X** Wheelie bar, assembled (blue) (fits Slash, Stampede, Rustler, Bandit series)
- 3678A** Wheelie bar, assembled (green) (fits Stampede, Rustler, Bandit series)
- 3678P** Wheelie bar, assembled (pink) (fits Stampede, Rustler, Bandit series)
- 4976** Wheels (4)/ axles (2), for Maxx wheelie bar
- 5186A** Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
- 5186** Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)

## Differential Components

- 2381X Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede, Rustler)
- 2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
- 2388X Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede, Rustler)
- 5169 Screws, 2.6x8mm countersunk machine (6)
- 1647 Silicone grease

## Driveline Components

- 5116** Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 4628R Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/ screw pin (2)
- 4628X** Differential output yokes, hardened steel (w/ U-joints) (2)
- 6828X** Differential output yokes, heavy duty (2)/ screw pin (2)
- 1951R** Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2) (fits 2WD Rustler/Stampede)
- 1953** Half shaft pro-pack (internal-splined (6)/ external-splined (6) (plastic shafts only)
- 6752** Half shaft, external splined (steel-spline constant-velocity) (1) (fits 2WD Rustler/Stampede)
- 6751** Half shaft, internal splined (steel-spline constant-velocity) (1)
- 6850X** Half shafts, heavy duty (external splined (2)/ internal splined (2))/ metal U-joints (4)
- 1951 Half shafts, long truck (external-splined (2) & internal-splined (2)/ metal U-joints (4)
- 6757** Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)
- 3752 Stub axle carriers (2) (requires 5x11x4mm bushings or bearings)
- 3652A** Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
- 3652G** Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
- 3652P** Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
- 3652P** Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
- 3652X** Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
- 2754 Stub axle pins (4)
- 6753** Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft) (1)
- 2753X Stub axles, rear (2)
- 6853X** Stub axles, rear, heavy duty (2)/pins (2)

## Front Suspension & Steering

- 3637 Axles (front) (2)
- 2728** Ball bearings (5x8x2.5mm) (2)
- 5116** Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 2545 Bellcrank bushings (plastic) (5x8x2.5mm) (4)
- 2530** Bulkhead (front) (black)
- 2530A Bulkhead (front) (grey)
- 1675 Bushings, self-lubricating (5x11x4mm) (14)
- 3632 Caster blocks (l&r) (30-degree)
- 3632A** Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
- 3632G** Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
- 3632P** Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)

<b>3632X</b>	<b>Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left &amp; right)/ suspension screw pin (2)</b>
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
<b>5525R</b>	<b>Rod ends, heavy duty (Jato/Slayer) (8)</b>
2742	Rod ends, long (6)/ hollow ball connectors (6)
<b>5347</b>	<b>Rod ends, Revo (large) with hollow balls (12)</b>
2742X	Rod ends, short (6)/ hollow balls (6)
1844	Servo saver
3639	Shock tower (front)
3736	Steering blocks, left & right (2) (requires 5x11x4mm bushings or bearings)
<b>3636A</b>	<b>Steering blocks, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)</b>
<b>3636G</b>	<b>Steering blocks, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)</b>
<b>3636P</b>	<b>Steering blocks, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)</b>
<b>3636X</b>	<b>Steering blocks, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)</b>
3631	Suspension arms (front) (2)
<b>3740</b>	<b>Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens caster blocks)</b>
<b>2640</b>	<b>Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to strengthen front bulkhead)</b>
<b>3640</b>	<b>Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Rustler, Stampede, Bandit)</b>
2537	Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw
<b>2532</b>	<b>Tie bar, fiberglass (requires suspension pins, part# 2640)</b>
<b>3737A</b>	<b>Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for complete camber link set)</b>
<b>3737</b>	<b>Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for complete camber link set)</b>
3139	Turnbuckles (62mm) (front tie rods) (2)
<b>3741A</b>	<b>Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends &amp; hollow balls)/ wrench</b>
<b>2336A</b>	<b>Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends &amp; hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477)</b>
<b>3741X</b>	<b>Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends &amp; hollow balls)/wrench</b>
<b>2336X</b>	<b>Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends &amp; hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477)</b>
<b>3644</b>	<b>Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)</b>
<b>3745</b>	<b>Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)</b>
<b>3645</b>	<b>Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede)</b>

**Hardware**

<b>1926</b>	<b>Antenna caps, vinyl (2)/ antenna spool</b>
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
<b>3642</b>	<b>Shoulder screws, Ultra Shocks (3x12) (6)</b>
<b>1552</b>	<b>Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench</b>
1834	Body clips (12) (standard size)
<b>3934</b>	<b>Body clips, heavy duty (12)</b>
1589	Double-sided adhesive tape (25mm x 25mm) (2)
2745	Nuts, 3mm nylon locking (12)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747	Nuts, 4mm nylon locking (10)
<b>1747R</b>	<b>Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)</b>
<b>1747G</b>	<b>Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)</b>
<b>1747P</b>	<b>Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)</b>
<b>1747P</b>	<b>Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)</b>
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
<b>5525R</b>	<b>Rod ends, heavy duty (Jato/Slayer) (8)</b>
<b>5347</b>	<b>Rod ends, Revo (large) with hollow balls (12)</b>
2742X	Rod ends, short (6)/ hollow balls (6)
3739	Screw pin set (Rustler/ Bandit/ Stampede)
3229	Screws, 2.5x10mm cap-head machine (hex drive) (6)
3965	Screws, 2.5x8mm cap-head machine (6)
2587	Screws, 3x10mm cap-head machine (6) (no washer)
2675	Screws, 3x10mm roundhead self-tapping (6)
2648	Screws, 3x12mm countersunk self-tapping (6)
3186	Screws, 3x12mm washerhead machine (6)

3286	Screws, 3x12mm washerhead self-tapping (6)
2563	Screws, 3x15mm roundhead machine (6)
3187	Screws, 3x15mm washerhead machine (6)
3288	Screws, 3x15mm washerhead self-tapping (6)
2566	Screws, 3x20mm roundhead machine (6)
2567	Screws, 3x23mm roundhead machine (6)
2572	Screws, 3x30mm roundhead machine (6)
2554	Screws, 3x6mm cap-head machine (hex drive) (6)
2558	Screws, 3x6mm roundhead machine (6)
3185X	Screws, 3x8mm washerhead machine (large head for motor mount) (6)
3290	Screws, 3x8mm washerhead self-tapping (6)
2548	Screws, 4x12mm countersunk machine (100-degree) (6)
2546	Screws, 4x15mm countersunk machine (hex drive) (6)
2573	Screws, 4x15mm roundhead machine (6)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
2754	Stub axle pins (4)
3740	Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens caster blocks)
<b>2746</b>	<b>Washers, 3x6mm metal (12)</b>

**Motors & Electronics**

<b>1552</b>	<b>Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench</b>
3790	Gear adapter, fixed
<b>2072A</b>	<b>Gear set (for 2070, 2075 servos)</b>
<b>1275</b>	<b>Motor, Stinger (20-turn, 540 size) (requires 19-tooth pinion with factory installed spur gear on models originally equipped with the Titan 12T)</b>
3785	Motor, Titan 12T (12-Turn, 550 size)
<b>3351R</b>	<b>Motor, Velineon 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)</b>
3626	Mounting plate, electronic speed control/ receiver box (for installation of XL-5/ XL-10/VXL and waterproof receiver box into Stampede)
<b>3725</b>	<b>Mounting plate, speed control (VXL-3s) (Bandit, Rustler, Stampede)</b>
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2053	Servo gears (for 2055, 2056 servos)
<b>2075</b>	<b>Servo, digital high-torque (ball bearing), waterproof</b>
2056	Servo, high-torque, waterproof (blue case)
<b>3350R</b>	<b>Velineon VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon 3500 motor, and speed control mounting plate (part #3725))</b>
<b>3355R</b>	<b>Velineon VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)</b>
3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

**Radio System, Batteries & Chargers**

<b>2854X</b>	<b>10000mAh 7.4v 2-Cell 25C LiPo Battery</b>
<b>2842X</b>	<b>5000mAh 7.4v 2-Cell 25C LiPo Battery</b>
<b>2843X</b>	<b>5800mAh 7.4v 2-Cell 25C LiPo Battery</b>
<b>2976</b>	<b>AC to DC converter, 40W</b>
<b>2938X</b>	<b>Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports)</b>
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
<b>2943</b>	<b>Battery charge indicators (green (4), blue (4), grey (4))</b>
6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitters)
<b>2914</b>	<b>Battery, Power Cell AA Alkaline (4)</b>
<b>2922X</b>	<b>Battery, Power Cell, 3000mAh (NiMH, 6-C flat, 7.2V)</b>
<b>2926X</b>	<b>Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)</b>
<b>2942X</b>	<b>Battery, Series 3 Power Cell, 3300mAh (NiMH, 6-C flat, 7.2V)</b>
<b>2941X</b>	<b>Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)</b>
<b>2952X</b>	<b>Battery, Series 4 Power Cell, 4200mAh (NiMH, 6-C flat, 7.2V)</b>
<b>2951X</b>	<b>Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)</b>
<b>2961X</b>	<b>Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)</b>
<b>2984</b>	<b>Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH battery (1))</b>
<b>2992</b>	<b>Battery/charger completer pack (includes #2970 iD charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))</b>
<b>2975</b>	<b>Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)</b>
<b>2972</b>	<b>Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification</b>
<b>2973</b>	<b>Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification</b>
<b>2971</b>	<b>Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery Identification</b>
<b>2970</b>	<b>Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification</b>
<b>2978</b>	<b>Fuse, charger, 5A (2) (for #2974, 2975, 2977)</b>
<b>2072A</b>	<b>Gear set (for 2070, 2075 servos)</b>

- 2968X **LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas iD batteries)**
- 2968 **LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas iD batteries)**
- 6557 **Mount, telemetry expander (fits Stampede 2WD)**
- 6535 **Mount, temperature sensor (electric motors)/ wire tie/ thermal pad**
- 6519 Receiver, micro, TQ 2.4GHz (3-channel)
- 6518 **Receiver, micro, TQi 2.4GHz with telemetry (5-channel)**
- 6522 **Sensor, RPM (short)/ 3x4mm BCS (2)**
- 6521 **Sensor, temperature and voltage (long)**
- 2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
- 2053 Servo gears (for 2055, 2056 servos)
- 2075 **Servo, digital high-torque (ball bearing), waterproof**
- 2056 Servo, high-torque, waterproof (blue case)
- 6538 **Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)**
- 6540 **Telemetry trigger magnet, 5X2mm (1)**
- 6509R **TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link enabled, TSM (2-ch transmitter, 5-ch micro receiver)**
- 6507R **TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)**
- 6516 Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
- 6528 **Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 2-channel (transmitter only)**
- 6529 **Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 3-channel (transmitter only)**
- 6530 **Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4-channel (transmitter only)**
- 6537 **Wire retainers, gear cover/ 3x4mm BCS (2)**
- 3018R **XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)**

**Ready-To-Race Model**

36054-4 Stampede: 1/10 Scale Monster Truck with TQ 2.4GHz radio system

**Rear Suspension**

- 5116 **Ball bearings, blue rubber sealed (5x11x4mm) (2)**
- 1675 Bushings, self-lubricating (5x11x4mm) (14)
- 3739 Screw pin set (Rustler/ Bandit/ Stampede)
- 3638 Shock tower (rear)
- 3752 Stub axle carriers (2) (requires 5x11x4mm bushings and bearings)
- 3652A **Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)**
- 3652G **Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)**
- 3652P **Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)**
- 3652P **Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)**
- 3652X **Stub axle carriers, Rustler/Stampede/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)**
- 2753X Stub axles, rear (2)
- 3655X Suspension arms, left & right
- 3640 **Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Rustler, Stampede, Bandit)**

**Shocks (Aluminum)**

- 1965 **Piston head set (2 sets of 3 types)/ shock collars (2)/ spring retainers (2)**
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 2760 **Shock caps, aluminum (2)**
- 1664T **Shock shafts, hardened steel, titanium nitride coated (long) (2)**
- 2765T **Shock shafts, hardened steel, titanium nitride coated (X-long) (2)**
- 1664 Shock shafts, steel, chrome finish (long) (2)
- 2765 Shock shafts, steel, chrome finish (X-long) (2)
- 4760 **Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2)**
- 4761 **Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2)**
- 1666 Silicone shock oil (30 wt)

**Shocks (Pro-level Aluminum)**

- 2664 **Big Bore shock cylinder (long) (1)**
- 2666 **Big Bore shock cylinder (XX-long) (1)**
- 5862 **Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)**
- 2660 **Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2)**
- 2662 **Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)**

- 2669 **Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)**
- 2362 **Rebuild kit, Ultra shocks (for 2 shocks)**
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 2667 **Shock caps, aluminum (Big Bore Shocks) (2)**
- 2664T **Shock shafts, hardened steel, titanium nitride coated (long) (2)**
- 2656T **Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)**
- 1664 Shock shafts, steel, chrome finish (long) (2)
- 2656 Shock shafts, steel, chrome finish (xx-long) (2)
- 1765 Silicone diaphragms (4)
- 1666 Silicone shock oil (30 wt)
- 2668 **Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)**
- 5860 **Springs, front (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)**
- 5859 **Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)**

**Shocks (Ultra Shocks)**

- 3642 **Shoulder screws, Ultra Shocks (3x12) (6)**
- 3765A Body, Ultra Shock(s) (long) (grey) (2)
- 3766A Body, Ultra Shock(s) (XXL) (grey) (2)
- 2362 **Rebuild kit, Ultra shocks (for 2 shocks)**
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 3767 **Shock caps (2)/ shock bottoms (2)**
- 8361 Shock caps (black) (4) (assembled with hollow balls)
- 3767A **Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)**
- 3767G **Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)**

- 3767P **Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)**
- 3767X **Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)**
- 1664T **Shock shafts, hardened steel, titanium nitride coated (long) (2)**
- 2656T **Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)**
- 1664 Shock shafts, steel, chrome finish (long) (2)
- 2656 Shock shafts, steel, chrome finish (xx-long) (2)
- 1765 Silicone diaphragms (4)
- 1666 Silicone shock oil (30 wt)
- 3769 Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
- 3768 Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
- 3758 **Springs, front (black) (2)**
- 3758T **Springs, front (blue) (2)**
- 3758A **Springs, front (green) (2)**
- 3758P **Springs, front (pink) (2)**
- 3758X Springs, front (white) (2)
- 3757 **Springs, rear (black) (2)**
- 3757T **Springs, rear (blue) (2)**
- 3757A **Springs, rear (green) (2)**
- 3757P **Springs, rear (pink) (2)**
- 3757X Springs, rear (white) (2)
- 4957 **Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)**
- 3760 **Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)**
- 3762 **Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)**
- 3760A Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)
- 3762A Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

**Slipper Clutch Components**

- 3793 Input shaft (slipper shaft) / spring pin
- 5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
- 2554 Screws, 3x6mm cap-head machine (hex drive) (6)
- 5556 Slipper pressure plate & hub (aluminum alloy)

**Spur Gears & Pinion Gears**

- 3790 Gear adapter, fixed
- 2416 Gear, 16-T pinion (48-pitch) / set screw
- 1918 **Gear, 18-T pinion (48-pitch) / set screw**
- 2419 **Gear, 19-T pinion (48-pitch) / set screw**
- 2421 Gear, 21-T pinion (48-pitch) / set screw
- 2423 **Gear, 23-T pinion (48-pitch) / set screw**
- 4725 **Gear, pinion (25-tooth) (48-pitch) / set screw**

- 4676 Spur gear, 76-tooth (48-pitch) (for models with Torque-Control slipper clutch)
- 4683 Spur gear, 83-tooth (48-pitch) (for models with Torque-Control slipper clutch)
- 4686 Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch)
- 4690 Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)

**Steering Components**

- 2728 Ball bearings (5x8x2.5mm) (2)
- 2545 Bellcrank bushings (plastic) (5x8x2.5mm) (4)
- 2742 Rod ends, long (6)/ hollow ball connectors (6)
- 1844 Servo saver
- 2336 Turnbuckles, 78mm (2)
- 2336A Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477)
- 2336X Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477)
- 3645 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede)

**Suspension Linkage**

- 3642 Shoulder screws, Ultra Shocks (3x12) (6)
- 3641A Camber link set (plastic / non-adjustable ) ( front & rear) (grey)
- 3641 Camber link set (plastic/ non-adjustable) (front & rear) (black)
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742 Rod ends, long (6)/ hollow ball connectors (6)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 3739 Screw pin set (Rustler/ Bandit/ Stampede)
- 3740 Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens caster blocks)
- 2637 Suspension pins, 31.5mm, chrome (2) w/ E-clips (4)
- 2640 Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to strengthen front bulkhead)
- 3640 Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Rustler, Stampede, Bandit)
- 3737A Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for complete camber link set)
- 3738A Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled w/ rod ends & hollow balls) (See part 3741A for complete camber link set)
- 3737 Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for complete camber link set)
- 3738 Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls)(See part 3741X for complete camber link set)
- 1937 Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links)
- 2336 Turnbuckles, 78mm (optional rear camber rods) (2)
- 3741A Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
- 2336A Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477)
- 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
- 2336X Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477)
- 3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 3643 Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 3645 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede)

**Team Traxxas Items**

- 2514 Decal sheet, racing sponsors
- 6160X DVD, Maxx Power! Full Throttle Action (sleeve)
- 9950 Official Team Traxxas racing decal set (flag logo/ 6-color)
- 9909 Traxxas racing banner, red & black (3x7 feet)

**Tires & Wheels**

- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 1675 Bushings, self-lubricating (5x11x4mm) (14)
- 5854 Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)

- 3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
- 1747R Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
- 1747G Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
- 1747P Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
- 1747P Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
- 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
- 1647 Silicone grease
- 2754 Stub axle pins (4)
- 3689 Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, paddle tires, foam inserts) (electric rear) (2) (TSM rated)
- 3668A Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Talon tires, foam inserts) (electric rear) (2) (TSM rated)
- 3669A Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Talon tires, foam inserts) (nitro rear/ electric front) (2) (TSM rated)
- 3668 Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Talon tires, foam inserts) (electric rear) (2)
- 3669 Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Talon tires, foam inserts) (nitro rear/ electric front) (2)
- 3773A Tires & wheels, assembled, glued (All Star black chrome wheels, Anaconda tires, foam inserts) (electric rear) (1 left, 1 right)
- 3773 Tires & wheels, assembled, glued (All Star chrome wheels, Anaconda tires, foam inserts) (electric rear) (1 left, 1 right)
- 3776A Tires & wheels, assembled, glued (All-Star black chrome wheels, Anaconda tires, foam inserts) (nitro rear/ electric front) (1 left, 1 right)
- 5576R Tires & wheels, assembled, glued (All-Star chrome wheels, Anaconda tires, foam inserts) (nitro rear/ electric front) (1 left, 1 right)
- 5578 Tires, Anaconda 2.8" (2)/ foam inserts (2)
- 1970 Tires, low-profile spiked 2.2" (2)
- 4791 Tires, Pro-Trax mini-spiked 2.2" (rear) (2)
- 4790R Tires, Pro-Trax spiked 2.2" (soft-compound)(rear) (2)/ foam inserts (2)
- 1870 Tires, Sledgehammer terra-spiked (2)
- 3671 Tires, Talon 2.8" (2)/ foam inserts (2)
- 1654 Wheel hubs, hex (rear) (2)/ stub axle pins (2)
- 3654 Wheel hubs, hex (front) (tall offset) (2)/ axle pins (2.5x12mm) (2)
- 5853X Wheel hubs, splined, 17mm, short (2), long (2)/wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4x0.7 (4)/axle pin (4)/wrench, 5mm
- 5353 Wheel nuts, splined, 17mm (blue-anodized) (4)
- 5480X Wheel wrench, splined, 17mm
- 3772A Wheels, All-Star 2.8" (black chrome) (electric rear)
- 5576A Wheels, All-Star 2.8" (black chrome) (nitro rear/ electric front) (2)
- 3772 Wheels, All-Star 2.8" (chrome) (electric rear)
- 5576 Wheels, All Star 2.8" (chrome) (2) (Rustler/Stampede front)
- 3673 Wheels, chrome (2.2") (front) (2)
- 3672 Wheels, chrome (2.2") (rear) (2)
- 3675 Wheels, dyeable nylon 2.2 (front) (2)
- 3674 Wheels, dyeable nylon 2.2 (rear) (2)
- 3774 Wheels, Twin-Spoke 2.8" (chrome) (electric rear) (2)
- 5572 Wheels, Twin-Spoke 2.8" (chrome) (nitro rear/ electric front) (2)

**Transmission Components**

- 1552 Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench
- 4607 Ball bearings (5x11x4mm) (8)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 2519 Differential gear (60-tooth) (for optional ball differential only)
- 3792 Dust cover/rubber plug (w/ screws) (telemetry ready)
- 5478 Flat wrench, 8mm (blue-anodized aluminum)
- 3790 Gear adapter, fixed
- 3691 Gearbox halves (l&r) (black) w/ idler gear shaft
- 3691A Gearbox halves (l&r) (grey) w/ idler gear shaft
- 5148 Grease, white lithium
- 3696 Idler gear, steel (30-tooth)
- 3793 Input shaft (slipper shaft) / spring pin
- 2381X Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede, Rustler)
- 2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
- 2388X Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede, Rustler)
- 5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
- 2554 Screws, 3x6mm cap-head machine (hex drive) (6)
- 3185X Screws, 3x8mm washerhead machine (large head for motor mount) (6)
- 1647 Silicone grease
- 5556 Slipper pressure plate & hub (aluminum alloy)
- 3195 Top drive gear, steel (22-tooth)

**Turnbuckles & Threaded Rods**

- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 5525R Rod ends, heavy duty (Jato/Slayer) (8)
- 2742 Rod ends, long (6)/ hollow ball connectors (6)
- 5347 Rod ends, Revo (large) with hollow balls (12)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 3737A Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for complete camber link set)
- 3738A Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled w/ rod ends & hollow balls) (See part 3741A for complete camber link set)
- 3737 Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for complete camber link set)
- 3738 Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls)(See part 3741X for complete camber link set)
- 1937 Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links)
- 2336 Turnbuckles, 78mm (optional rear camber rods) (2)
- 3741A Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
- 2336A Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477)
- 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
- 2336X Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede) (requires 5mm aluminum wrench #5477)
- 3645 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede)

If you have questions or need technical assistance, call Traxxas at:

**1-888-TRAXXAS**

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

**TRAXXAS.COM**