

TRX-4 Unassembled Kit (Model 82016-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Axle Components		Body (1979 Chevrolet Blazer)
8241	Axle housing, front	8130	Body, Chevrolet Blazer (1979) (clear, requires painting)/ decals/
8242 8227	Axle housing, rear Axle mount set (complete) (front & rear) (for guanancian links)	8130G	window masks Body, Chevrolet Blazer (1979) (orange) (requires grille, side
8228	Axle mount set (complete) (front & rear) (for suspension links) Axle shaft, front (left)/ drive pin/ cross pin	01300	mirrors, door handles, windshield wipers, decals)
8229	Axle shaft, front (right)/ drive pin/ cross pin	8130A	Body, Chevrolet Blazer (1979) (red) (requires grille, side mirrors,
8060	Axle shaft, front, heavy duty (left & right) (requires #8064 front	0424	door handles, windshield wipers, decals)
0000	portal drive input gear)	8131 8132	Decal sheet, Chevrolet Blazer (1979) Door handles, left, right & rear tailgate/ windshield wipers, left &
8062	Axle shaft, front, heavy duty (left & right)/ portal drive input gear (machined) (2) (assembled)	0132	right/ retainers (2)/ 1.6x5 BCS (self-tapping) (7) (fits #8130 body)
8230	Axle shaft, rear (left)	8134	Grille, Chevrolet Blazer (1979)/ grille retainers (4)/ headlight
8231	Axle shaft, rear (right)		housing (2)/ lens (2)/ 2.6x8 BCS (4)/ 2.5x6 BCS (2) (fits #8130
8061	Axle shaft, rear, heavy duty (left & right)/ portal drive input gear,		body)
	rear (machined)	8133	Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (fits
8063	Axle, rear, heavy duty (left & right) (requires #8065 rear portal	8135	#8130 body) Tail lights, left & right (assembled)/ tail light retainers, left &
8233	drive input gear) Cross pin (2)/ drive pin (2) (to rebuild front axle shafts)	0.00	right/ side marker lights (assembled) (2)/ side marker retainers
8256	Portal drive axle mount, rear (left & right)		(2)/ mounting tape (2)/ 1.6x5 BCS (self-tapping) (4)/ 2.6x8 BCS (2)
8256X	Portal drive axle mount, rear, 6061-T6 aluminum (blue-anodized)		(fits #8130 body)
	(left and right)/ 2.5x16 CS (4)		Body (1979 Ford Bronco)
8256A	Portal drive axle mount, rear, 6061-T6 aluminum (charcoal gray-	8010	Body, Ford Bronco (clear, requires painting)/ decals/ window
	anodized) (left and right)/ 2.5x16 CS (4)		masks/ tailgate panel insert/ adhesive foam tape (2)
8256G	Portal drive axle mount, rear, 6061-T6 aluminum (green- anodized) (left and right)/ 2.5x16 CS (4)	8010X	Body, Ford Bronco, complete (black) (includes front and rear
8256R	Portal drive axle mount, rear, 6061-T6 aluminum (red-anodized)		bumpers, push bar, rear body mount, grille, side mirrors, door handles, windshield wipers, spare tire mount, red and sunset
	(left and right)/ 2.5x16 CS (4)		decals) (requires #8072 inner fenders)
8252	Portal drive housing, inner, front (left & right)/ 2.5x4 BCS (6)	8078R	Decal sheet, Bronco, red
8253	Portal drive housing, inner, rear (left or right) (2)	8078	Decal sheet, Bronco, sunset
8251	Portal drive housing, outer (front or rear) (2)	8075	Door handles, left & right/ windshield wipers, left & right/
8064	Portal drive input gear, front (machined) (left or right) (requires		retainers (3)/ 1.6x5 BCS (self-tapping) (4) (fits #8010 body)
8257	#8060 front axle shaft) Portal drive input gear, front/ drive pin/ cross pin	8070	Grille, Ford Bronco/ grille retainers (6)/ headlight housing (2)/
8259	Portal drive input gear, none drive pine closs pine	8073	lens (2)/ 2.6x8 BCS (6)/ 2.5x6 BCS (2) (fits #8010 body) Mirrors, side, black (left & right)/ retainers (2)/ body clips (4) (fits
8065	Portal drive input gear, rear (machined) (left or right) (requires	0070	#8010 body)
	#8063 rear axle)	8073X	Mirrors, side, chrome (left & right)/ retainers (2)/ body clips (4)
8258	Portal drive output gear, front or rear		(fits #8010 body)
8252X	Portal housings, inner (front), 6061-T6 aluminum (blue-anodized)	8074	Spare tire mount/ mounting bracket/ spare tire cover/ mounting
8252A	(2)/ 3x12 BCS (2) Portal housings, inner (front), 6061-T6 aluminum (charcoal gray-	8077	hardware Tailgate panel insert (clear, requires painting)/ adhesive foam
0232A	anodized) (2)/ 3x12 BCS (2)	0011	tape (2) (fits #8010 body)
8252G	Portal housings, inner (front), 6061-T6 aluminum (green-	8071	Tailgate panel/ tail light lens (2) (left & right) (fits #8010 body)
	anodized) (2)/ 3x12 BCS (2)		Body (Land Rover Defender)
8252R	Portal housings, inner (front), 6061-T6 aluminum (red-anodized)	8011	Body, Land Rover® Defender® (clear, trimmed, requires
8253X	(2)/ 3x12 BCS (2) Portal housings, inner (rear), 6061-T6 aluminum (blue-anodized)	0011	painting)/ window masks/ decal sheet
0233X	(2)/ 2.5x10 CS (2)	8011A	Body, Land Rover® Defender®, adventure orange (complete with
8253A	Portal housings, inner (rear), 6061-T6 aluminum (charcoal gray-		ExoCage, inner fenders, fuel canisters, and jack)
	anodized) (2)/ 2.5x10 CS (2)	8011X	Body, Land Rover® Defender®, graphite silver (painted)/ decals
8253G	Portal housings, inner (rear), 6061-T6 aluminum (green-	8011G	Body, Land Rover® Defender®, green (complete with ExoCage, inner fenders, fuel canisters, and jack)
0252D	anodized) (2)/ 2.5x10 CS (2)	8011R	Body, Land Rover® Defender®, red (painted)/ decals
8253R	Portal housings, inner (rear), 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (2)	8012	Decals, Land Rover® Defender®
8251X	Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/	8016	ExoCage (complete with assembly hardware; #8015 roof basket
	2.5x10 CS (12)		sold separately) (fits #8011 body)
8251A	Portal housings, outer, 6061-T6 aluminum (charcoal gray-	8019	Fender brace, inner, front & rear
00540	anodized) (2)/ 2.5x10 CS (12)	8017 8018	Fender flares, front & rear (2 each) (fits #8011 or #8211 body)
8251G	Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (12)	8018 8013	Fenders, inner, front & rear (2 each)/ rock light covers (8) Grille, Land Rover® Defender®/ grille mount (3)/ headlight
8251R	Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/	0013	housing (2)/ lens (2)/ headlight mount (2) (fits #8011 body)
	2.5x10 CS (12)	8020	Mirrors, side (left & right)/ snorkel/ mounting hardware (fits
8255	Stub axle (portal drive) (2)		#8011 body)
8255A	Stub axle, extended (portal drive) (2)	8015	Roof basket (requires #8016 ExoCage) (fits #8011 body)
8267	Weight, portal housing, brass (34 grams) (2)/ 2.5x8 CS (6)	8021	Spare tire mount/ mounting bracket/ screw pins (2)
	(requires #8251X, 8251R, 8251A, or 8251G outer portal housing)	8014	Tail light housing (2)/ lens (2)/ decals (left & right) (fits #8011 body)
	Bearings & Bushings		
5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)	2041	Body (Tactical Unit)
5120A	Ball bearings, black rubber sealed (12x18x4mm) (2)	8211	Body, Tactical Unit (clear, requires painting)/ decals
5104A	Ball bearings, black rubber sealed (4x10x4mm) (2)	8211X 8019	Body, Tactical Unit, night camo (painted)/ decals
E11E^	Ball bearings, black rubber sealed (5x10x4mm) (2)	8019 8017	Fender brace, inner, front & rear Fender flares, front & rear (2 each) (fits #8011 or #8211 body)
	Rall hearings, black rubber socied (5v11v4mm) (2)		
5115A 5116A 5114A	Ball bearings, black rubber sealed (5x11x4mm) (2) Ball bearings, black rubber sealed (5x8x2.5mm) (2)		
5116A 5114A	Ball bearings, black rubber sealed (5x8x2.5mm) (2)	8018 8020	Fenders, inner, front & rear (2 each)/ rock light covers (8) Mirrors, side (left & right)/ snorkel/ mounting hardware (fits
		8018	Fenders, inner, front & rear (2 each)/ rock light covers (8)

0440	Body (TRX-4 Sport)	8279 8279R	Ring gear, differential/ pinion gear, differential Ring gear, differential/ pinion gear, differential (machined)
8112	Body with camper, TRX-4® Sport (clear, trimmed, requires painting)/ window masks/ decal sheet	8287	Ring gear, differential/ pinion gear, differential (overdrive, machined)
3111R	Body, TRX-4® Sport (clear, trimmed, die-cut for LED light kit, requires painting)/ window masks/ decal sheet	8288	Ring gear, differential/ pinion gear, differential (underdrive, machined)
B111	Body, TRX-4® Sport (clear, trimmed, requires painting)/ window masks/ decal sheet	8297	Spool/ differential housing plug/ e-clip
3113	Decal sheet, TRX-4® Sport		Driveline Components
3120X	Expedition rack, complete (includes traction boards, shovel, axe,	8250	Half shafts, center (internal splined, front (2) & internal splined, rear
3120	jack, fire extinguisher, fuel cans, & mounting hardware) Expedition rack/ mounting hardware	8255	(2)/ external splined (2)/ pin retainer (4)) (plastic parts only) Stub axle (portal drive) (2)
8116	Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6) (fits	8255A	Stub axle (portal drive) (2) Stub axle, extended (portal drive) (2)
	#8111 or #8112 body)	8269	Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel) (fits TRX-4®)
8119	Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8111 or #8112 body)	8269X	Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ screw pin (4)
8122	Shovel/ axe/ accessory mount/ mounting hardware	8269A	Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-
8118 8117	Spare tire mount/ mounting hardware Tailgate panel/ tailgate retainers (2)/ tailgate mount/ tail light lens (2) (left & right)/ 2.5x8 BCS (4) (fits #8111 or #8112 body)	8269G	anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)
B121	Traction boards/ mounting hardware	8269R	screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/
	Body Accessories		screw pin (4)
1926	Antenna caps, vinyl (2)/ antenna spool		Hardware
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	1552	Backplate screws (3x8mm cap-head machine) (6)/washers (6)/
1834	Body clips (12) (standard size)		wrench
1834A	Body clips, black (12) (standard size)	1834	Body clips (12) (standard size)
3934	Body clips, heavy duty (12)	1834A	Body clips, black (12) (standard size)
3934A	Body clips, heavy duty (black) (12)	3934	Body clips, heavy duty (12)
8215 4915	Body mounts & posts, front & rear (complete set) Body washers, foam adhesive (10)	3934A 8167X	Body clips, heavy duty (black) (12) Hardware kit, stainless steel, beadlock rings (contains stainless
2514	Decal sheet, racing sponsors	01077	steel hardware for 4 wheels)
8081	Fender extensions (4)/ 3x8 flat-head screws (24) (requires #8080 narrow inner fenders)	8298	Hardware kit, stainless steel, TRX-4® (contains all stainless steel hardware used on TRX-4)
3080	Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4)	8151	Hardware kit, stainless steel, TRX-4® High Lift Kit (contains all stainless steel hardware used on TRX-4® Long Arm Lift Kit)
3072	Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4)	5476X 3647	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5mm ball Nuts, 4mm flanged nylon locking (steel, serrated) (8)
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)	8347	Nuts, 4mm flanged nylon locking, serrated (black) (10)
	Bumpers & Skidplates	1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
3234		1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
o∠o4 8 234R	Bumper D-Rings, grey (front or rear)/ 2x12 CS (4) Bumper D-rings, red (front or rear)/ 2.0x12 CS (4)	1747P	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
8067	Bumper mounts, front & rear	1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
8237	Bumper mounts, front & rear/ screw pins (4)	3229 2523	Screws, 2.5x10mm cap-head machine (hex drive) (6) Screws, 2.5x10mm countersunk machine (hex drive) (6)
8069	Bumper, front (chrome)/ bumper mount/ 3x10 BCS (2)	3236	Screws, 2.5x12mm cap-head machine (6)
8235	Bumper, front/ winch	2618	Screws, 2.5x16mm cap-head machine (6)
8236	Bumper, rear	3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)
8068 8066	Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2) Push bar, bumper (chrome) (fits #8069 bumper)	2617	Screws, 2.5x8mm button-head machine (hex drive) (6)
8238	Skidplate/ lower gear cover	3965	Screws, 2.5x8mm cap-head machine (6)
0200	Chassis & Attachments	2524 8299	Screws, 2.5x8mm countersunk machine (hex drive) (6) Screws, 2.6x12mm button-head, self-tapping (hex drive) (6)
2045	Body mounts & posts, front & rear (complete set)	8167	Screws, 2x10mm cap-head, self-tapping (hex drive) (10)
3215 3224	Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8	2564	Screws, 2x8mm cap-head machine (hex drive) (6)
J	BCS (5)/ 2.5x8 CS (2)	2577	Screws, 3x10mm button-head machine (hex drive) (6)
8058	Chassis conversion kit, TRX-4® (long to short wheelbase)	4859	Screws, 3x10mm flat-head machine (hex drive) (4)
	(includes rear upper & lower suspension links, front & rear inner	2578	Screws, 3x12mm button-head machine (hex drive) (6) Screws, 3x15mm button-head machine (hex drive) (6)
3057	fenders, short female half shaft, battery tray, 3x8mm FCS (4)) Chassis conversion kit, TRX-4® (short to long wheelbase)	2579 2591	Screws, 3x23mm button-head machine (hex drive) (6)
3037	(includes rear upper & lower suspension links, front & rear	2581	Screws, 3x25mm button-head machine (hex drive) (6)
	shock towers, long female half shaft)	2616	Screws, 3x27mm button-head machine (hex drive) (6)
3220	Chassis rails, 448mm (steel) (left & right)	2582	Screws, 3x30mm button-head machine (hex drive) (6)
8072	Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery	2575	Screws, 3x6mm button-head machine (hex drive) (6)
2210	plate/ 3x8 flat-head screws (4)	3932	Screws, 3x6mm flat-head machine (hex drive) (6)
8218 8219	Floor pans, left & right Rock sliders, left & right	2576	Screws, 3x8mm button-head machine (hex drive) (6)
B225	Seal kit, receiver box (includes o-ring, seals, and silicone grease)	3931 3933	Screws, 3x8mm flat-head machine (hex drive) (6) Screws, 4x16mm button-head machine (hex drive) (6)
8240	Servo mount, 2-speed/ servo mount, T-Lock/ wire clips		LED Light Accessories
3239	Servo mount, steering/ chassis crossmember	8031	3-in-1 wire harness, LED light kit, TRX-4®
3216	Shock towers, front & rear (left & right)	8089	4-in-2 wire harness, LED light kit, TRX-4®
8226	Tray, battery	8028	LED lights, power supply (regulated, 3V, 0.5-amp), TRX-4®/ 3-in-
	Differential Components	8026	wire harness LED rock light kit, TRX-4® (requires #8028 power supply and
3281	Carrier, differential/ differential slider/ T-Lock fork	5520	#8018, #8072, or #8080 inner fenders)
8280X	Differential cover, front or rear (chrome-plated)		LED Lights (1979 Chevrolet Blazer)
	Differential cover, front or rear (grey)	8030	
		8039	LED light set (contains headlights, tail lights, side marker lights
8280R	Differential cover, front or rear (red)		distribution block (fits #8130 body requires #8028 nower supply
8280R	Gear set, differential (output gears (2), spider gears (4), spider gear	8038	
8280 8280R 8282 8295		8038	distribution block (fits #8130 body, requires #8028 power supply LED light set, complete with power supply (contains headlights, tail lights, side marker lights, distribution block, and power supply) (fits #8130 body)

Page 3 TRX-4 Unassembled Kit: TQi Traxxas Link Enabled 2.4GHz Radio (Model 82016-4) Parts List

8036	LED Lights (1979 Ford Bronco) LED light set (contains headlights, tail lights, side marker lights,	8143R	Suspension links, front lower, red (2) (5x104mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4 Long Arm Lift Kit)
	& distribution block) (fits #8010 body, requires #8028 power supply)	8145	Suspension links, rear lower (2) (5x115mm, steel) (assembled
8035	LED light set, complete with power supply (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 body)	8145X	with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit Suspension links, rear lower, blue (2) (5x115mm, powder coater steel) (assembled with hollow balls) (for use with #8140X TRX-4 Long Arm Lift Kit)
8037	LED lights, high/low switch (for #8035 or #8036 LED light kits) LED Lights (Land Rover Defender)	8145R	Suspension links, rear lower, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4
8027	LED headlight/tail light kit (fits #8011 body, requires #8028 power	0440	Long Arm Lift Kit)
8025	supply) LED light bar (Rigid®), TRX-4 (requires #8028 power supply)	8142	Suspension links, rear upper (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit
8029	LED light bar kit (Rigid®)/power supply, TRX-4®	8142X	Suspension links, rear upper, blue (2) (5x115mm, powder coate steel) (assembled with hollow balls) (for use with #8140X TRX-4
8030	LED light set, complete (contains rock light kit, LED light bar (Rigid®), LED headlight/tail light kit, power supply, & 3-in-1 wire harness) (fits #8011 body)	8142R	Long Arm Lift Kit) Suspension links, rear upper, red (2) (5x115mm, powder coated
	LED Lights (TRX-4 Sport)		steel) (assembled with hollow balls) (for use with #8140R TRX-4 Long Arm Lift Kit)
3086	LED expedition rack scene light kit (fits #8111 body, requires #8028 power supply)	8172	Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 2.2" tires, foam inserts) (1 left, 1
8084	LED headlight/tail light kit (fits #8111 or #8112 body, requires #8028 power supply)	8181	right) Tires and wheels, assembled, glued (TRX-4® Sport wheels,
8088	LED light bar, front bumper (fits #8124 front bumper, requires	8170	Canyon Trail 2.2 tires) (2)
8087	#8028 power supply) LED light bar, roof lights (fits #8111 body, requires #8028 power	8171	Tires, Canyon Trail 2.2/ foam inserts (2) Wheels, Method 105 2.2" (black chrome, beadlock) (beadlock
8085	supply) LED light set, complete with power supply (contains headlights,	8171A	rings sold separately) Wheels, Method 105 2.2" (charcoal gray, beadlock) (beadlock
,000	tail lights, & distribution block) (fits #8111 or #8112 body)		rings sold separately)
	Long Arm Lift Kit	1000	Motors & Electronics
3162X	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use with #8140X TRX-4® Long Arm Lift Kit)	1926 1726	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3162R	Body, GTS shock, long (aluminum, red-anodized) (1) (for use	2262	BEC, complete (includes receiver box cover and seals)
	with #8140R TRX-4® Long Arm Lift Kit)	2064	Gear set (for 2065 waterproof sub-micro servo)
3162	Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit)	2064X 2072X	Gear set, metal (for 2065X waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos)
3148	Cable, T-lock (extra long) (for use with TRX-4® Long Arm Lift Kit)	2252	Gear set, metal (for 2250, 2255 servos)
147	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit)	2072R	Gear set, metal, high speed (for 2070, 2075 servos)
3150	Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit)	8290X 8290A	Motor mount plate, TRX-4®, 6061-T6 aluminum (blue-anodized) Motor mount plate, TRX-4®, 6061-T6 aluminum (charcoal gray- anodized)
3140	Long Arm Lift Kit, TRX-4®, complete	8290G	Motor mount plate, TRX-4®, 6061-T6 aluminum (green-anodized
3140X	Long Arm Lift Kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks)	8290R 3975R	Motor mount plate, TRX-4®, 6061-T6 aluminum (red-anodized) Motor, Titan® 550, reverse rotation (21-turns/ 14 volts) (1)
8140R	Long Arm Lift Kit, TRX-4®, complete (includes red powder	8290	Plate, motor/ upper spur gear cover
8149	coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4))/ hollow balls (8)	2254 2253	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo Servo case, aluminum (red-anodized) (middle) (for 2255 servo)
8141	(for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit)	2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (fo
B161	Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use	2063	2250, 2255 servos) Servo case/gaskets (for 2065 waterproof sub-micro servo)
3160X	with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without	2063X	Servo case/gaskets (for 2065X metal gear, waterproof, sub-mic
	springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit)	5669	servo) Servo horn (with built-in spring and hardware) (for Summit locking
8160R	Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit)	2075R	differential) Servo, digital high-speed, metal gear (ball bearing), waterproof
8160	Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit)	2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing
8155	Springs, shock, long (natural finish) (GTS) (0.47 rate) (for use with TRX-4® Long Arm Lift Kit)		waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)
8156	Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit)	2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247 steel servo horn recommended for optimal performance)
3157	Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit)	2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
8146X	Steering link, 5x117mm (1)/ draglink, 5x60mm (1)/ panhard link, 5x63mm (blue powder coated steel) (assembled with hollow	2065 2065X 3025	Servo, sub-micro, waterproof Servo, sub-micro, waterproof, metal gear XL-5HV 3s Electronic Speed Control, waterproof (low-voltage
8146R	balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Steering link, 5x117mm (1)/ draglink, 5x60mm (1)/ panhard link, 5x63mm (red powder coated steel) (assembled with hollow balls)	2261	detection, fwd/rev/brake) Y-harness, BEC
	(for use with #8140R TRX-4® Long Arm Lift Kit)		Radio System, Batteries & Chargers
8144X	Suspension link, front upper, 5x68mm (1) (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4®	2849X 2872X	4000mAh 11.1v 3-Cell 25C LiPo Battery 5000mAh 11.1v 3-Cell 25C LiPo Battery
8144R	Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (red powder coated	2842X 2843X	5000mAh 7.4v 2-Cell 25C LiPo Battery 5800mAh 7.4v 2-Cell 25C LiPo Battery
	steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit)	2869X 2976	7600mAh 7.4v 2-Cell 25C LiPo Battery
8144	Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)	2976 2938X	AC to DC converter, 40W Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batterie
8143	Suspension links, front lower (2) (5x104mm, steel) (assembled	1726	to separate balance ports) Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
8143X	with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, front lower, blue (2) (5x104mm, powder coate)	2943 6548	Battery charge indicators (green (4), blue (4), grey (4)) Battery door, transmitter (replacement for #6516, 6517, 6528, 6529,
	steel) (assembled with hollow balls) (for use with #8140X TRX-4®		6530 transmitters)
	Long Arm Lift Kit)	8222	Battery strap, TRX-4® (for 2200 2-cell and 1400 3-cell LiPo

Page 4 TRX-4 Unassembled Kit: TQi Traxxas Link Enabled 2.4GHz Radio (Model 82016-4) Part
--

2914 2923X	Battery, Power Cell AA Alkaline (4) Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)		Shocks (GTS)
2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)	8266	Body, GTS shock (aluminum, silver-anodized) (1)
2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)	8266X	Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1)
2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)	8266A	Body, GTS shock, aluminum (blue-anodized) (1)
2983	Battery/charger completer pack (includes #2969 2-amp NiMH	8266G	Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1)
	peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH	8266R 8264	Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)
2992	battery (1)) Rettery(sharger completer peck (includes #2070 iD® charger (1))	0204	bottom cap (2)/ upper retainer (2)/ lower retainer (2))
2992	Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))	8274	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)
2994	Battery/charger completer pack (includes #2970 iD® charger (1),	5475	Multi-tool (plastic)
	#2849X 4000mAh 11.1v 3-Cell 25C LiPo Battery (1))	8261	Piston, damper (red) (4)/ e-clips (8)
2995	Battery/charger completer pack (includes #2970 iD® charger (1),	8262	Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips,
	#2869X 7600mAh 7.4V 2-cell 25C LiPo battery (1))	0000	and rod ends)
2991	Battery/charger completer pack (includes #2972 Dual iD®	8263 8263T	Shock shaft, 3x47mm (GTS) (2) Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2)
2262	charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo battery (2)) BEC, complete (includes receiver box cover and seals)	8260X	Shocks, GTS hard-anodized, PTFE-coated aluminum bodies wit
2202 2975	Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)	0200X	TiN shafts (assembled with spring retainers) (2)
2972	Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery	8260A	Shocks, GTS, aluminum (blue-anodized) (assembled with spring
	Identification		retainers) (2)
2973	Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification	8260G	Shocks, GTS, aluminum (green-anodized) (assembled with spring retainers) (2)
2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification	8260R	Shocks, GTS, aluminum (red-anodized) (assembled with spring retainers) (2)
2970	Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto	8260	Shocks, GTS, silver aluminum (assembled with spring retainers) (2)
CEO=	Battery Identification	1666	Silicone shock oil (30 wt)
6525 6512	Communication link, telemetry expander		Slipper Clutch Components
6512 2978	Cover plate, Traxxas Link™ Wireless Module Fuse, charger, 5A (2) (for #2974, 2975, 2977)	8292	Input shaft/ output shaft (transmission)
2064	Gear set (for 2065 waterproof sub-micro servo)	8286	Output shafts (transfer case), front & rear
2064X	Gear set, metal (for 2065X waterproof sub-micro servo)	8254	Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL
2072X	Gear set, metal (for 2070, 2075 servos)	0040	(1)/ spring washers (4), metal washer (1))
2252	Gear set, metal (for 2250, 2255 servos)	8249	Slipper eliminator plate
2072R	Gear set, metal, high speed (for 2070, 2075 servos)		Springs
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for	8042	Springs, shock (natural finish) (GTS) (0.22 rate, yellow stripe) (2
	Traxxas® iD® batteries)	8043	Springs, shock (natural finish) (GTS) (0.30 rate, white stripe) (2)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for	8044	Springs, shock (natural finish) (GTS) (0.39 rate, orange stripe) (2
6561	Traxxas® iD® batteries) Mount, telemetry expander (fits TRX-4®)	8041	Springs, shock (natural finish) (GTS) (0.45 rate) (2)
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal	8040 8045	Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2)
0500	pad		Spur Gears & Pinion Gears
6533 6552	Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone	6746	Gear, 10-T pinion (32-p) (steel)/ set screw
0332	grease)	6747	Gear, 11-T pinion (32-p) (steel)/ set screw
6526	Sensor, auto-detectable, temperature	3942X	Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel)
6527	Sensor, auto-detectable, voltage		set screw
6521	Sensor, temperature and voltage (long)	3943X	Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel)
2254	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)	20.44	set screw
2253	Servo case, aluminum (red-anodized) (middle) (for 2255 servo)	3944X	Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel) set screw
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)	3945X	Gear 15-T pinion (32-p), heavy duty (machined, hardened steel)
2063 2063¥	Servo case/gaskets (for 2065 waterproof sub-micro servo)	3946X	Set screw Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel)
2063X	Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)	3947X	set screw Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel)
2075R 2250	Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing),	3341 A	set screw
	waterproof (#2262 external BEC and #8247X steel servo horn recommended for optimal performance)	3948X	Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel) set screw
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247 metal servo	3949X	Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel) set screw
	horn recommended for optimal performance)	3950X	Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel)
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof		set screw
2065	Servo, sub-micro, waterproof	3951X	Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel)
2065X	Servo, sub-micro, waterproof, metal gear	3052	set screw Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel)
6553X 6550X	Telemetry expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (compatible only with	3952X	set screw
	#6551X GPS module)	6745	Gear, 9-T pinion (32-p) (steel)/ set screw
6550	Telemetry expander, TQi radio system	8279	Ring gear, differential/ pinion gear, differential
6551X	Telemetry GPS module 2.0, TQi radio system (compatible only	8052 8053	Spur gear, 39-tooth (TRX-4®) Spur gear, 45-tooth (TRX-4®)
6530	with #6550X telemetry expander) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-	0000	Steering Components
-	channel (transmitter only)	8232	Caster blocks (portal drive), left & right/ kingpin bushings (4)
6511	Traxxas Link™ Wireless Module	8232 8232X	Caster blocks (portal drive), left & right/ kingpin bushings (4) Caster blocks, 6061-T6 aluminum (blue-anodized), left and right
2261	Y-harness, BEC	8232A	Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left
	Scale Details		and right
8022T	Fuel canisters (black) (2)/ 3x8 FCS (1)	8232G	Caster blocks, 6061-T6 aluminum (green-anodized), left and righ
8022R	Fuel canisters (blue) (2)/ 3x8 FCS (1)	8232R	Caster blocks, 6061-T6 aluminum (red-anodized), left and right
8022	Fuel canisters (red) (2)/ 3x8 FCS (1)	2072X	Gear set, metal (for 2070, 2075 servos)
	Fuel canisters (white) (2)/ 3x8 FCS (1)	2072R	Gear set, metal, high speed (for 2070, 2075 servos)
8022X			Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)
8022A	Fuel canisters (yellow) (2)/ 3x8 FCS (1)	8274	
		8274 5355	Hollow ball, tall centered (2) tall offset hollow ball (2) bump steer adjustment shims; 3.5mm (2), 1.17mm (2)

Page 5 TRX-4 Unassembled Kit: TQi Traxxas Link Enabled 2.4GHz Radio (Model 82016-4) Parts List

Page 5	TRX-4 Unassembled Kit: TQi Traxxas Link Enable	d 2.4GHz	Radio (Model 82016-4) Parts List
8275	Rod end set, complete (standard (10), angled 10-degrees (8), offset (4))	8269R	Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4)
8276	Rod ends (10)	8175	Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires
8277	Rod ends, angled 10-degrees (8)	0.470	#8255A extended stub axle)
2742	Rod ends, long (6)/ hollow ball connectors (6)	8173	Wheels, Method 105 1.9" (black chrome, beadlock) (beadlock rings sold separately)
8278 8247	Rod ends, offset (4) Servo horn, steering	8173A	Wheels, Method 105 1.9" (charcoal gray, beadlock) (beadlock
8247X	Servo horn, steering, metal/ 3x14 BCS (1)	011071	rings sold separately)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof	8171	Wheels, Method 105 2.2" (black chrome, beadlock) (beadlock
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof		rings sold separately) (for use with TRX-4 Long Arm Lift Kit)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,	8171A	Wheels, Method 105 2.2" (charcoal gray, beadlock) (beadlock
0040	captured (4)	8268	rings sold separately) (for use with TRX-4 Long Arm Lift Kit) Wheels, Tactical 1.9 (2)
8246 8243	Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel)	8271	Wheels, TRX-4® 1.9 (2)
8244	Suspension link, front, 5x100mm (lower) (steel) (2) Suspension link, front, 5x63mm (upper) (steel) (2)	8271X	Wheels, TRX-4® 1.9 (satin beadlock) (2)
8248	Suspension link, rear, 5x109mm (upper or lower) (steel) (2)		Transmission Components
8245	Suspension link, rear, 5x121mm (upper or lower) (steel) (2)	8283	Cable, T-lock (front)
	Suspension Linkage	8284	Cable, T-lock (rear)
8274	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)	8289	Drive hub, 2-speed/ shift dog/ shift fork/ 2-speed linkage
5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer	8293X	Gear set, transmission, metal (includes 18T, 30T input gears, 36T
	adjustment shims; 3.5mm (2), 1.17mm (2)	2024	output gear, 2x10.3 pins (5))
8275	Rod end set, complete (standard (10), angled 10-degrees (8), offset	8291	Gearbox housing (includes main housing, front housing, & cover)
0070	(4))	8285 5041	Gears, transfer case (3) Grease, premium high performance (20cc)
8276 8277	Rod ends (10) Rod ends, angled 10-degrees (8)	8292	Input shaft/ output shaft (transmission)
2742	Rod ends, long (6)/ hollow ball connectors (6)	8290X	Motor mount plate, TRX-4®, 6061-T6 aluminum (blue-anodized)
8278	Rod ends, offset (4)	8290A	Motor mount plate, TRX-4®, 6061-T6 aluminum (charcoal gray-
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,		anodized)
	captured (4)	8290G	Motor mount plate, TRX-4®, 6061-T6 aluminum (green-anodized)
8243	Suspension link, front, 5x100mm (lower) (steel) (2)	8290R 8295	Motor mount plate, TRX-4®, 6061-T6 aluminum (red-anodized) Output drive, transmission or differential (pin retainer (1)/ drive cup
8244 8248	Suspension link, front, 5x63mm (upper) (steel) (2)	0233	(1)/ drive ball (1)/ drive pin (1)/ 3x11 screw pin (1)/ cross pin (black)
8245	Suspension link, rear, 5x109mm (upper or lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2)		(1) 3x6 BCS with threadlock (1))
0240		8294	Output gear, high range, 24T (metal)
0.544	Team Traxxas Items	8286	Output shafts (transfer case), front & rear
2514 6160X	Decal sheet, racing sponsors DVD, Maxx® Power! Full Throttle Action (sleeve)	8290 8249	Plate, motor/ upper spur gear cover Slipper eliminator plate
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)	8296	Transmission gears, single speed, metal
9909	Traxxas® racing banner, red & black (3x7 feet)	0200	Traxxas Tools
	Tires & Wheels	3433X	Body reamer (aluminum handle)
8169T	Beadlock rings, black (1.9") (aluminum) (4)/ 2x10 CS (48)	3433A 3433	Body reamer (plastic handle)
8168T	Beadlock rings, black (2.2") (aluminum) (4)/ 2x10 CS (48)	3436	Cap, body reamer
8169X			
8168X	Beadlock rings, blue (1.9") (aluminum) (4)/ 2x10 CS (48)	3432	Scissors, curved tip
	Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48)	3431	Scissors, straight tip
8169G	Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (48)		Scissors, straight tip Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm,
8169G 8168G	Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48)	3431	Scissors, straight tip Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut
8169G 8168G 8169A	Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (1.9") (aluminum) (4)/ 2x10 CS (48)	3431	Scissors, straight tip Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm,
8169G 8168G	Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48)	3431	Scissors, straight tip Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips,
8169G 8168G 8169A 8168A 8169R 8168R	Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (2.2") (aluminum) (4)/ 2x10 CS (48)	3431	Scissors, straight tip Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/
8169G 8168G 8169A 8168A 8169R 8168R 8169	Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48)	3431	Scissors, straight tip Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/
8169G 8168G 8169A 8168A 8169R 8168R 8169 8168	Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48)	3431	Scissors, straight tip Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/
8169G 8168G 8169A 8168A 8169R 8168R 8169	Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A	3431	Scissors, straight tip Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/
8169G 8168G 8169A 8168A 8169R 8168R 8169 8168	Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Tires and wheel (chrome) (4)/ decal sheet (requires #8255A extended stub axle) Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 1.9" tires, foam inserts) (1 left, 1	3431	Scissors, straight tip Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/
8169G 8168G 8169A 8168A 8169R 8168R 8169 8168 8176	Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A extended stub axle) Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 1.9" tires, foam inserts) (1 left, 1 right)	3431	Scissors, straight tip Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle
8169G 8168G 8169A 8168A 8169R 8169R 8169 8169	Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A extended stub axle) Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 1.9" tires, foam inserts) (1 left, 1 right) Tires and wheels, assembled (Method 105 black chrome	3431	Scissors, straight tip Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle If you have questions or need technical assistance, call Traxxas at: 1-888-TRAXXAS
8169G 8168G 8169A 8168A 8169R 8168R 8169 8168 8176	Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A extended stub axle) Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 1.9" tires, foam inserts) (1 left, 1 right)	3431	Scissors, straight tip Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle If you have questions or need technical assistance, call Traxxas at: 1-888-TRAXXAS (1-888-872-9927) (U.S. residents only)
8169G 8168G 8169A 8168A 8169R 8168R 8169 8168 8176	Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") claminum (4)/ 2x10 CS (48) Beadlock rings, red (1.9") claminum (4)/ 2x10 CS (48) Beadlock rings, red (1.9") claminum (4)/ 2x10 CS (48) Beadlock rings, red (1.9") claminum (4)/ 2x10 CS (48) Beadlock rings, red (1.9") claminum (4)/ 2x10 CS (48) Beadlock rings, red (1.9") claminum (4)/ 2x10 CS (48) Beadlock rings, red (1.9") claminum (4)/ 2x10 CS (48) Beadlock rings, red (1.9") claminum (4)/ 2x10 CS (48) Beadlock rings, red (1.9") claminum (4)/ 2x10 CS (48) Beadlock rings, red (1.9") claminum (4)/ 2x10 CS (48) Beadlock rings, red (1.9") claminum (4)/ 2x10 CS (48) Beadlock rings, red (1.9") claminum (4)/ 2x10 CS (48) Beadlock rings, red (1.9") claminum (4)/ 2x10 CS (48) Beadlock rings, red (1.9") claminum (4)/ 2x10 CS (48) Beadlock rings, red (1.9") clam	3431	Scissors, straight tip Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle If you have questions or need technical assistance, call Traxxas at: 1-888-TRAXXAS (1-888-872-9927) (U.S. residents only) For orders, calls outside the U.S., and other information, call 972-549-3000,
8169G 8168G 8169A 8168A 8169R 8169R 8169 8168 8176	Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A extended stub axle) Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 1.9" tires, foam inserts) (1 left, 1 right) Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 2.2" tires, foam inserts) (1 left, 1 right) (for use with TRX-4 Long Arm Lift Kit) Tires and wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 1.9 tires) (2)/ center caps (2)/ decal sheet (requires	3431	Scissors, straight tip Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle If you have questions or need technical assistance, call Traxxas at: 1-888-TRAXXAS (1-888-872-9927) (U.S. residents only)
8169G 8168G 8169A 8168A 8168R 8169 8168 8176 8174	Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A extended stub axle) Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 1.9" tires, foam inserts) (1 left, 1 right) Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 2.2" tires, foam inserts) (1 left, 1 right) (for use with TRX-4 Long Arm Lift Kit) Tires and wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 1.9 tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended stub axle)	3431	Scissors, straight tip Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle If you have questions or need technical assistance, call Traxxas at: 1-888-TRAXXAS (1-888-872-9927) (U.S. residents only) For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com
8169G 8168G 8169A 8168A 8169R 8169R 8169 8168 8176	Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A extended stub axle) Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 1.9" tires, foam inserts) (1 left, 1 right) Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 2.2" tires, foam inserts) (1 left, 1 right) (for use with TRX-4 Long Arm Lift Kit) Tires and wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 1.9 tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended stub axle) Tires and wheels, assembled, glued (Tactical wheels, Canyon	3431	Scissors, straight tip Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle If you have questions or need technical assistance, call Traxxas at: 1-888-TRAXXAS (1-888-872-9927) (U.S. residents only) For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com
8169G 8168G 8169A 8169A 8169R 8169 8168 8176 8174 8177 8273	Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A extended stub axle) Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 1.9" tires, foam inserts) (1 left, 1 right) Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 2.2" tires, foam inserts) (1 left, 1 right) (for use with TRX-4 Long Arm Lift Kit) Tires and wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 1.9 tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended stub axle) Tires and wheels, assembled, glued (Tactical wheels, Canyon Trail 1.9 tires) (2) Tires and wheels, assembled, glued (TRX-4® satin beadlock wheels, Canyon Trail 1.9 tires) (2)	3431	Scissors, straight tip Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle If you have questions or need technical assistance, call Traxxas at: 1-888-TRAXXAS (1-888-872-9927) (U.S. residents only) For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com
8169G 8168G 8169A 8168A 8169R 8169 8169 8168 8176 8177 8177	Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Bea	3431	Scissors, straight tip Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle If you have questions or need technical assistance, call Traxxas at: 1-888-TRAXXAS (1-888-872-9927) (U.S. residents only) For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com
8169G 8168G 8169A 8169A 8169R 8169 8168 8176 8174 8177 8273	Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 1.9 tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended stub axle) Tires and wheels, assembled, glued (Tactical wheels, Canyon Trail 1.9 tires) (2) Tires and wheels, assembled, glued (TRX-4® satin beadlock wheels, Canyon Trail 1.9 tires) (2) (for use with TRX-4 Long Arm Lift Kit) Tires and wheels, assembled, glued (TRX-4 Sport wheels, Canyon Trail 1.5 tires) (2) (for use with TRX-4 Long Arm Lift Kit) Tires and wheels, assembled, glued (TRX-4® wheels, Canyon Trail	3431	Scissors, straight tip Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle If you have questions or need technical assistance, call Traxxas at: 1-888-TRAXXAS (1-888-872-9927) (U.S. residents only) For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com
8169G 8168G 8169A 8169A 8169R 8168R 8169 8168 8176 8174 8177 8273 8272X 8181 8272	Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") cells Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 1.9 tires) (2) Tires and wheels, assembled, glued (TRX-4® xheels, Canyon Trail 1.9 tires) (2) Tires and wheels, assembled, glued (TRX-4® wheels, Canyon Trail 1.9 tires) (2)	3431	Scissors, straight tip Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle If you have questions or need technical assistance, call Traxxas at: 1-888-TRAXXAS (1-888-872-9927) (U.S. residents only) For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com
8169G 8168G 8169A 8169A 8169R 8169 8168 8176 8174 8177 8273 8272X 8181 8272 8270	Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock wings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock wings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (2) (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (48) Beadl	3431	Scissors, straight tip Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle If you have questions or need technical assistance, call Traxxas at: 1-888-TRAXXAS (1-888-872-9927) (U.S. residents only) For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com
8169G 8168G 8169A 8169A 8169R 8168R 8169 8168 8176 8174 8177 8273 8272X 8181 8272	Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") cells Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 1.9 tires) (2) Tires and wheels, assembled, glued (TRX-4® xheels, Canyon Trail 1.9 tires) (2) Tires and wheels, assembled, glued (TRX-4® wheels, Canyon Trail 1.9 tires) (2)	3431	Scissors, straight tip Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle If you have questions or need technical assistance, call Traxxas at: 1-888-TRAXXAS (1-888-872-9927) (U.S. residents only) For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel) (fits TRX-4®) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/

Wheel hubs, 12mm hex, 6061-16 aluminum (charcoal grayanodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/

8269 **8269X**

8269A 8269G

screw pin (4)

REV. 190417 1049