

TRX-4 Sport Unassembled Kit (Model 82010-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Axle Components		Body (1979 Chevrolet Blazer)
8241	Axle housing, front	8130	Body, Chevrolet Blazer (1979) (clear, requires painting)/ decals/
8242	Axle housing, rear		window masks
8227	Axle mount set (complete) (front & rear) (for suspension links)	8130G	Body, Chevrolet Blazer (1979) (orange) (requires grille, side
8228 8229	Axle shaft, front (left)/ drive pin/ cross pin Axle shaft, front (right)/ drive pin/ cross pin	8130A	mirrors, door handles, windshield wipers, decals) Body, Chevrolet Blazer (1979) (red) (requires grille, side mirrors,
8060	Axle shaft, front, heavy duty (left & right) (requires #8064 front	0.0074	door handles, windshield wipers, decals)
0000	portal drive input gear)	8131	Decal sheet, Chevrolet Blazer (1979)
8062	Axle shaft, front, heavy duty (left & right)/ portal drive input gear	8132	Door handles, left, right & rear tailgate/ windshield wipers, left &
	(machined) (2) (assembled)		right/ retainers (2)/ 1.6x5 BCS (self-tapping) (7) (fits #8130 body)
8230	Axle shaft, rear (left)	8134	Grille, Chevrolet Blazer (1979)/ grille retainers (4)/ headlight
8231	Axle shaft, rear (right)		housing (2)/ lens (2)/ 2.6x8 BCS (4)/ 2.5x6 BCS (2) (fits #8130 body)
8061	Axle shaft, rear, heavy duty (left & right)/ portal drive input gear, rear (machined)	8133	Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (fits
8063	Axle, rear, heavy duty (left & right) (requires #8065 rear portal		#8130 body)
	drive input gear)	8135	Tail lights, left & right (assembled)/ tail light retainers, left &
8233	Cross pin (2)/ drive pin (2) (to rebuild front axle shafts)		right/ side marker lights (assembled) (2)/ side marker retainers
8256	Portal drive axle mount, rear (left & right)		(2)/ mounting tape (2)/ 1.6x5 BCS (self-tapping) (4)/ 2.6x8 BCS (2 (fits #8130 body)
8256X	Portal drive axle mount, rear, 6061-T6 aluminum (blue-anodized)		
ODECA	(left and right)/ 2.5x16 CS (4)		Body (1979 Ford Bronco)
8256A	Portal drive axle mount, rear, 6061-T6 aluminum (charcoal gray- anodized) (left and right)/ 2.5x16 CS (4)	8010	Body, Ford Bronco (clear, requires painting)/ decals/ window
8256G	Portal drive axle mount, rear, 6061-T6 aluminum (green-	8010X	masks/ tailgate panel insert/ adhesive foam tape (2)
02000	anodized) (left and right)/ 2.5x16 CS (4)	00107	Body, Ford Bronco, complete (black) (includes front and rear bumpers, push bar, rear body mount, grille, side mirrors, door
8256R	Portal drive axle mount, rear, 6061-T6 aluminum (red-anodized)		handles, windshield wipers, spare tire mount, red and sunset
	(left and right)/ 2.5x16 CS (4)		decals) (requires #8072 inner fenders)
8252	Portal drive housing, inner, front (left & right)/ 2.5x4 BCS (6)	8078R	Decal sheet, Bronco, red
8253	Portal drive housing, inner, rear (left or right) (2)	8078	Decal sheet, Bronco, sunset
8251	Portal drive housing, outer (front or rear) (2)	8075	Door handles, left & right/ windshield wipers, left & right/
8064	Portal drive input gear, front (machined) (left or right) (requires #8060 front axle shaft)	9070	retainers (3)/ 1.6x5 BCS (self-tapping) (4) (fits #8010 body)
8257	Portal drive input gear, front/ drive pin/ cross pin	8070	Grille, Ford Bronco/ grille retainers (6)/ headlight housing (2)/ lens (2)/ 2.6x8 BCS (6)/ 2.5x6 BCS (2) (fits #8010 body)
8259	Portal drive input gear, rear	8073	Mirrors, side, black (left & right)/ retainers (2)/ body clips (4) (fits
8065	Portal drive input gear, rear (machined) (left or right) (requires		#8010 body)
	#8063 rear axle)	8073X	Mirrors, side, chrome (left & right)/ retainers (2)/ body clips (4)
8258	Portal drive output gear, front or rear		(fits #8010 body)
8252X	Portal housings, inner (front), 6061-T6 aluminum (blue-anodized)	8076	Side trim, left & right (chrome)/ retainers/ LED lens/ 2.6x8 BCS
8252A	(2)/ 3x12 BCS (2) Portal housings, inner (front), 6061-T6 aluminum (charcoal gray-	8074	(24) (fits #8010 body) Spare tire mount/ mounting bracket/ spare tire cover/ mounting
OZJZA	anodized) (2)/ 3x12 BCS (2)	0074	hardware
8252G	Portal housings, inner (front), 6061-T6 aluminum (green-	8077	Tailgate panel insert (clear, requires painting)/ adhesive foam
	anodized) (2)/ 3x12 BCS (2)		tape (2) (fits #8010 body)
8252R	Portal housings, inner (front), 6061-T6 aluminum (red-anodized)	8071	Tailgate panel/ tail light lens (2) (left & right) (fits #8010 body)
	(2)/ 3x12 BCS (2)		Body (Land Rover Defender)
8253X	Portal housings, inner (rear), 6061-T6 aluminum (blue-anodized)	8011	Body, Land Rover® Defender® (clear, trimmed, requires
8253A	(2)/ 2.5x10 CS (2) Portal housings, inner (rear), 6061-T6 aluminum (charcoal gray-		painting)/ window masks/ decal sheet
02007	anodized) (2)/ 2.5x10 CS (2)	8011A	Body, Land Rover® Defender®, adventure orange (complete with
8253G	Portal housings, inner (rear), 6061-T6 aluminum (green-		ExoCage, inner fenders, fuel canisters, and jack)
	anodized) (2)/ 2.5x10 CS (2)	8011X	Body, Land Rover® Defender®, graphite silver (painted)/ decals
8253R	Portal housings, inner (rear), 6061-T6 aluminum (red-anodized)	8011G	Body, Land Rover® Defender®, green (complete with ExoCage, inner fenders, fuel canisters, and jack)
02E4V	(2)/ 2.5x10 CS (2)	8011R	Body, Land Rover® Defender®, red (painted)/ decals
8251X	Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (12)	8012	Decals, Land Rover® Defender®
8251A	Portal housings, outer, 6061-T6 aluminum (charcoal gray-	8016	ExoCage (complete with assembly hardware; #8015 roof basket
	anodized) (2)/ 2.5x10 CS (12)		sold separately) (fits #8011 body)
8251G	Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/	8019	Fender brace, inner, front & rear
	2.5x10 CS (12)	8017	Fender flares, front & rear (2 each) (fits #8011 or #8211 body)
8251R	Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/	8018	Fenders, inner, front & rear (2 each)/ rock light covers (8)
8255	2.5x10 CS (12) Stub axle (portal drive) (2)	8013	Grille, Land Rover® Defender®/ grille mount (3)/ headlight housing (2)/ lens (2)/ headlight mount (2) (fits #8011 body)
8255A	Stub axle (portal drive) (2) Stub axle, extended (portal drive) (2)	8020	Mirrors, side (left & right)/ snorkel/ mounting hardware (fits
8267	Weight, portal housing, brass (34 grams) (2)/ 2.5x8 CS (6)		#8011 body)
	(requires #8251X, 8251R, 8251A, or 8251G outer portal housing)	8015	Roof basket (requires #8016 ExoCage) (fits #8011 body)
	Bearings & Bushings	8021	Spare tire mount/ mounting bracket/ screw pins (2)
5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)	8014	Tail light housing (2)/ lens (2)/ decals (left & right) (fits #8011
5119A 5120A	Ball bearings, black rubber sealed (10x15x4mm) (2)		body)
5104A	Ball bearings, black rubber sealed (4x10x4mm) (2)		Body (Tactical Unit)
5115A	Ball bearings, black rubber sealed (5x10x4mm) (2)	8215	Body mounts & posts, front & rear (complete set)
	Ball bearings, black rubber sealed (5x11x4mm) (2)	8211	Body, Tactical Unit (clear, requires painting)/ decals
5116A	Ball bearings, black rubber sealed (5x8x2.5mm) (2)	8211X	Body, Tactical Unit, night camo (painted)/ decals
5114A		8019	Fender brace, inner, front & rear
5114A 5117A	Ball bearings, black rubber sealed (6x12x4mm) (2)		
5114A 5117A 5180A	Ball bearings, black rubber sealed (6x13x5mm) (2)	8017	Fender flares, front & rear (2 each) (fits #8011 or #8211 body)
5114A 5117A	• , , , ,	8017 8018	Fender flares, front & rear (2 each) (fits #8011 or #8211 body) Fenders, inner, front & rear (2 each)/ rock light covers (8)
5114A 5117A 5180A	Ball bearings, black rubber sealed (6x13x5mm) (2)	8017	Fender flares, front & rear (2 each) (fits #8011 or #8211 body)

3112	Borly (TRX-4 Sport) Body with camper, TRX-4® Sport (clear, trimmed, requires		(1)/ drive ball (1)/ drive pin (1)/ 3x11 screw pin (1)/ cross pin (black)
,112	painting)/ window masks/ decal sheet	8279	(1) 3x6 BCS with threadlock (1)) Ring gear, differential/ pinion gear, differential
3111R	Body, TRX-4® Sport (clear, trimmed, die-cut for LED light kit,	8279R	Ring gear, differential/ pinion gear, differential (machined)
	requires painting)/ window masks/ decal sheet	8287	Ring gear, differential/ pinion gear, differential (overdrive,
111	Body, TRX-4® Sport (clear, trimmed, requires painting)/ window		machined)
113	masks/ decal sheet Decal sheet, TRX-4® Sport	8288	Ring gear, differential/ pinion gear, differential (underdrive,
120X	Expedition rack, complete (includes traction boards, shovel, axe, jack,	0007	machined)
120%	fire extinguisher, fuel cans, & mounting hardware)	8297	Spool/ differential housing plug/ e-clip
120	Expedition rack/ mounting hardware		Driveline Components
116	Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6) (fits	8250	Half shafts, center (internal splined, front (2) & internal splined, rear
440	#8111 or #8112 body)	0000	(2)/ external splined (2)/ pin retainer (4)) (plastic parts only)
119	Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8111 or #8112 body)	8269	Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel) (fits TRX-4®)
122	Shovel/ axe/ accessory mount/ mounting hardware	8269X	Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ screw pin (4)
118	Spare tire mount/ mounting hardware	8269A	Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-
3117	Tailgate panel/ tailgate retainers (2)/ tailgate mount/ tail light lens (2)		anodized) (4)/ screw pin (4)
	(left & right)/ 2.5x8 BCS (4) (fits #8111 or #8112 body)	8269G	Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4
121	Traction boards/ mounting hardware	8269R	screw pin (4) Wheel hube 12mm her 6061 T6 eluminum (red enedited) (4)/
	Body Accessories	0203K	Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4)
926	Antenna caps, vinyl (2)/ antenna spool		Hardware
726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	4550	
834	Body clips (12) (standard size)	1552	Backplate screws (3x8mm cap-head machine) (6)/washers (6)/ wrench
834A	Body clips, black (12) (standard size)	1834	Body clips (12) (standard size)
9 34 934A	Body clips, heavy duty (12) Body clips, heavy duty (black) (12)	1834A	Body clips, black (12) (standard size)
3215	Body mounts & posts, front & rear (complete set)	3934	Body clips, heavy duty (12)
115	Body posts, front & rear	3934A	Body clips, heavy duty (black) (12)
915	Body washers, foam adhesive (10)	8167X	Hardware kit, stainless steel, beadlock rings (contains stainles
514	Decal sheet, racing sponsors		steel hardware for 4 wheels)
8081	Fender extensions (4)/ 3x8 flat-head screws (24) (requires #8080	8298	Hardware kit, stainless steel, TRX-4® (contains all stainless ste
	narrow inner fenders)	8151	hardware used on TRX-4) Hardware kit, stainless steel, TRX-4® High Lift Kit (contains all
080	Fenders, inner (narrow), front & rear (2 each)/ rock light covers	0131	stainless steel hardware used on TRX-4® Long Arm Lift Kit)
072	(8)/ battery plate/ 3x8 flat-head screws (4) Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery	5476X	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5mm ball
0/2	plate/ 3x8 flat-head screws (4)	3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
950	Official Team Traxxas® racing decal set (flag logo/ 6-color)	8347	Nuts, 4mm flanged nylon locking, serrated (black) (10)
	Bumpers & Skidplates	1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
		1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
3234	Bumper D-Rings, grey (front or rear)/ 2x12 CS (4)	1747P	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
3234R 3067X	Bumper D-rings, red (front or rear)/ 2.0x12 CS (4) Bumper mounts, front & rear/ bumper mount, rear (offset)	1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
3237	Bumper mounts, front & rear/ screw pins (4)	3229	Screws, 2.5x10mm cap-head machine (hex drive) (6)
3124	Bumper, front (178mm wide)/ winch/ 2.6x8 BCS (1)	2523 3236	Screws, 2.5x10mm countersunk machine (hex drive) (6) Screws, 2.5x12mm cap-head machine (6)
3235	Bumper, front/ winch	2618	Screws, 2.5x12mm cap-head machine (6)
3236	Bumper, rear	3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)
3125	Bumper, rear (176mm wide)	2617	Screws, 2.5x8mm button-head machine (hex drive) (6)
3238	Skidplate/ lower gear cover	3965	Screws, 2.5x8mm cap-head machine (6)
	Chassis & Attachments	2524	Screws, 2.5x8mm countersunk machine (hex drive) (6)
3215	Body mounts & posts, front & rear (complete set)	8299	Screws, 2.6x12mm button-head, self-tapping (hex drive) (6)
224	Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8	8167	Screws, 2x10mm cap-head, self-tapping (hex drive) (10)
	BCS (5)/ 2.5x8 CS (2)	2564	Screws, 2x8mm cap-head machine (hex drive) (6)
058	Chassis conversion kit, TRX-4® (long to short wheelbase)	2577	Screws, 3x10mm button-head machine (hex drive) (6)
	(includes rear upper & lower suspension links, front & rear inner	4859 2578	Screws, 3x10mm flat-head machine (hex drive) (4) Screws, 3x12mm button-head machine (hex drive) (6)
057	fenders, short female half shaft, battery tray, 3x8mm FCS (4))	2576 2579	Screws, 3x15mm button-head machine (hex drive) (6) Screws, 3x15mm button-head machine (hex drive) (6)
057	Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear	2591	Screws, 3x23mm button-head machine (hex drive) (6)
	shock towers, long female half shaft)	2581	Screws, 3x25mm button-head machine (hex drive) (6)
220	Chassis rails, 448mm (steel) (left & right)	2616	Screws, 3x27mm button-head machine (hex drive) (6)
218	Floor pans, left & right	2582	Screws, 3x30mm button-head machine (hex drive) (6)
219	Rock sliders, left & right	2575	Screws, 3x6mm button-head machine (hex drive) (6)
225	Seal kit, receiver box (includes o-ring, seals, and silicone	3932	Screws, 3x6mm flat-head machine (hex drive) (6)
240	grease)	2576	Screws, 3x8mm button-head machine (hex drive) (6)
240	Servo mount, 2-speed/ servo mount, T-Lock/ wire clips	3931	Screws, 3x8mm flat-head machine (hex drive) (6)
239 216	Servo mount, steering/ chassis crossmember Shock towers, front & rear (left & right)	3933	Screws, 4x16mm button-head machine (hex drive) (6)
118	Spare tire mount/ mounting hardware		LED Light Accessories
	Tray, battery	8031	3-in-1 wire harness, LED light kit, TRX-4®
		8089	4-in-2 wire harness, LED light kit, TRX-4®
			LED lights, power supply (regulated, 3V, 0.5-amp), TRX-4®/ 3-ir
226	Differential Components	8028	
226 2 281	Differential Components Carrier, differential/ differential slider/ T-Lock fork		wire harness
226 281 280X	Differential Components Carrier, differential/ differential slider/ T-Lock fork Differential cover, front or rear (chrome-plated)	8028 8026	wire harness LED rock light kit, TRX-4® (requires #8028 power supply and
226 281 280X 280	Carrier, differential/differential slider/T-Lock fork Differential cover, front or rear (chrome-plated) Differential cover, front or rear (grey)		wire harness LED rock light kit, TRX-4® (requires #8028 power supply and #8018, #8072, or #8080 inner fenders)
3226 3281 3280X 3280 3280R	Differential Communities Carrier, differential/ differential slider/ T-Lock fork Differential cover, front or rear (chrome-plated) Differential cover, front or rear (grey) Differential cover, front or rear (red)	8026	wire harness LED rock light kit, TRX-4® (requires #8028 power supply and #8018, #8072, or #8080 inner fenders) LED Lights (1979 Chevrolet Blazer)
3281 3280X 3280 3280R	Differential Commonwealth Control Cont		wire harness LED rock light kit, TRX-4® (requires #8028 power supply and #8018, #8072, or #8080 inner fenders) LED Lights (1979 Chevrolet Blazer) LED light set (contains headlights, tail lights, side marker light
3226 3281 3280X 3280 3280R 3280R 3195	Differential Communities Carrier, differential/ differential slider/ T-Lock fork Differential cover, front or rear (chrome-plated) Differential cover, front or rear (grey) Differential cover, front or rear (red)	8026	wire harness LED rock light kit, TRX-4® (requires #8028 power supply and #8018, #8072, or #8080 inner fenders) LED Lights (1979 Chevrolet Blazer)

Page 3	TRX-4 S	port Unasse	mbled Kit	(Model	82010-4	Parts List
--------	---------	-------------	-----------	--------	---------	------------

setion places of the property of the set of the set of the property of the set	Page 3	1 KX-4 Sport Unassembled Kit (Model 82010-4) Pai	ts List	
LED light set (compile with power supply (contains headilights, all sights, and marker lights, and supply (contains headilights, lat lights, and power content lights, and lig		LED Lights (1979 Ford Bronco)	8143	
Suspension links, rend lower, red (2) (6x164mm, prowder coated by body). As distriction block (in the 9810 body). As distriction block (in the 9810 body). As distriction block (in the 9810 body). As a suspension links, rend lower, red (2) (6x164mm, prowder coated tool) (1884 RT RX-46 body). As a suspension links, rend lower, red (2) (6x164mm, prowder coated tool) (1884 RT RX-46 body). As a suspension links, red lower, the (2) (6x164mm, acted) (1884 RT RX-46 body). As a suspension links, red lower, the (2) (6x164mm, acted) (1884 RT RX-46 body). As a suspension links, red lower, the (2) (6x164mm, acted) (1884 RT RX-46 body). As a suspension links, red lower, the (2) (6x164mm, acted) (1884 RT RX-46 body). As a suspension links, red lower, the (2) (6x164mm, acted) (1884 RT RX-46 body). As a suspension links, red lower, the (2) (6x164mm, acted) (1884 RT RX-46 body). As a suspension links, red lower, the (2) (6x164mm, acted) (1884 RT RX-46 body). As a suspension links, red lower, the (2) (6x164mm, acted) (1884 RT RX-46 body). As a suspension links, red lower, the (2) (6x164mm, acted) (1884 RT RX-46 body). As a suspension link, red lower, the (2) (6x164mm, acted) (1884 RT RX-46 body). As a suspension links, red lower, the (2) (6x164mm, acted) (1884 RT RX-46 body). As a suspension links, red lower, the (2) (6x164mm, acted) (1884 RT RX-46 body). As a suspension links, red lower, the (2) (6x164mm, prowder coated to lower). As a suspension links, red lower, the (2) (6x164mm, prowder coated to lower). As a suspension links, red lower, the (2) (6x164mm, prowder coated to lower). As a suspension links, red lower, the (2) (6x164mm, prowder coated to lower). As a suspension link, red lower, the (2) (6x164mm, prowder coated to lower). As a suspension link, red lower, the (2) (6x164mm, prowder coated to lower). As a suspension link, red lower, the (2) (6x164mm, prowder coated to lower). As a suspension link, red lower, the (2) (6x164mm, prowder coated to lower). As a suspension link, red lower, the (2) (6x164mm, prowder coated t	8036	& distribution block) (fits #8010 body, requires #8028 power	8143X	Suspension links, front lower, blue (2) (5x104mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4®
EB lights, highlyow which (for #8035 or #8086 LED light lith) EI Lights Staff Bioty E default (for #8035 or #8086 LED light lith) 3-in-t wire harmess, LED light titt, TRX-4/26 LED light bar (Rigidight), TRX-4 (requires #8028 power supply) LED light bar (Rigidight), TRX-4 (requires #8028 power supply) LED light bar (Rigidight), TRX-4 (requires #8028 power supply) LED light bar (Rigidight), TRX-4 (requires #8028 power supply) LED light set, complete (contains rock light kit, LED light bar with the harmest (light light kt), prover supply (required harmonic light kt), the set of the s	8035	tail lights, side marker lights, & distribution block) (fits #8010	8143R	Suspension links, front lower, red (2) (5x104mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4®
Suspension links, rear lower, blue 2] kiffs film, moveder coated activity of the second control of the second	8037		8145	Suspension links, rear lower (2) (5x115mm, steel) (assembled
tell pleadighthall light lift (files #8011 body, requires #8028 power supply) 125 LED light har (Rigid®) (prover supply read the plant of the plant lift (Rigid®) (prover supply read to the plant lift (Rigid®) (prover supply regulated, 37, 0.5-ampl, TRX-48 3-in-1 wire harmes; (prover supply regulated, 37, 0.5-ampl, TRX-48 3-in-1 LED lights, power supply (regulated, 37, 0.5-ampl, TRX-48 3-in-1 LED lights, power supply regulated, 37, 0.5-ampl, TRX-48 3-in-1 LED lights, power supply regulated, 37, 0.5-ampl, TRX-48 3-in-1 LED lights, power supply regulated, 37, 0.5-ampl, TRX-48 3-in-1 LED lights, power supply regulated, 37, 0.5-ampl, TRX-48 3-in-1 LED lights, power supply regulated, 37, 0.5-ampl, TRX-48 3-in-1 LED lights, power supply regulated, 37, 0.5-ampl, TRX-48 3-in-1 LED lights, power supply regulated, 37, 0.5-ampl, TRX-48 3-in-1 LED lights, power supply regulated, 37, 0.5-ampl, TRX-48 3-in-1 LED lights, power supply regulated, 37, 0.5-ampl, TRX-48 3-in-1 LED lights, power supply regulated, 37, 0.5-ampl, TRX-48 3-in-1 LED lights, power supply regulated, 37, 0.5-ampl, TRX-48 3-in-1 LED lights, power supply regulated	0024		8145X	
Suppression links, rear power (2) (1st 1smm, power coated area (1sm) between the service of the	8027	LED headlight/tail light kit (fits #8011 body, requires #8028 power		
LED light set, complete (contains cots light tit, LED light have fillights, power supply (regulated, 3V, 0.5 amp), TRX-463-3-in-1 wire harmess. 1ED lights, power supply (regulated, 3V, 0.5 amp), TRX-463-3-in-1 killights, powe	8025 8029	LED light bar (Rigid®), TRX-4 (requires #8028 power supply)	8145R	steel) (assembled with hollow balls) (for use with #8140R TRX-4®
1202 LED lights, power supply (regulated, 39, 0.5-amp), TRX-469 John wire harmass, latt, TRX-46 (requires #8028 power aupply and #8018, 8073, or #8080 link; TRX-46 (requires #8028 power aupply) and #8018, 8073, or #8080 link; this #8111 body, requires #8028 power aupply and #8028 power aupply and #8028 power aupply like in the power and	8030	(Rigid®), LED headlight/tail light kit, power supply, & 3-in-1 wire	8142	Suspension links, rear upper (2) (5x115mm, steel) (assembled
1. ELP rock light kit, TRX-40 (requires #8028 power supply) 3899 4. In-2 wire harmess, LED light kit, TRX-40 [10] to see with #8140R TRX-46 [10] to see with #8140R TRX-46 [10] to see with #8140R TRX-46 [10] to see with TRX-46 [10	8028	LED lights, power supply (regulated, 3V, 0.5-amp), TRX-4®/ 3-in-1	8142X	steel) (assembled with hollow balls) (for use with #8140X TRX-4®
8088 ELE baptidior rack scene light kit (fits #8111 body, requires #8028 power supply) 8084 LED light bar, front bumper (fits #8112 body, requires #8028 power supply) 8085 ELE light bar, roof lights (fits #8111 body, requires #8028 power supply) 8086 LED light bar, roof bumper (fits #8124 front bumper, requires LED light bar, roof lights (fits #8111 body, requires #8028 power supply) 8086 LED light bar, roof lights (fits #8111 body, requires #8028 power supply) 8087 LED light bar, roof lights (fits #8111 body, requires #8028 power supply) 8088 LED light bar, roof lights (fits #8111 body, requires #8028 power supply) 8089 LED light set (complete with power supply) (contains headlights, tail lights, & distribution blook) (fits #8114 or #8112 body) 8089 LED light set, complete with power supply (contains headlights, tail lights, & distribution blook) (fits #8114 or #8112 body) 8080 LED light set, complete with power supply (contains headlights, tail lights, & distribution blook) (fits #8114 or #8112 body) 81812 Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140x TRX-49 Long Arm Lift Kit) 8182 Body, GTS shock, long (sliver aluminum) (1) (for use with #8140x TRX-49 Long Arm Lift Kit) 8183 Body (GTS shock, long (1) (1) (for use with R8140x TRX-49 Long Arm Lift Kit) 8184 Comparm Lift Kit, TRX-49 Long Arm Lift Kit) 8185 Driveshaft extension kit, center (includes internal splined, valong (2), internal splined, long (1) and internal extension blook (2) (for use with R8140x TRX-49 Long Arm Lift Kit) 8184 Rod and a center of the splined of the splined without splined (2) (for use with R8140x TRX-49 Long Arm Lift Kit) 8186 Shocks, GTS, aluminum (blue-anodized) (sesembled with hollow balls) (for use with R8140x TRX-49 Long Arm Lift Kit) 8186 Shocks, GTS, aluminum (blue-anodized) (sesembled with hollow balls) (for use with R8140x TRX-49 Long Arm Lift Kit) 8186 Shocks, GTS, aluminum (blue-anodized) (sesembled with hollow balls) (for use with R8140x TRX-49 Long Arm Lift Kit) 8186 Shocks, GTS, aluminum (blue-	8026	#8018, #8072, or #8080 inner fenders)	8142R	
based in the state of the state			0470	· · · · · · · · · · · · · · · · · · ·
Segregation of the setting with 1 gink kit (fits 88111 or 88112 body, requires 8928 power supply spower supply spower supply spower supply supply). Segregation of the segregation of th	8089 8086	LED expedition rack scene light kit (fits #8111 body, requires	8172	beadlock wheels, Canyon Trail 2.2" tires, foam inserts) (1 left, 1
8028 LED light bar, front bumper (fits #8124 front bumper, requires #8028 power supply) 8087 LED light star, roof lights (fits #8111 body, requires #8028 power supply) 8085 LED light star, roof lights (fits #8111 body) supply) 8086 LED light star, complete with power supply (contains headlights, tall lights, & distribution block) (fits #8111 or #8112 body) 8086 LED light star, complete with power supply (contains headlights, tall lights, & distribution block) (fits #8114 or #8112 body) 8087 LED light star, complete with power supply (contains headlights, tall lights, & distribution block) (fits #8114 body) 8088 LED light star, complete with power supply (contains headlights, tall lights, & distribution block) (fits #8114 or #8112 body) 8089 LED light star, complete with power supply (contains headlights, tall lights, & distribution block) (fits #8114 or #8112 body) 8180 LED light star, complete with power supply (contains headlights, tall lights, & distribution block) (fits #8114 or #8112 body) 8181 Sales & Body, GTS shock, long (lauminum, red-anodized) (1) (for use with #8140R TRX-49 Long Arm Lift Kit) 8182 Body, GTS shock, long (gister aluminum) (1) (for use with #8140R TRX-49 Long Arm Lift Kit) 8184 Cabic, T-lock (certa long) (for use with TRX-49 Long Arm Lift Kit) 8184 Cabic, T-lock (certa long) (for use with TRX-49 Long Arm Lift Kit) 8184 Long Arm Lift Kit, Rit, Rit, Rit, Rit, Rit, Rit, Rit, R	8084	LED headlight/tail light kit (fits #8111 or #8112 body, requires		Tires and wheels, assembled, glued (TRX-4® Sport wheels, Canyon Trail 2.2 tires) (2)
### 18028 power supply) ### 18028 power supply supple	8088	LED light bar, front bumper (fits #8124 front bumper, requires		, ,
supply) State State	9097	1 11 37	81/1	
Shock, GTs, sluminum (ed-anodized) (h) (for use with #8140 XTRX-#0. Complete (includes blue powder coated dinks, blue-anodized shocks) Antenna caps, vmyl (2) antenna spool Antenna, tube (1) vmyl antenna cap (1) wire retainer (1) and the state of the s		supply)	8171A	
Body, GTS shock, long (alumnum, blue-anodized) (1) (for use with #8140X TRX-49 Long Arm Lift Kit)	8085		8180	• • • • • • • • • • • • • • • • • • • •
8182X Body, GTS shock, long (aluminum, blue-anodized) (1) (for use with #8140X TRX-49 Long Arm Lift Kit) 8182 Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140 TRX-49 Long Arm Lift Kit) 8184 Cable, T-lock (extra long) (for use with TRX-49 Long Arm Lift Kit) 8184 Cable, T-lock (extra long) (for use with TRX-49 Long Arm Lift Kit) 8185 Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, x-long (2), internal splined, long (1) and internal splined, with gradient coated links, blue-anodized shocks) (for use with TRX-49 Long Arm Lift Kit) 81840 Long Arm Lift Kit, 1814 Cable, Long Arm Lift Kit, 1815 Cable, Long Arm Lift Ki				Motors & Electronics
8162R Body, GTs shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4@ Long Arm Lift Kit) 8162 Body, GTS shock, long (silver aluminum) (1) (for use with #8140R TRX-4@ Long Arm Lift Kit) 8163 Cable, T-lock (medium) (for use with TRX-4@ Long Arm Lift Kit) 8164 Cable, T-lock (medium) (for use with TRX-4@ Long Arm Lift Kit) 8165 Diveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) 8160 (ror se with TRX-4@ Long Arm Lift Kit) 8161 Long Arm Lift Kit, TRX-4@, complete 8164 Long Arm Lift Kit, TRX-4@, complete 8164 Long Arm Lift Kit, TRX-4@, complete (includes blue powder coated links, blue-anodized shocks) 8164 Rod ends, extended (standard (4), angled (4)) (hollow balls (8) (for use with TRX-4@ Long Arm Lift Kit) 8161 Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4@ Long Arm Lift Kit) 8161 Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140X TRX-4@ Long Arm Lift Kit) 8162 Springs, shock, long (natural finish) (GTS) (0.52 rate, blue stripe) (for use with #8140X TRX-4@ Long Arm Lift Kit) 8165 Springs, shock, long (natural finish) (GTS) (0.52 rate, blue stripe) (for use with #8140X TRX-4@ Long Arm Lift Kit) 8165 Springs, shock, long (natural finish) (GTS) (0.52 rate, blue stripe) (for use with #8140X TRX-4@ Long Arm Lift Kit) 8165 Springs, shock, long (natural finish) (GTS) (0.52 rate, blue stripe) (for use with #8140X TRX-4@ Long Arm Lift Kit) 8165 Springs, shock, long (natural finish) (GTS) (0.52 rate, blue stripe) (for use with #8140X TRX-4@ Long Arm Lift Kit) 8166 Springs, shock, long (natural finish) (GTS) (0.52 rate, blue stripe) (for use with #8140X TRX-4@ Long Arm Lift Kit) 8167 Springs, shock, long (natural finish) (GTS) (0.52 rate, blue stripe) (for use with #8140X TRX-4@ Long Arm Lift Kit) 8168 Springs, shock, long (natural finish) (GTS) (0.52 rate, blue stripe) (for use with #8140X TRX-4@ Long Arm Lift Kit) 8169 Springs, shock, long (natural finish) (GTS) (0.	8162X	<u> </u>		
with #8140R TRX-4® Long Arm Lift Kit) 8162 Body, GTS shock, long (sellver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) 8172 Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) 8184 Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) 8185 Driveshaft extension kit, cemter (includes internal splined, x-long (2), internal splined, long (1) and internal splined, x-long (2), internal splined, medium (1)) 8180 Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) 81810 Driveshaft extension kit, cemter (includes linternal splined, x-long (2), internal splined, medium (1)) 81810 Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) 81810 Long Arm Lift Kit, TRX-4®, complete (includes blue powder coated links, but-anodized shock) 81810 Long Arm Lift Kit, TRX-4®, complete (includes red powder coated links, etc.) 81811 Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) 8181 Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) 8181 Shock, Str3, slure aluminum (elu-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) 8181 Springs, shock, long (natural finish) (GTS) (0-47 rate) (for use with TRX-4® Long Arm Lift Kit) 8181 Springs, shock, long (natural finish) (GTS) (0-47 rate) (for use with TRX-4® Long Arm Lift Kit) 8181 Springs, shock, long (natural finish) (GTS) (0-47 rate) (for use with TRX-4® Long Arm Lift Kit) 8181 Springs, shock, long (natural finish) (GTS) (0-47 rate) (for use with TRX-4® Long Arm Lift Kit) 8181 Springs, shock, long (natural finish) (GTS) (0-47 rate) (for use with TRX-4® Long Arm Lift Kit) 8181 Springs, shock, long (natural finish) (GTS) (0-47 rate) (for use with TRX-4® Long Arm Lift Kit) 8181 Springs, shock, long (natural finish) (GTS) (0-47 rate) (for use with TRX-4® Long Arm Lift Kit) 8181 Springs, shock, long (natural finish) (GTS) (0-47 rate) (for use with TRX-4® Long Arm Lift Kit) 8181 Springs, shock, long (natural finish) (GTS) (0-47 rate) (for use with TRX-4® Long Arm Lift Kit) 8182 Spri				
Sedy, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) 2072X 2072X 2075 servos) 18148 Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) 2072X 2072X 2075 servos) 18150 Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) 2072X 2072X 2075 servos) 18160 Long Arm Lift Kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) 18140 Long Arm Lift Kit, TRX-4®, complete (includes blue powder coated links, ptd-anodized shocks) 18140 Long Arm Lift Kit, TRX-4®, complete (includes blue powder coated links, ptd-anodized shocks) 18140 Rong Arm Lift Kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) 18141 Servo mount, stering (for use with TRX-4® Long Arm Lift Kit) (10 year) (for use with TRX-4® Long Arm Lift Kit) (11 year) (for use with TRX-4® Long Arm Lift Kit) (11 year) (for use with TRX-4® Long Arm Lift Kit) (11 year) (for use with #8140X TRX-4® Long Arm Lift Kit) (11 year) (for use with #8140X TRX-4® Long Arm Lift Kit) (11 year) (for use with #8140X TRX-4® Long Arm Lift Kit) (11 year) (for use with #8140X TRX-4® Long Arm Lift Kit) (11 year) (for use with #8140X TRX-4® Long Arm Lift Kit) (11 year) (for use with #8140X TRX-4® Long Arm Lift Kit) (11 year) (for use with #8140X TRX-4® Long Arm Lift Kit) (11 year) (for use with #8140X TRX-4® Long Arm Lift Kit) (11 year) (for use with #8140X TRX-4® Long Arm Lift Kit) (11 year) (for use with #8140X TRX-4® Long Arm Lift Kit) (11 year) (for use with #8140X TRX-4® Long Arm Lift Kit) (11 year) (for use with #8140X TRX-4® Long Arm Lift Kit) (11 year) (for use with #8140X TRX-4® Long Arm Lift Kit) (11 year) (for use with #8140X TRX-4® Long Arm Lift Kit) (11 year) (for use with #8140X TRX-4® Long Arm Lift Kit) (11 year) (for use with #8140X TRX-4® Long Arm Lift Kit) (11 year) (for use with #8140X TRX-4® Long Arm Lift Kit) (11 year) (for use with #8140X TRX-4® Long	8162R			
Cable, T-lock (extra long) (for use with TRX-4© Long Arm Lift Kit) 2525 Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (6) (ruse with TRX-4© Long Arm Lift Kit) 2590A 28140 Long Arm Lift Kit, TRX-4©, complete (includes blue powder coated links, blue-anodized shocks) 2590A 26140 2754 28140 Long Arm Lift Kit, TRX-4©, complete (includes blue powder coated links, ptue-anodized shocks) 2754 2754 2754 2754 2755 2755 2756 2757	8162		2064X	· · · · · · · · · · · · · · · · · · ·
2018. TJock (medium) (for use with TRX-4® Long Arm Lift Kit) 2019. Goals of the control splined, long (1) and internal splined, whether a splined, splined (1) (for use with TRX-4® Long Arm Lift Kit) 2019. Long Arm Lift Kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) 2019. Rod ends, extended (standard (4), angled (4)/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) 2019. Rod ends, extended (standard (4), angled (4)/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) 2019. Servo case/gaskets (for 2065 waterproof sub-micro servo) servo case/gaskets (for 2065 waterproof s				
Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) 8140 Long Arm Lift Kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) 8140R Long Arm Lift Kit, TRX-4®, complete (includes red powder coated links, blue-anodized shocks) 8140R Long Arm Lift Kit, TRX-4®, complete (includes red powder coated links, blue-anodized shocks) 8140R Long Arm Lift Kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) 8141 Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) 8141 Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) 8160X Shocks AGTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) 8160S Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) 8155 Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit) 8165 Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit) 8166 Shocks, GTS, sluminum (blue-anodized) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) 8175 Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit) 8186 Springs, shock, long (natural finish) (GTS) (0.52 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit) 8186 Springs, shock, long (natural finish) (GTS) (0.52 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit) 8187 Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with #8140X TRX-4® Long Arm Lift Kit) 8186 Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with #8140X TRX-4® Long Arm Lift Kit) 8187 Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with #8140X TRX-4® Long Arm Lift Kit) 8188 Springs, shock, lo				
(2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4©, complete) (Long Arm Lift Kit, TRX-4©, complete) (Long Arm Lift Kit, TRX-4©, complete (includes blue powder coated links, blue-anodized blocks) (Store use with TRX-4©, complete (includes blue powder coated links, red-anodized shocks) (For use with TRX-4©, complete (includes red powder coated links, red-anodized shocks) (For use with TRX-4©, complete (includes red powder coated links, red-anodized shocks) (For use with TRX-4©, complete (includes red powder coated links, red-anodized (standard (4), angled (4)) hollow balls (8) (for use with TRX-4© Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4© Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4© Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140X TRX-4© Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4© Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with #8140X TRX-4© Long Arm Lift Kit) Steering link, 5x117mm (1) draglink, 5x60mm (1) panhard link, 5x63mm (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4© Long Arm Lift Kit) Steering link, 5x117mm (1) draglink, 5x60mm (1) panhard link, 5x63mm (red powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4© Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (red powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4© Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140X TRX-4© Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (red powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4© Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (red powder coated steel) (assembled with hol	8150	. , , , , , , , , , , , , , , , , , , ,		
Long Arm Lift Kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) 8140R Long Arm Lift Kit, TRX-4®, complete (includes red powder coated links, blue-anodized shocks) 8149 Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) 8161 Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) 8160 Shocks, GTS, aluminum (assembled without springs) (4) (for use with #8140x TRX-4® Long Arm Lift Kit) 8160 Shock, GTS, aluminum (assembled without springs) (4) (for use with #8140x TRX-4® Long Arm Lift Kit) 8160 Shock, GTS, silver aluminum (assembled without springs) (4) (for use with #8140x TRX-4® Long Arm Lift Kit) 8160 Springs, shock, long (natural finish) (GTS) (0.54 rate) (for use with TRX-4® Long Arm Lift Kit) 8161 Springs, shock, long (natural finish) (GTS) (0.54 rate) (for use with #8140x TRX-4® Long Arm Lift Kit) 8162 Springs, shock, long (natural finish) (GTS) (0.54 rate) (for use with TRX-4® Long Arm Lift Kit) 8163 Springs, shock, long (natural finish) (GTS) (0.54 rate) (for use with TRX-4® Long Arm Lift Kit) 8164 Steering link, 5x117mm (1) draglink, 5x60mm (1) panhard link, 5x63mm (blue powder coated steel) (assembled with hollow balls) (for use with #8140x TRX-4® Long Arm Lift Kit) 8144X Suspension link, front upper, 5x68mm (1) (red-anodized) (assembled with hollow balls) (for use with #8140x TRX-4® Long Arm Lift Kit) 8144X Suspension link, front upper, 5x68mm (1) (red-anodized) (assembled with hollow balls) (for use with #8140x TRX-4® Long Arm Lift Kit) 8144X Suspension link, front upper, 5x68mm (1) (red-anodized) (assembled with hollow balls) (for use with #8140x TRX-4® Long Arm Lift Kit) 8144X Suspension link, front upper, 5x68mm (1) (red-anodized) (assembled with hollow balls) (for use with #8140x TRX-4® Long Arm Lift Kit) 8144X Suspension link, front upper, 5x68mm (1) (red-anodized) (assembled with hollow balls) (for use with #8140x TRX-4® Long Arm Lift Kit) 8144X Suspension link,		(2), internal splined, long (1) and internal splined, medium (1))	8290A	
coated links, blue-anodized shocks) 1440 Long Arm Lift Kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) 1549 Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) 1541 Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) 1541 Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) 1541 Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #1404X TRX-4® Long Arm Lift Kit) 1541 Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #14140X TRX-4® Long Arm Lift Kit) 1541 Springs, shock, long (natural finish) (GTS) (0.54 rate, green with TRX-4® Long Arm Lift Kit) 1542 Steering link, 5x117mm (1)/ draglink, 5x60mm (1)/ panhard link, 5x63mm (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) 1544 Steering link, 5x117mm (1)/ draglink, 5x60mm (1)/ panhard link, 5x63mm (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) 1544 Steering link, 5x117mm (1)/ draglink, 5x60mm (1)/ panhard link, 5x63mm (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) 1544 Steering link, 5x117mm (1)/ draglink, 5x60mm (1)/ panhard link, 5x63mm (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) 1544 Steering link, 5x117mm (1)/ draglink, 5x60mm (1)/ panhard link, 5x63mm (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) 1544 Steering link, 5x117mm (1)/ draglink, 5x60mm (1)/ panhard link, 5x63mm (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) 1544 Steering link, 5x117mm (1)/ draglink, 5x60mm (1)/ panhard link, 5x63mm (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) 1544 Steering link, 5x1	8140	<u> </u>		Motor mount plate, TRX-4®, 6061-T6 aluminum (green-anodized)
Long Arm Lift Kit, TRX-4@. complete (includes red powder coated links, red-anodized shocks) Rod ends, extended (standard (4), angled (4)) / hollow balls (8) (for use with TRX-4@ Long Arm Lift Kit) Rock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4@ Long Arm Lift Kit) Rocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4@ Long Arm Lift Kit) Rocks, GTS, aluminum (assembled without springs) (4) (for use with #8140 TRX-4@ Long Arm Lift Kit) Rocks, GTS, siluminum (assembled without springs) (4) (for use with #8140 TRX-4@ Long Arm Lift Kit) Rocks, GTS, siluminum (assembled without springs) (4) (for use with #8140 TRX-4@ Long Arm Lift Kit) Rocks, GTS, siluminum (assembled without springs) (4) (for use with #8140 TRX-4@ Long Arm Lift Kit) Rocks, GTS, siluminum (assembled without springs) (4) (for use with #8140 TRX-4@ Long Arm Lift Kit) Rocks, GTS, siluminum (assembled without springs) (4) (for use with #8140 TRX-4@ Long Arm Lift Kit) Rocks, GTS, siluminum (blue-anodized) (imiddle) (for 2250 servo) Servo case, aluminum (plue-anodized) (middle) (for 2250 servo) Servo case, aluminum (plue-anodized) (middle) (for 2250 servo) Servo case, plastic (top, middle, bottom) gaskets/ hardware (for 250 servo) Servo case, aluminum (red-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 250 servo) Servo case, aluminum (red-anodized) (middle) (for 2250 servo) Servo case, aluminum (plue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (servo) (for use with #8140 TRX-4@ Long Arm Lift Kit) Servo (mith Tax-4@ Long Arm Lift Kit) Springs,	8140X			
Rod ends, extended (standard (4), angled (4)/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (cal-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.52 rate, blue stripe) (for use with #8140X TRX-4® Long Arm Lift Kit) Steering link, 5x117mm (1)/ draglink, 5x60mm (1) panhard link, 5x63mm (red powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (red powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (red powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (red powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (red powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (red powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (red powder coated	8140R	Long Arm Lift Kit, TRX-4®, complete (includes red powder	8290	
(for use with TRX-4® Long Arm Lift Kit) 81411 Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) 81611 Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) 8160X Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) 8160B Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) 8160C Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) 8160C Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) 8160C Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) 8161S Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit) 8162S Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit) 8163S Springs, shock, long (natural finish) (GTS) (0.52 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit) 8164C Steering link, 5x117mm (1)/ draglink, 5x60mm (1)/ panhard link, 5x63mm (flee powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) 8144X Suspension link, front upper, 5x68mm (1) (pue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) 8144X Suspension link, front upper, 5x68mm (1) (red powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) 81444 Suspension link, front upper, 5x68mm (1) (red powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) 81445 Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) 81446 Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow than all the powder coated steel) (assembled	8149			
Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Liff Kit) 8160X Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Liff Kit) 8160R Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140R TRX-4® Long Arm Liff Kit) 8160 Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140R TRX-4® Long Arm Liff Kit) 8160 Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140R TRX-4® Long Arm Liff Kit) 8160 Shocks, GTS, aluminum (assembled without springs) (4) (for use with #8140R TRX-4® Long Arm Liff Kit) 8160 Shocks, GTS, aluminum (assembled without springs) (4) (for use with #8140R TRX-4® Long Arm Liff Kit) 8161 Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Liff Kit) 8162 Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Liff Kit) 8163 Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Liff Kit) 8164 Springs, shock, long (natural finish) (GTS) (0.52 rate, blue stripe) (for use with TRX-4® Long Arm Liff Kit) 8165 Springs, shock, long (natural finish) (GTS) (0.52 rate, blue stripe) (for use with #8140X TRX-4® Long Arm Liff Kit) 8166 Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with #8140X TRX-4® Long Arm Liff Kit) 8167 Springs, shock, long (natural finish) (GTS) (0.52 rate, blue stripe) (for use with #8140X TRX-4® Long Arm Liff Kit) 8168 Steering link, 5x117mm (1)/ draglink, 5x60mm (1)/ panhard link, 5x63mm (red powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Liff Kit) 8168 Steering link, 5x117mm (1)/ draglink, 5x60mm (1)/ panhard link, 5x63mm (red powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Liff Kit) 8169 Suspension link, front upper, 5x68mm (1) (red powder		(for use with TRX-4® Long Arm Lift Kit)		Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for
with TRX-4® Long Arm Lift Kit) 8160X Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) 8160R Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit) 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) 8165 Springs, shock, long (natural finish) (GTS) (0.47 rate) (for use with TRX-4® Long Arm Lift Kit) 8166 Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit) 8167 Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit) 8168 Steering link, 5x117mm (1)/ draglink, 5x60mm (1)/ panhard link, 5x63mm (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) 8144X Suspension link, front upper, 5x68mm (1) (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) 8144R Suspension link, front upper, 5x68mm (1) (red powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) 8144R Suspension link, front upper, 5x68mm (1) (red powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) 8144R Suspension link, front upper, 5x68mm (1) (red powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) 8144R Suspension link, front upper, 5x68mm (1) (red powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) 8144R Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) 8144R Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) 8144R Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long	8161	, , ,	2063	· · · · · · · · · · · · · · · · · · ·
Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit) Shocks GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.47 rate) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit) Steering link, 5x117mm (1)/ draglink, 5x60mm (1)/ panhard link, 5x63mm (for use with #8140X TRX-4® Long Arm Lift Kit) Steering link, 5x117mm (1)/ draglink, 5x60mm (1)/ panhard link, 5x63mm (fed powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (red powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (red powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Sus	8160X	with TRX-4® Long Arm Lift Kit)		Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro
Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.47 rate) (for use with #8140 TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit) Steering link, 5x117mm (1)/ draglink, 5x60mm (1)/ panhard link, 5x63mm (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Steering link, 5x117mm (1)/ draglink, 5x60mm (1)/ panhard link, 5x63mm (red powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (red powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (red powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (red powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (steel	8160R	Shocks, GTS, aluminum (red-anodized) (assembled without		locking differential)
Springs, shock, long (natural finish) (GTS) (0.47 rate) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit) Steering link, 5x117mm (1)/ draglink, 5x60mm (1)/ panhard link, 5x63mm (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Steering link, 5x117mm (1)/ draglink, 5x60mm (1)/ panhard link, 5x63mm (red powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (red powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (red powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (red powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (red powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (red powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (red powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (red powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (red powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (red powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (red powder coated steel) (asse	8160	Shocks, GTS, silver aluminum (assembled without springs) (4)		Servo, digital high-torque 330 coreless, metal gear (ball bearing),
Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit) Steering link, 5x117mm (1)/ draglink, 5x60mm (1)/ panhard link, 5x63mm (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Steering link, 5x117mm (1)/ draglink, 5x60mm (1)/ panhard link, 5x63mm (red powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (blue powder coated steel) (assembled with hollow balls) (for use with #8140 R TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (red powder coated steel) (assembled with hollow balls) (for use with #8140 R TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140 R TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140 R TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140 R TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140 R TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140 R TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140 R TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls	8155	Springs, shock, long (natural finish) (GTS) (0.47 rate) (for use	2255	recommended for optimal performance)
(for use with TRX-4® Long Arm Lift Kit) 8146X Steering link, 5x117mm (1)/ draglink, 5x60mm (1)/ panhard link, 5x63mm (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) 8146R Steering link, 5x117mm (1)/ draglink, 5x60mm (1)/ panhard link, 5x63mm (red powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) 8144X Suspension link, front upper, 5x68mm (1) (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) 8144R Suspension link, front upper, 5x68mm (1) (red powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) 8144R Suspension link, front upper, 5x68mm (1) (red powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) 8144B Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) 8144C Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) 8144C Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) 8144C Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) 8144C Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) 8144C Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) 8144C Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) 8144C Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit)	8156	stripe) (for use with TRX-4® Long Arm Lift Kit)		bearing), waterproof (#2262 external BEC and #8247 metal servo horn recommended for optimal performance)
5x63mm (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) 8146R Steering link, 5x117mm (1)/ draglink, 5x60mm (1)/ panhard link, 5x63mm (red powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) 8144X Suspension link, front upper, 5x68mm (1) (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) 8144R Suspension link, front upper, 5x68mm (1) (red powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) 8144R Suspension link, front upper, 5x68mm (1) (red powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) 8144 Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) 8144 Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) 8144 Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) 8144 Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) 8144 Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) 8144 Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) 8145 Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) 8146 Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit)		(for use with TRX-4® Long Arm Lift Kit)	2065	
Steering link, 5x117mm (1)/ draglink, 5x60mm (1)/ panhard link, 5x63mm (red powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) 8144X Suspension link, front upper, 5x68mm (1) (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) 8144R Suspension link, front upper, 5x68mm (1) (red powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) 8144 Suspension link, front upper, 5x68mm (1) (red powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) 8144 Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) 8144 Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) 8144 Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) 8144 Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) 8144 Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) 8144 Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) 8144 Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)	δ146X	5x63mm (blue powder coated steel) (assembled with hollow		XL-5HV 3s Electronic Speed Control, waterproof (low-voltage
Suspension link, front upper, 5x68mm (1) (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) 8144R Suspension link, front upper, 5x68mm (1) (red powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) 8144 Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) 8144 Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) 8144 Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) 8145 Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) 8146 Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) 8147 Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) 8148 Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) 8149 Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) 8140 Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)	8146R	Steering link, 5x117mm (1)/ draglink, 5x60mm (1)/ panhard link, 5x63mm (red powder coated steel) (assembled with hollow balls)	2261	Y-harness, BEC
Long Arm Lift Kit) 8144R Suspension link, front upper, 5x68mm (1) (red powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) 8144 Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) 8144 Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) 2842X 2843X 2869X 2869X 2869X 2976 AC to DC converter, 40W Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries	8144X	Suspension link, front upper, 5x68mm (1) (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4®		4000mAh 11.1v 3-Cell 25C LiPo Battery
steel) (assembled with hollow balls) (for use with #8140R TRX-4® 2869X Long Arm Lift Kit) 8144 Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) 8144 Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries	04445		2842X	5000mAh 7.4v 2-Cell 25C LiPo Battery
Long Arm Lift Kit) 2003	ŏ144K			-
Suspension link, front upper, 5x68mm (1) (steel) (assembled with 2938X Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries		Long Arm Lift Kit)		•
	8144			Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries

Page 4	TRX-4 Sport Unassembled Kit (Model 82010-4) Parts List
4=00	

1726	Antonno, tubo (1)/ vinyl antonno con (1)/ viro retainer (1)		O. d. B. d. d.
2943	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery charge indicators (green (4), blue (4), grey (4))		Scale Details
6548	Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)	8120X	Expedition rack, complete (includes traction boards, shovel, axe, jac fire extinguisher, fuel cans, & mounting hardware)
8222	Battery strap, TRX-4® (for 2200 2-cell and 1400 3-cell LiPo	8022T	Fuel canisters (black) (2)/ 3x8 FCS (1)
	batteries)	8022R	Fuel canisters (blue) (2)/ 3x8 FCS (1)
2914	Battery, Power Cell AA Alkaline (4)	8022 8022X	Fuel canisters (red) (2)/ 3x8 FCS (1) Fuel canisters (white) (2)/ 3x8 FCS (1)
923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)	8022A	Fuel canisters (yellow) (2)/ 3x8 FCS (1)
940X 950X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V) Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)	8023T	Jack (black) (1)/ 2x8 BCS (1)
960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)	8023	Jack (red) (1)/ 2x8 BCS (1)
2983	Battery/charger completer pack (includes #2969 2-amp NiMH	8122	Shovel/ axe/ accessory mount/ mounting hardware
	peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH	8121	Traction boards/ mounting hardware
2992	battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1),		Shocks (GTS)
2992	#2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))	8266	Body, GTS shock (aluminum, silver-anodized) (1)
2994	Battery/charger completer pack (includes #2970 iD® charger (1),	8266X	Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1)
	#2849X 4000mAh 11.1v 3-Cell 25C LiPo Battery (1))	8266A 8266G	Body, GTS shock, aluminum (blue-anodized) (1) Body, GTS shock, aluminum (green-anodized) (1)
2995	Battery/charger completer pack (includes #2970 iD® charger (1),	8266R	Body, GTS shock, aluminum (red-anodized) (1)
2991	#2869X 7600mAh 7.4V 2-cell 25C LiPo battery (1)) Battery/charger completer pack (includes #2972 Dual iD®	8264	Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4
	charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo battery (2))		bottom cap (2)/ upper retainer (2)/ lower retainer (2))
262	BEC, complete (includes receiver box cover and seals)	8274	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)
2975	Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)	5475 8261	Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8)
2972	Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery	8262	Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips
2973	Identification Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto	OLOL	and rod ends)
.57.0	Battery Identification	8263	Shock shaft, 3x47mm (GTS) (2)
2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery	8263T	Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2)
	Identification	8260X	Shocks, GTS hard-anodized, PTFE-coated aluminum bodies wi
2970	Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification	8260A	TiN shafts (assembled with spring retainers) (2) Shocks, GTS, aluminum (blue-anodized) (assembled with sprir
5525	Communication link, telemetry expander	0_00.	retainers) (2)
512	Cover plate, Traxxas Link™ Wireless Module	8260G	Shocks, GTS, aluminum (green-anodized) (assembled with
978	Fuse, charger, 5A (2) (for #2974, 2975, 2977)		spring retainers) (2)
064	Gear set (for 2065 waterproof sub-micro servo)	8260R	Shocks, GTS, aluminum (red-anodized) (assembled with spring retainers) (2)
2064X	Gear set, metal (for 2065X waterproof sub-micro servo)	8260	Shocks, GTS, silver aluminum (assembled with spring retainers) (2
2072X 2252	Gear set, metal (for 2070, 2075 servos) Gear set, metal (for 2250, 2255 servos)	1666	Silicone shock oil (30 wt)
2072R	Gear set, metal (tot 2236, 2233 servos) Gear set, metal, high speed (for 2070, 2075 servos)		Slipper Clutch Components
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for	8292	Input shaft/ output shaft (transmission)
	Traxxas® iD® batteries)	8286	Output shafts (transfer case), front & rear
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for	8254	Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm N
6561	Traxxas® iD® batteries) Mount, telemetry expander (fits TRX-4®)		(1)/ spring washers (4), metal washer (1))
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal	8249	Slipper eliminator plate
	pad		Springs
5519	Receiver, micro, TQ 2.4GHz (3-channel)	8042	Springs, shock (natural finish) (GTS) (0.22 rate, yellow stripe) (
6533 6552	Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone	8043 8044	Springs, shock (natural finish) (GTS) (0.30 rate, white stripe) (2) Springs, shock (natural finish) (GTS) (0.39 rate, orange stripe) (2)
JJJ2	grease)	8041	Springs, shock (natural finish) (GTS) (0.39 rate, drange stripe) (2)
5526	Sensor, auto-detectable, temperature	8040	Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2
5527	Sensor, auto-detectable, voltage	8045	Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2)
5521	Sensor, temperature and voltage (long)		Spur Gears & Pinion Gears
2254	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)	6746	Gear, 10-T pinion (32-p) (steel)/ set screw
2253 2251	Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for	6747	Gear, 11-T pinion (32-p) (steel)/ set screw
-201	2250, 2255 servos)	3942X	Gear, 12-T pinion (32-p), heavy duty (machined, hardened stee
2063	Servo case/gaskets (for 2065 waterproof sub-micro servo)	00.401/	set screw
2063X	Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro	3943X	Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel set screw
2075R	servo) Servo, digital high-speed, metal gear (ball bearing), waterproof	3944X	Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing),		set screw
	waterproof (#2262 external BEC and #8247X metal servo horn	3945X	Gear, 15-T pinion (32-p), heavy duty (machined, hardened stee
	recommended for optimal performance)	3946X	set screw Gear, 16-T pinion (32-p), heavy duty (machined, hardened stee
2255	Servo, digital high-torque 400 brushless, metal gear (ball	3940A	set screw
	bearing), waterproof (#2262 external BEC and #8247 metal servo horn recommended for optimal performance)	3947	Gear, 17-T pinion (32-p) (mach. steel)/ set screw
075X	Servo, digital high-torque, metal gear (ball bearing), waterproof	3947X	Gear, 17-T pinion (32-p), heavy duty (machined, hardened stee
065	Servo, sub-micro, waterproof	00.401/	set screw
065X	Servo, sub-micro, waterproof, metal gear	3948X	Gear, 18-T pinion (32-p), heavy duty (machined, hardened stee set screw
553X	Telemetry expander 2.0 and GPS module 2.0, TQi radio system	3949X	Gear, 19-T pinion (32-p), heavy duty (machined, hardened stee
550X	Telemetry expander 2.0, TQi radio system (compatible only with #6551X GPS module)	A	set screw
3550	Telemetry expander, TQi radio system	3950X	Gear, 20-T pinion (32-p), heavy duty (machined, hardened stee
5551X	Telemetry GPS module 2.0, TQi radio system (compatible only		set screw
	with #6550X telemetry expander)	3951X	Gear, 21-T pinion (32-p), heavy duty (machined, hardened stee
5516	Transmitter, TQ 2.4GHz, 2-channel (transmitter only)	3952X	set screw Gear, 22-T pinion (32-p), heavy duty (machined, hardened stee
5530	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-	3332A	set screw
	channel (transmitter only)		
6511		6745	Gear, 9-T pinion (32-p) (steel)/ set screw
6511 2261	Traxxas Link™ Wireless Module Y-harness, BEC	6745 8052 8053	Gear, 9-T pinion (32-p) (steel)/ set screw Spur gear, 39-tooth (TRX-4®) Spur gear, 45-tooth (TRX-4®)

Page 5 TRX-4 Sport Unassembled Kit (Model 82010-4) Parts List

8232	Stearing Components Caster blocks (portal drive), left & right/ kingpin bushings (4)	8181	Tires and wheels, assembled, glued (TRX-4 Sport wheels, Canyon Trail 2.2 tires) (2) (for use with TRX-4 Long Arm Lift Kit)
8232X	Caster blocks, 6061-T6 aluminum (blue-anodized), left and right	8272	Tires and wheels, assembled, glued (TRX-4® wheels, Canyon Trail 1.9 tires) (2)
8232A	Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left	8270	Tires, Canyon Trail 1.9 (S1 compound)/ foam inserts (2)
8232G	and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right	8170	Tires, Canyon Trail 2.2/ foam inserts (2) (for use with TRX-4 Long-Arm Lift Kit)
8232R	Caster blocks, 6061-T6 aluminum (red-anodized), left and right	8269	Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel) (fits TRX-4®)
2072X 2072R	Gear set, metal (for 2070, 2075 servos)	8269X	Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/
2072K 8274	Gear set, metal, high speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)	8269A	screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-
5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)		anodized) (4)/ screw pin (4)
8275	Rod end set, complete (standard (10), angled 10-degrees (8), offset	8269G	Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ screw pin (4)
8276	(4)) Rod ends (10)	8269R	Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4)
8277 2742	Rod ends, angled 10-degrees (8) Rod ends, long (6)/ hollow ball connectors (6)	8173	Wheels, Method 105 1.9" (black chrome, beadlock) (beadlock rings sold separately)
8278	Rod ends, offset (4)	8173A	Wheels, Method 105 1.9" (charcoal gray, beadlock) (beadlock
3247	Servo horn, steering		rings sold separately)
8247X	Servo horn, steering, metal/ 3x14 BCS (1)	8171	Wheels, Method 105 2.2" (black chrome, beadlock) (beadlock
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof		rings sold separately) (for use with TRX-4 Long Arm Lift Kit)
2075X 5529	Servo, digital high-torque, metal gear (ball bearing), waterproof Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,	8171A	Wheels, Method 105 2.2" (charcoal gray, beadlock) (beadlock rings sold separately) (for use with TRX-4 Long Arm Lift Kit)
	captured (4)	8268	Wheels, Tactical 1.9 (2)
8246	Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel)	8271	Wheels, TRX-4® 1.9 (2)
8243	Suspension link, front, 5x100mm (lower) (steel) (2)	8271X	Wheels, TRX-4® 1.9 (satin beadlock) (2)
8244	Suspension link, front, 5x63mm (upper) (steel) (2)	8178	Wheels, TRX-4® Sport 1.9 (2)
8245	Suspension link, rear, 5x121mm (upper or lower) (steel) (2)	8180	Wheels, TRX-4 Sport 2.2 (2) (for use with TRX-4 Long Arm Lift Kit)
8058	Suspension Linkage Chassis conversion kit, TRX-4® (long to short wheelbase)		Transmission Components
5000	(includes rear upper & lower suspension links, front & rear inner	8283	Cable, T-lock (front)
	fenders, short female half shaft, battery tray, 3x8mm FCS (4))	8284	Cable, T-lock (rear)
8057	Chassis conversion kit, TRX-4® (short to long wheelbase)	8289	Drive hub, 2-speed/ shift dog/ shift fork/ 2-speed linkage
	(includes rear upper & lower suspension links, front & rear	8293X	Gear set, transmission, metal (includes 18T, 30T input gears, 36T
0274	shock towers, long female half shaft)	0204	output gear, 2x10.3 pins (5))
8274 5355	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer	8291 8285	Gearbox housing (includes main housing, front housing, & cover) Gears, transfer case (3)
3333	adjustment shims; 3.5mm (2), 1.17mm (2)	5041	Grease, premium high performance (20cc)
8275	Rod end set, complete (standard (10), angled 10-degrees (8), offset	8292	Input shaft/ output shaft (transmission)
	(4))	8290X	Motor mount plate, TRX-4®, 6061-T6 aluminum (blue-anodized)
8276	Rod ends (10)	8290A	Motor mount plate, TRX-4®, 6061-T6 aluminum (charcoal gray-
8277	Rod ends, angled 10-degrees (8)	00000	anodized)
2742 8278	Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4)	8290G 8290R	Motor mount plate, TRX-4®, 6061-T6 aluminum (green-anodized) Motor mount plate, TRX-4®, 6061-T6 aluminum (red-anodized)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)	8295	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x11 screw pin (1)/ cross pin (black)
8243	Suspension link, front, 5x100mm (lower) (steel) (2)		(1) 3x6 BCS with threadlock (1))
8244	Suspension link, front, 5x63mm (upper) (steel) (2)	8294	Output gear, high range, 24T (metal)
8245	Suspension link, rear, 5x121mm (upper or lower) (steel) (2)	8286	Output shafts (transfer case), front & rear
	Team Traxxas Items	8290	Plate, motor/ upper spur gear cover
2514	Decal sheet, racing sponsors	8249 8296	Slipper eliminator plate Transmission gears, single speed, metal
6160X	DVD, Maxx® Power! Full Throttle Action (sleeve)	8196	Two speed conversion kit
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)	0100	•
9909	Traxxas® racing banner, red & black (3x7 feet)		Traxxas Tools
	Tires & Wheels	3433X	Body reamer (aluminum handle)
8169T	Beadlock rings, black (1.9") (aluminum) (4)/ 2x10 CS (48)	3433	Body reamer (plastic handle)
8168T	Beadlock rings, black (2.2") (aluminum) (4)/ 2x10 CS (48)	3436 3432	Cap, body reamer Scissors, curved tip
8169X	Beadlock rings, blue (1.9") (aluminum) (4)/ 2x10 CS (48)	3431	Scissors, straight tip
8168X	Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48)	3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm,
8169G	Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (48)		3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut
8168G	Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48)		drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips,
8169A 8168A	Beadlock rings, orange (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, orange (2.2") (aluminum) (4)/ 2x10 CS (48)		#0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/
8169R	Beadlock rings, orange (2.2) (aluminum) (4)/ 2x10 CS (48)		driver handle
8168R	Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48)		
8169	Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48)		If you have questions or need technical assistance, call Traxxas at:
8168	Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48)		1-000-TDAYYAE
8174	Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 1.9" tires, foam inserts) (1 left, 1 right)		1 -888-TRAXXAS (1-888-872-9927) (U.S. residents only)
8172	right) Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 2.2" tires, foam inserts) (1 left, 1 right) (for use with TRX-4 Long Arm Lift Kit)		For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com TRAXXAS.COM
8273	Tires and wheels, assembled, glued (Tactical wheels, Canyon Trail 1.9 tires) (2)		
8272X	Tires and wheels, assembled, glued (TRX-4® satin beadlock		
8179	wheels, Canyon Trail 1.9 tires) (2) Tires and wheels, assembled, glued (TRX-4® Sport wheels, Canyon Trail 1.9 tires) (2)		